

SLOVENSKI STANDARD
oSIST prEN 301 091-3 V1.1.0:2016
01-september-2016

Naprave kratkega dosega - Transportna in prometna telematika (TTT) - Radarska oprema, ki deluje v frekvenčnem območju od 76 GHz do 77 GHz - Harmonizirani standard, ki zajema bistvene zahteve člena 3.2 direktive 2014/53/EU - 3. del: Sistemi za odkrivanje ovir na cestno-železniških prehodih

Short Range Devices - Transport and Traffic Telematics (TTT) - Radar equipment operating in the 76 GHz to 77 GHz range - Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU - Part 3: Railway/Road Crossings obstacle detection system applications

[SIST EN 301 091-3 V1.1.1:2017](https://standards.iteh.ai/catalog/standards/sist/49c24d70-e948-4f7f-b36e-4afc8f4b1ede/sist-en-301-091-3-v1-1-1-2017)

<https://standards.iteh.ai/catalog/standards/sist/49c24d70-e948-4f7f-b36e-4afc8f4b1ede/sist-en-301-091-3-v1-1-1-2017>

Ta slovenski standard je istoveten z: ETSI EN 301 091-3 V1.1.0 (2016-06)

ICS:

33.060.99	Druga oprema za radijske komunikacije	Other equipment for radiocommunications
35.240.60	Uporabniške rešitve IT v prometu	IT applications in transport

oSIST prEN 301 091-3 V1.1.0:2016 **en**

Draft **ETSI EN 301 091-3** V1.1.0 (2016-06)



**Short Range Devices;
Transport and Traffic Telematics (TTT);
Radar equipment operating in the 76 GHz to 77 GHz range;
Harmonised Standard covering the essential requirements
of article 3.2 of the Directive 2014/53/EU;
Part 3: Railway/Road Crossings obstacle detection
system applications**

Reference

DEN/ERM-TGSRR-73

Keywords

Harmonised standard, measurement, radar, SRD

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 091-3 V1.1.1:2017

<https://standards.iteh.ai/catalog/standards/sist-en-301-091-3-v1-1-1-2017>
Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	5
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	8
3 Definitions, symbols and abbreviations	8
3.1 Definitions	8
3.2 Symbols.....	8
3.3 Abbreviations	8
4 Technical requirements specifications	8
4.1 Environmental conditions.....	8
4.2 General	9
4.2.1 Background information	9
4.2.2 Wanted performance criteria.....	9
4.2.3 Fixed and scanning antennas	9
4.3 Transmitter Conformance Requirements.....	9
4.3.1 Operating Frequency Range	9
4.3.1.1 Applicability.....	9
4.3.1.2 Description	9
4.3.1.3 Limits	10
4.3.1.4 Conformance.....	10
4.3.2 Mean Power.....	10
4.3.2.1 Applicability.....	10
4.3.2.2 Description	10
4.3.2.3 Limits	10
4.3.2.4 Conformance.....	10
4.3.3 Peak Power	11
4.3.3.1 Applicability.....	11
4.3.3.2 Description	11
4.3.3.3 Limits	11
4.3.3.4 Conformance.....	11
4.3.4 Unwanted emissions in the out-of-band domain.....	11
4.3.4.1 Applicability.....	11
4.3.4.2 Description	11
4.3.4.3 Limits	11
4.3.4.4 Conformance.....	11
4.3.5 Unwanted emissions in the spurious domain	12
4.3.5.1 Applicability.....	12
4.3.5.2 Description	12
4.3.5.3 Limits	12
4.3.5.4 Conformance.....	12
4.4 Receiver Conformance Requirements	12
4.4.1 Introduction.....	12
4.4.2 Receiver spurious emissions	12
4.4.2.1 Applicability.....	12
4.4.2.2 Description	13
4.4.2.3 Limits	13
4.4.2.4 Conformance.....	13
4.4.3 Receiver in-band, out-of-band and remote-band signals handling.....	13
4.4.3.1 Applicability.....	13
4.4.3.2 Description	13

4.4.3.3	Limits	13
4.4.3.4	Conformance	13
4.4.4	Receiver sensitivity	14
4.5	Other Requirements and Mitigation techniques	14
4.5.1	Installation requirements.....	14
4.5.1.1	Applicability.....	14
4.5.1.2	Description	14
4.5.1.3	Requirements	14
4.5.1.4	Conformance.....	14
4.5.2	Operational requirements.....	14
4.5.2.1	Applicability.....	14
4.5.2.2	Description	14
4.5.2.3	Requirements	14
4.5.2.4	Conformance.....	16
4.5.3	Emission limits of the installation.....	16
4.5.3.1	Applicability.....	16
4.5.3.2	Description	16
4.5.3.3	Requirements	16
4.5.3.4	Conformance.....	16
5	General considerations for performing the tests.....	16
6	Test setup and procedures	16
7	Conformance methods of measurement for transmitter and receiver.....	16
7.1	General	16
7.2	Conformance method for installation requirements	17
Annex A (normative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	18
Annex B (normative):	Supervision Area and Protection Zone.....	19
B.1	Definition of supervision area in the horizontal plane	19
B.2	Protection zone in a vertical plane with the related emission levels	19
Annex C (informative):	Example: How to convert Power Flux Density (PFD) to e.i.r.p.....	21
C.1	Description	21
C.2	Notes.....	21
C.3	Calculation Example	21
Annex D (informative):	Bibliography.....	22
Annex E (informative):	Change History	23
History		24

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This draft Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.5] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.2].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

The present document is part 3 of a multi-part deliverable. Full details of the entire series can be found in part 1 [i.6].

The present document covers the essential requirements of article 3.2 of Directive 2014/53/EU [i.2].

<https://standards.iteh.ai/catalog/standards/sist/49c24d70-e948-4f7f-b36e-4afc8f4b1ede/sist-en-301-091-3-v1-1-1-2017>

Proposed national transposition dates

Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document, together with ETSI EN 303 396 [1], covers the assessment of certain types of equipment as defined herein.

In case of differences (for instance concerning special conditions, definitions, abbreviations) between the present document and ETSI EN 303 396 [1], the provisions of the present document take precedence.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 091-3 V1.1.1:2017

<https://standards.iteh.ai/catalog/standards/sist/49c24d70-e948-4f7f-b36e-4afc8f4b1ede/sist-en-301-091-3-v1-1-1-2017>

1 Scope

The present document applies to radar equipment for obstacle detection applications in the frequency range from 76 GHz to 77 GHz at the road crossing of a railway track. It covers integrated transceivers and separate transmit/receive modules.

Also the present document specifies the requirements for Short Range Devices (SRD) intended for the use at road crossing of a railway track.

The present document applies to:

- equipment with an integral antenna;
- fixed devices;
- operating in the frequency range from 76 GHz to 77 GHz.

The present document contains the technical characteristics and test methods for obstacle detection radar equipment fitted with integral antennas operating in the frequency range from 76 GHz to 77 GHz and references CEPT/ECC ERC Recommendation 70-03 [i.1] Annex 4.

The present document does not necessarily include all the characteristics which may be required by a user, nor does it necessarily represent the optimum performance achievable.

These radio equipment types are capable of operating in all or part of the frequency bands given in table 1.

Table 1: Permitted range of operation [i.1]

Permitted range of operation	
Transmit	76 to 77 GHz
Receive	76 to 77 GHz

The present document contains requirements to demonstrate that radio equipment both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 303 396 (V1.1.1) (02-2016): " Short Range Devices; Measurement Techniques for automotive and surveillance radar equipment".

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] CEPT/ERC Recommendation 70-03: "Relating to the use of Short Range Devices (SRD)".
- [i.2] Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.3] CEPT/ERC/REC 74-01: "Unwanted emissions in the spurious domain".
- [i.4] ETSI EG 203 336: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".
- [i.5] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.6] ETSI EN 301 091-1: "Short Range Devices; Transport and Traffic Telematics (TTT); Radar equipment operating in the 76 GHz to 77 GHz range; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Ground based vehicular radar".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in ETSI EN 303 396 [1] and the following apply:

supervision area: intersection of the railway track(s) and road with an additional safety zone of 2 m. The intersection is restricted by elements to halt/stop the road traffic (e.g. "signal, acoustic and/or barrier drive") and/or signs only to inform the traffic on the intersection

3.2 Symbols

For the purposes of the present document, the symbols given in ETSI EN 303 396 [1] apply.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI EN 303 396 [1] apply.

4 Technical requirements specifications

4.1 Environmental conditions

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the supplier. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile. The normal and extreme test conditions are defined in clauses 4.4.3 and 4.4.4 of ETSI EN 303 396 [1].

4.2 General

4.2.1 Background information

In this clause all general considerations for the testing of radar applications at road crossing of railway track applications in the frequency range from 76 GHz to 77 GHz are given. The tests covers integrated transceivers and separate transmit/receive modules.

All operating bandwidths of the equipment (see clause 4.3.1) shall be declared by the equipment manufacturer (see clause 4.2 of ETSI EN 303 396 [1]).

Where equipment has more than one operating bandwidths, sufficient number of operating bandwidths shall be chosen for testing so as to encompass the lower and higher limits of the operating frequency and the minimum and maximum bandwidth.

The EUT modulation during testing should be representative of normal use of the equipment. The manufacturer shall employ the mode of operation of the equipment which results in the highest transmitter activity consistent with the requirement to measure the highest power transmission which would be available in operation, and should ensure that:

- transmissions occur regularly in time;
- sequences of transmissions can be repeated accurately.

For transmitters that have multi-modulation schemes incorporated, it may be necessary to test each scheme.

The meaning of EUT with scanning/steerable antenna is that the EUT TX antenna pattern is electronically or mechanically adjustable.

4.2.2 Wanted performance criteria

The wanted performance criterion is that the EUT shall indicate the properties of a given target at a given distance. Since EUT considered here typically are tailored to specific applications, no single wanted performance criterion can be defined here.

Therefore:

- the relevant properties (e.g. presence, range, relative speed, azimuth angle) shall be declared by the manufacturer;
- the type and RCS of the target and the distance shall be declared by the manufacturer.

4.2.3 Fixed and scanning antennas

The provisions of ETSI EN 303 396 [1], clause 4.3.5 apply.

4.3 Transmitter Conformance Requirements

4.3.1 Operating Frequency Range

4.3.1.1 Applicability

This requirement shall apply to all EUT.

4.3.1.2 Description

The description in ETSI EN 303 396 [1], clause 6.2.2 applies.