



# SLOVENSKI STANDARD

# SIST ETS 300 497-7 E2:2003

01-december-2003

8 ][ JUJbY ]nVc `yUbYVfYnj f] bYHYY\_ca i b]\_UWYYfB 97 HLE'G\_i db] j a Ygb] .f7 L'E  
? b Jyjb]WUdfYg\_i yUb] df]a Yfcj fH7 @E +"XY .5 VglfU\_Hb] dfYg\_i yUb] b]n f5 HGlnU  
ca fYybcd'UghfBK ?L'E DfYbcqbUfUX]q UnU `1 JHj fDHl

## Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Test Case Library (TCL); Part 7: Abstract Test Suite (ATS) for Network (NWK) layer - Portable radio Termination (PT)

# iTeh STANDARD PREVIEW

## (standards.iteh.ai)

SIST ETS 300 497-7 E2:2003

<https://standards.iteh.ai/catalog/standards/sist/62b6bf39-2356-4e8c-b403-22805099ed0c/sist-ets-300-497-7-e2-2003>

Ta slovenski standard je istoveten z: ETS 300 497-7 Edition 2

**ICS:**

33.070.30 Öö ää ãà Áà[ |bzã^ à|^: cíçã } ^Á|^\{ { ` } ã ãäö ÖÖÖVD Digital Enhanced Cordless  
Telecommunications (DECT)


SIST ETS 300 497-7 E2:2003

en

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST ETS 300 497-7 E2:2003](#)

[https://standards.iteh.ai/catalog/standards/sist/62b6bf39-2356-4e8c-b403-  
22805099ed0c/sist-ets-300-497-7-e2-2003](https://standards.iteh.ai/catalog/standards/sist/62b6bf39-2356-4e8c-b403-22805099ed0c/sist-ets-300-497-7-e2-2003)



# EUROPEAN TELECOMMUNICATION STANDARD

**ETS 300 497-7**

February 1998

Second Edition

Source: DECT

Reference: RE/DECT-040094-7

ICS: 33.020

**Key words:** ATS, DECT, PIXIT, radio, testing

Digital Enhanced Cordless Telecommunications (DECT);  
Common Interface (CI) Test Case Library (TCL);

**Part 7: Abstract Test Suite (ATS) for Network (NWK) layer -  
Portable radio Termination (PT)**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998. All rights reserved.

Page 2

ETS 300 497-7: February 1998

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 497-7 E2:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/62b6bf39-2356-4e8c-b403-22805099ed0c/sist-ets-300-497-7-e2-2003>

## Contents

|  |    |
|--|----|
| Foreword .....   | 5  |
| 1 Scope .....  | 7  |
| 2 Normative references.....  | 7  |
| 3 Definitions, symbols and abbreviations .....                       | 9  |
| 3.1 Definitions .....  | 9  |
| 3.2 DECT abbreviations.....  | 9  |
| 4 Abstract Test Method (ATM) .....                                   | 10 |
| 4.1 ATM .....  | 10 |
| 4.2 DLC primitives.....  | 11 |
| 4.2.1 S-SAP primitives .....   | 11 |
| 4.2.2 B-SAP primitives .....   | 14 |
| 4.3 TC execution sequence .....                                      | 15 |
| 5 Untestable Test Purposes (TP).....                                 | 15 |
| 6 ATS conventions .....  | 15 |
| 6.1 Naming conventions .....   | 15 |
| 6.1.1 Declarations part.....   | 15 |
| 6.1.1.1 Test suite type, ASP and PDU type definitions.....           | 16 |
| 6.1.1.2 Test Suite Operations (TSO) definitions.....                 | 16 |
| 6.1.1.3 Test suite selection expressions.....                        | 16 |
| 6.1.1.4 Test Suite Parameter (TSP) declarations.....                 | 16 |
| 6.1.1.5 Test Case Selection (TCS) expression definitions .....       | 16 |
| 6.1.1.6 Test Suite Constant (TSC) declarations .....                 | 17 |
| 6.1.1.7 Test Suite Variable (TSV) declarations .....                 | 17 |
| 6.1.1.8 Test Case Variable (TCV) declarations .....                  | 17 |
| 6.1.1.9 Point of Control and Observation (PCO) declarations .....    | 17 |
| 6.1.1.10 Timer declarations .....                                    | 17 |
| 6.1.1.11 ASP type definitions.....                                   | 18 |
| 6.1.1.12 PDU type definitions .....                                  | 18 |
| 6.1.1.13 Alias definitions.....                                      | 18 |
| 6.1.2 Constraints part.....  | 18 |
| 6.1.3 Dynamic part .....   | 20 |
| 6.1.3.1 Test Case (TC) identifier .....                              | 20 |
| 6.1.3.2 Test Step (TS) identifier.....                               | 20 |
| 6.1.3.3 Default identifier.....                                      | 20 |
| 6.1.3.4 General aspects .....  | 20 |
| 6.1.3.5 ATS abbreviations .....                                      | 20 |
| 6.2 Implementation conventions .....                                 | 21 |
| 6.2.1 Declaration part.....  | 21 |
| 6.2.2 Constraint part.....   | 21 |
| 6.2.3 Dynamic part .....   | 22 |
| 6.2.4 Documentation .....  | 22 |
| Annex A (normative): Abstract Test Suite (ATS) for NWK testing ..... | 23 |
| A.1 The machine processable ATS (TTCN.MP) .....                      | 23 |
| A.2 The graphical ATS (TTCN.GR).....                                 | 23 |
| Annex B (normative): Partial PIXIT proforma.....                     | 24 |

|  |  |    |
|--|--|----|
| B.1  | Identification summary.....  | 24 |
| B.2  | ATS summary.....   | 24 |
| B.3  | Test laboratory.....   | 24 |
| B.4  | Client identification.....   | 24 |
| B.5  | SUT.....   | 25 |
| B.6  | Protocol layer information .....   | 25 |
| B.6.1  | Protocol identification .....  | 25 |
| B.6.2  | IUT information.....   | 26 |
| Annex C (normative): Protocol Conformance Test Report (PCTR) proforma for DECT NWK ..... |  | 30 |
| C.1  | Identification summary.....  | 30 |
| C.1.1  | Protocol conformance test report.....  | 30 |
| C.1.2  | IUT identification.....  | 30 |
| C.1.3  | Testing environment.....   | 30 |
| C.1.4  | Limits and reservation .....   | 30 |
| C.1.5  | Comments.....  | 31 |
| C.2  | IUT conformance status .....   | 31 |
| C.3  | Static conformance summary.....  | 31 |
| C.4  | Dynamic conformance summary.....   | 31 |
| C.5  | Static conformance review report.....  | 31 |
| C.6  | Test campaign report.....  | 32 |
| C.7  | Observations.....<br><a href="https://standards.iteh.ai/catalog/standards/sist/62b6bf39-2356-4e8c-b403-22805099ed0c/sist-ets-300-497-7-e2-2003">https://standards.iteh.ai/catalog/standards/sist/62b6bf39-2356-4e8c-b403-22805099ed0c/sist-ets-300-497-7-e2-2003</a> | 34 |
| Annex D (informative): Bibliography .....  |  | 35 |
| History.....   |  | 36 |

## Foreword

This second edition European Telecommunication Standard (ETS) has been produced by the Digital Enhanced Cordless Telecommunications (DECT) Project of the European Telecommunications Standards Institute (ETSI).

This ETS comprises nine parts, as follows:

- Part 1: "Test Suite Structure (TSS) and Test Purposes (TP) for Medium Access Control (MAC) layer";
- Part 2: "Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Portable radio Termination (PT)";
- Part 3: "Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Fixed radio Termination (FT)";
- Part 4: "Test Suite Structure (TSS) and Test Purposes (TP) - Data Link Control (DLC) layer";
- Part 5: "Abstract Test Suite (ATS) - Data Link Control (DLC) layer";
- Part 6: "Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Portable radio Termination (PT)";
- Part 7: "Abstract Test Suite (ATS) for Network (NWK) layer - Portable radio Termination (PT)"**
- Part 8: "Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Fixed radio Termination (FT)"
- Part 9: "Abstract Test Suite (ATS) for Network (NWK) layer - Fixed radio Termination (FT)".

## The STANDARD PREVIEW (standards.iteh.ai)

| SIST ETS 300 497-7 E2:2003<br>Transposition dates  |                  |
|--|------------------|
| Date of adoption of this ETS:<br><a href="https://standards.iteh.ai/catalog/standards/sist/62b6bf39-2356-4e8c-b403-22805099ed0c/sist-ets-300-497-7-e2-2003">https://standards.iteh.ai/catalog/standards/sist/62b6bf39-2356-4e8c-b403-22805099ed0c/sist-ets-300-497-7-e2-2003</a> | 23 January 1998  |
| Date of latest announcement of this ETS (doa):   | 31 May 1998      |
| Date of latest publication of new National Standard or endorsement of this ETS (dop/e):  | 30 November 1998 |
| Date of withdrawal of any conflicting National Standard (dow):   | 30 November 1998 |

Blank page

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST ETS 300 497-7 E2:2003](#)  
<https://standards.iteh.ai/catalog/standards/sist/62b6bf39-2356-4e8c-b403-22805099ed0c/sist-ets-300-497-7-e2-2003>

## 1 Scope

This European Telecommunication Standard (ETS) contains the Abstract Test Suite (ATS) to test the Network (NWK) layer, Portable radio Termination (PT).

The objective of this test specification is to provide a basis for approval tests for DECT equipment giving a high probability of air interface inter-operability between different manufacturer's DECT equipment. Part 7 of this test specification contains the Abstract Test Suite for testing of the NWK layer at the PT.

The ISO standard for the methodology of conformance testing (ISO/IEC 9646 parts 1 to 7 [12] to [18]) as well as the ETSI rules for conformance testing (protocol and profile conformance testing specifications, standardization methodology ETS 300 406 [10]) are used as basis for the test methodology.

Test specifications for the Physical Layer (PHL) are provided in other DECT standards.

Annex B provides the partial Protocol Implementation Extra Information for Testing (PIXIT) Proforma.

## 2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 175-1: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 1: Overview".  
**iTeh STANDARD PREVIEW**  
**(standard side)**
- [2] ETS 300 175-2: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 2: Physical layer (PHL)".
- [3] ETS 300 175-3: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 3: Medium Access Control (MAC) layer".  
<https://standards.iten.ae/catalog/standards/sist-62b6b139-2356-4e8c-b403-22805099ed0c/jst-ets-300-497-7-e2-2003>
- [4] ETS 300 175-4: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 4: Data Link Control (DLC) layer".
- [5] ETS 300 175-5: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 5: Network (NWK) layer".
- [6] ETS 300 175-6: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 6: Identities and addressing".
- [7] ETS 300 175-7: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 7: Security features".
- [8] ETS 300 175-8: "Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Part 8: Speech coding and transmission".
- [9] ETS 300 324-3: "Signalling Protocols and Switching (SPS); V interfaces at the digital Local Exchange (LE); V5.1 interface for the support of Access Network (AN); Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the network layer (AN side)".
- [10] ETS 300 406: "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".
- [11] ETS 300 444: "Digital European Cordless Telecommunications (DECT); Generic Access Profile (GAP)".

- [12] ISO/IEC 9646-1 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts". (See also CCITT Recommendation X.290 (1991)).
- [13] ISO/IEC 9646-2 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 2: Abstract test suite specification". (See also CCITT Recommendation X.291 (1991)).
- [14] ISO/IEC 9646-3 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 3: The tree and tabular combined notation". (See also CCITT Recommendation X.292 (1992)).
- [15] ISO/IEC 9646-4 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 4: Test realisation". (See also CCITT Recommendation X.292 (1992)).
- [16] ISO/IEC 9646-5 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 5: Requirements on test laboratories and clients for the conformance assessment process". (See also CCITT Recommendation X.292 (1992)).
- [17] ISO/IEC 9646-6 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 6: Protocol profile test specification".
- [18] ISO/IEC 9646-7 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation conformance statement"  
*(standards.tech.ai)*
- [19] 91/263/EEC: "Council Directive of 29 April 1991 on the approximation of the laws of the Member States concerning telecommunications terminal equipment, including the mutual recognition of their conformity" (Terminal Directive).  
*22805099ed0c/sist-ets-300-497-7-e2-2003*
- [20] TBR 6: "Digital Enhanced Cordless Telecommunications (DECT); General terminal attachment requirements".
- [21] TBR 10: "Digital Enhanced Cordless Telecommunications (DECT); General terminal attachment requirements; Telephony applications".
- [22] TBR 11: "Attachment requirements for terminal equipment for Digital Enhanced Cordless Telecommunications (DECT) Public Access Profile (PAP) applications".
- [23] TBR 22: "Attachment requirements for terminal equipment for Digital Enhanced Cordless Telecommunications (DECT) Generic Access Profile (GAP) applications".
- [24] ETR 141: "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; The Tree and Tabular Combined Notation (TTCN) style guide".

### 3 Definitions, symbols and abbreviations

#### 3.1 Definitions

For the purposes of this ETS, the definitions given in ISO/IEC 9646-1 [12], ISO/IEC 9646-2 [13], ETS 300 175-1 [1], ETS 300 175-5 [5], ETS 300 175-6 [6] and ETS 300 175-7 [7] apply.

#### 3.2 DECT abbreviations

For the purposes of this ETS, the following abbreviations apply:

|       |   |
|-------|---|
| AC    | Authentication Code                                   |
| AR    | Access Rights   |
| ASP   | Abstract Service Primitive                            |
| ATS   | Abstract Test Suite                                   |
| AU    | Authentication  |
| BI    | Invalid Behaviour                                     |
| BO    | Inopportune Behaviour                                 |
| BV    | Valid Behaviour                                       |
| CA    | Capability  |
| CC    | Call Control  |
| CH    | Ciphering   |
| CI    | Call Information                                      |
| CR    | Call Release  |
| DECT  | Digital Enhanced Cordless Telecommunication           |
| DLC   | Data Link Control                                     |
| FT    | Fixed radio Termination                               |
| IC    | Incoming Call   |
| ID    | Identification  |
| IPEI  | International Portable Equipment Identity             |
| IPUI  | International Portable User Identity                  |
| IUT   | Implementation Under Test                             |
| IWU   | Interworking Unit                                     |
| KA    | Key Allocation  |
| LC    | Link Control entity                                   |
| LE    | Connection oriented Link Establishment                |
| LL    | Connectionless Link control                           |
| LO    | Location  |
| LR    | Connection oriented Link Release                      |
| LS    | Connection oriented Link Suspend and resume           |
| LT    | Lower Tester  |
| MAC   | Medium Access Control                                 |
| ME    | Management Entity                                     |
| MM    | Mobility Management                                   |
| MO    | Connection Oriented Message Services                  |
| NWK   | Network layer   |
| OC    | Outgoing Call   |
| PARK  | Portable Access Rights Key                            |
| PCO   | Point of Control and Observation                      |
| PCTR  | Protocol Conformance Test Report                      |
| PDU   | Protocol Data Unit                                    |
| PHL   | Physical Layer  |
| PICS  | Protocol Implementation Conformance Statement         |
| PIXIT | Protocol Implementation Extra Information for Testing |
| PT    | Portable radio Termination                            |
| RPN   | Radio Fixed Part Number                               |
| RS    | Call Related Supplementary Services                   |
| SUT   | System Under Test                                     |
| TCS   | Test Case Selection                                   |
| TCV   | Test Case Variable                                    |
| TP    | Test Purposes   |
| TSC   | Test Suite Constant                                   |
| TSO   | Test Suite Operation                                  |

|      |                                    |
|------|------------------------------------|
| TSP  | Test Suite Parameter               |
| TSS  | Test Suite Structure               |
| TSV  | Test Suite Variable                |
| TTCN | Tree and Tabular Combined Notation |
| UT   | Upper Tester                       |

## 4 Abstract Test Method (ATM)

This clause describes the ATM, the Point of Control and Observation (PCO) used to test the NWK layer of the PT.

### 4.1 ATM




Figure 1: Remote single layer test method embedded variant

**LT1:** a lower tester (LT1) is located in a remote DECT test system. It controls and observes the behaviour of the Implementation Under Test (IUT).

**DSAP:** a unique Data Link Control (DLC) SAP is defined at the DECT interface and used to exchange service data of the NWK protocol.

**PCO:** the PCO for Network Layer testing is located on the DSAP. All test events at the PCO are specified in terms of DLC Abstract Service Primitives (ASPs) and NWK Protocol Data Units (PDUs).