

SLOVENSKI STANDARD oSIST prEN 301 489-34 V2.1.0:2016 01-julij-2016

Standard elektromagnetne združljivosti (EMC) za radijsko opremo in storitve - 34. del: Posebni pogoji za zunanje napajalnike (EPS) za mobilne telefone - Harmonizirani standard, ki zajema bistvene zahteve člena 3.1b direktive 2014/53/EU in bistvene zahteve člena 6 direktive 2014/30/EU

ElectroMagnetic Compatibility (EMC) standard for radio equipment and services - Part 34: Specific conditions for External Power Supply (EPS) for mobile phones - Harmonised Standard covering the essential requirements of article 3.1b of the Directive 2014/53/EU and the essential requirements of article 6 of the Directive 2014/30/EU

(https://standards.iteh.ai) Document Preview

SIST EN 301 489-34 V2.1.1:2019

Ta slovenski standard je istoveten z: ETSI EN 301 489-34 V2.1.0 (2016-05)

ICS:

33.060.20	Sprejemna in oddajna oprema	Receiving and transmitting equipment
33.070.01	Mobilni servisi na splošno	Mobile services in general
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

oSIST prEN 301 489-34 V2.1.0:2016 en

oSIST prEN 301 489-34 V2.1.0:2016

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN 301 489-34 V2.1.1:2019

https://standards.iteh.ai/catalog/standards/sist/1b32eb75-fd7d-4925-8696-f17cf682d212/sist-en-301-489-34-v2-1-1-201

oSIST prEN 301 489-34 V2.1.0:2016

Draft ETSI EN 301 489-34 V2.1.0 (2016-05)



ElectroMagnetic Compatibility (EMC)
standard for radio equipment and services;
Part 34: Specific conditions for External Power Supply (EPS)
for mobile phones;

Harmonised Standard covering the essential requirements of article 3.1b of the Directive 2014/53/EU and the essential requirements of article 6 of the Directive 2014/30/EU

https://standards.iteh.ai/catalog/standards/sist/1b32eb75-fd7d-4925-8696-f17cf682d212/sist-en-301-489-34-v2-1-1-201

Reference

REN/ERM-EMC-339

Keywords

EMC, harmonised standard, mobile, radio

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

iTeh Standards https://standards.iteh.ai

Important notice

The present document can be downloaded from: <u>http://www.etsi.org/standards-search</u>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or v2 = 20 print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT[™], **PLUGTESTS**[™], **UMTS**[™] and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP**[™] and **LTE**[™] are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intel	Intellectual Property Rights5		
Fore	Foreword5		
	Modal verbs terminology		
	Introduction		
1	Scope		
2	References	7	
2.1	Normative references		
2.2	Informative references		
3	Definitions and abbreviations		
3.1	Definitions		
3.2	Abbreviations	9	
4	Test conditions	9	
4.1	General	9	
4.2	Arrangements for test signals	9	
4.3	RF exclusion band of radio communications equipment	9	
4.4	Narrow band responses of receivers or receivers which are part of transceivers	9	
4.5	Normal test modulation	9	
4.6	Representative generic test load	10	
5	Performance assessment	10	
3	remorniance assessment	10	
6	Performance criteria	10	
6.0	General I An Standards	10	
6.1	Performance criteria for EPS	10	
7	Applicability overview tables	1.1	
7			
7.0	General		
7.1	EMC requirements for emission EMC requirements for Immunity		
7.2	ENIC requirements for immunity	11	
8	Methods of measurement and limits for EMC emissions	12	
8.1	Test configuration.	12	
https://st8.2da	Enclosure of EPS equipment	.89-3412	
8.2.0			
8.2.1	Test method	12	
8.2.2	Limits	12	
8.3	DC power output ports	12	
8.3.0	Configuration of DC power output ports	12	
8.3.1	Definition	12	
8.3.2		12	
8.3.3	Limits	13	
8.4	AC mains power input ports		
8.4.0	Configuration of AC mains power input ports	13	
8.4.1	Definition	13	
8.4.2		13	
8.4.3			
8.5	Harmonic current emissions (AC mains input port)		
8.6	Voltage fluctuations and flicker (AC mains input port)	13	
9	Test methods and levels for immunity tests	13	
9.1	Test configuration.		
9.2	Radio frequency electromagnetic field (80 MHz to 6 000 MHz)		
9.2.0			
9.2.1	Definition		
9.2.2			
9.3	Electrostatic discharge		
7.0	0		

Draft ETSI EN 301 489-34 V2.1.0 (2016-05)

9.3.0	Configuration of EPS for electrostatic discharge test	15
9.3.1	Definition	15
9.3.2	Test method	
9.4	Fast transients, common mode	
9.4.0	Configuration of EPS for Fast transients, common mode test	15
9.4.1	Definition	15
9.4.2	Test method	
9.5	Radio frequency, common mode	
9.5.0	Configuration of EPS for Radio frequency, common mode test	15
9.5.1	Definition	16
9.5.2	Test method	16
9.6	Transients and surges in the vehicular environment	16
9.7	Voltage dips and interruptions	16
9.7.0	Configuration of EPS for Voltage dips and interruptions test	16
9.7.1	Definition	16
9.7.2	Test method	16
9.8	Surges	16
9.8.0	Configuration of EPS for Surge test	16
9.8.1	Definition	16
9.8.2	Test method	17
9.8.2.1	1 Void	17
9.8.2.2	2 Void	17
9.8.2.3	Test method for mains ports	17
Anne	Relationship between the present document and the essential requirements of Directive 2014/53/EU and Directive 2014/30/EU	J18
A.1	Relationship between the present document and the essential requirements of Directive 2014/53/EU	18
A.2	Relationship between the present document and the essential requirements of Directive 2014/30/EU	19
Anne	ex B (informative): Rationales considered in drafting ETSI EN 301 489-34	21
Anne	ex C (informative): Global cellular uplink test frequencies	22
Histor	ry	24
	<u>SIST EN 301 489-34 V2.1.1:2019</u>	

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This draft Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.8] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.4].

The present document has been prepared to provide one voluntary means of conforming to the essential requirements of Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility (recast) [i.1].

NOTE: The corresponding Commission's standardisation request to provide one voluntary means of conforming to the essential requirements Directive 2014/30/EU on the harmonisation of the laws of the Member States relating to electromagnetic compatibility (recast) [i.1] is expected shortly.

Once the present document is cited in the Official Journal of the European Union under the Directives, compliance with the normative clauses of the present document given in tables A.1 and A.2 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of the corresponding Directives and associated EFTA regulations.

The present document is part 34 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

To demonstrate an adequate level of EMC protection, the present document is to be used together with the appropriate specific radio part of the standard.

Proposed national transposition dates		
Date of latest announcement of this EN (doa):	3 months after ETSI publication	
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa	
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa	

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

6

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the RE-Directive [i.4]

Interoperability for the product within the scope of the present document is covered by CENELEC EN 62684 [16] and Safety is covered by CENELEC EN 60950-1 [i.6]. An EPS not intended to support CENELEC EN 62684 [16] may meet the EMC requirements of other standards.

The EPS supplied for test (EUT) should be identified by the supplier as intended to support M/455 regarding Harmonisation of a Charging Capability for Mobile Phones.

iTeh Standards (https://standards.iteh.ai) Document Preview

SIST EN 301 489-34 V2.1.1:2019

https://standards.iteh.ai/catalog/standards/sist/1b32eb75-fd7d-4925-8696-f17cf682d212/sist-en-301-489-34-v2-1-1-201

1 Scope

The present document contains the Specific ElectroMagnetic Compatibility (EMC) requirements for the common external power supply (EPS) for use with data-enabled mobile telephones as described in CENELEC EN 62684 [16].

Product dependent arrangements necessary to perform the EMC tests on dedicated types of radio communications equipment, and the assessment of test results, are detailed in the appropriate product related parts of ETSI EN 301 489 [i.7].

In case of differences (for instance concerning special conditions, definitions and abbreviations) between the present document and ETSI EN 301 489-1 [1], the provisions of the present document take precedence.

The environment classification and the emission and immunity requirements used in the present document are as stated in ETSI EN 301 489-1 [1], except for any special conditions included in the present document.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at https://docbox.etsi.org/Reference/.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1] ETSI EN 301 489-1 (V2.1.0) (04-2016): "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Harmonised Standard covering the essential requirements of article 3.1(b) of the Directive 2014/53/EU and the essential requirements of article 6 of the Directive 2014/30/EU; Part 1: Common technical requirements".

From [2] to [7] void.

[2] CENELEC EN 61000-4-6: 2009: "Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields".

NOTE: The dated reference of CENELEC EN 61000-4-6 has not been updated to the latest version because of the significant technical changes in comparison with the referenced revision. For some test laboratories, updating equipment will be a significant additional cost hence more time is required for implementation.

From [9] to [15] void.

[3] CENELEC EN 62684:2010: "Interoperability specifications of common external power supply (EPS) for use with data-enabled mobile telephones".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

8

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1]	Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility (recast).
[i.2]	Void.
[i.3]	Void.
[i.4]	Directive 2014/53/EU of the European Parliament and of the council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
[i.5]	Void.
[i.6]	CENELEC EN 60950-1:2006: "Information technology equipment - Safety - Part 1: General requirements".
[i.7]	ETSI EN 301 489 (all parts): "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services".
[i.8]	Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

adaptor: device with a USB Micro-B receptacle/plug connecting to a specific non USB Micro-B connector

2014/53/EU of the European Parliament and of the Council.

NOTE: An Adaptor can also be a cable.

enclosure port: physical boundary of the apparatus through which electromagnetic fields may radiate or impinge

External Power Supply (EPS): common external Power Supply (EPS) with an AC input which meets the requirements 2–1–1–2019 of the specifications given in CENELEC EN 62684 [16]

port: particular interface, of the specified equipment (apparatus), with the electromagnetic environment

EXAMPLE: Any connection point on an equipment intended for connection of cables to or from that equipment is considered as a port (see figure 1).




Figure 1: Examples of ports

NOTE: An interface, which uses optical fibre, is not a port for the purposes of testing because it does not interact with the electromagnetic environment within the frequency range, which is applicable for the present document. An optical fibre interface may still be used in the assessment of performance.

representative generic test load: EPS load which fully exercise the EPS and is supplied by the EPS manufacturer

NOTE: E.g. as in clause 4.3.