

SLOVENSKI STANDARD SIST EN 14974:2006

01-november-2006

Naprave za poligon za rolanje – Varnostne zahteve in preskusne metode

Facilities for users of roller sports equipment - Safety requirements and test methods

Anlagen für Benutzer von Rollsportgeräten - Sicherheitstechnische Anforderungen und Prüfverfahren iTeh STANDARD PREVIEW

Installations pour sports a roulettes et BMX - Exigences de sécurité et méthodes d'essai

SIST EN 14974:2006

Ta slovenski standard je istoveten z 577/ci EN 14974:2006

ICS:

97.220.10 Športni objekti Sports facilities

SIST EN 14974:2006 en,fr,de

SIST EN 14974:2006

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 14974:2006

https://standards.iteh.ai/catalog/standards/sist/6975eac5-04f1-42c2-81ca-225eb793a572/sist-en-14974-2006

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 14974

June 2006

ICS 97.220.10

English Version

Facilities for users of roller sports equipment - Safety requirements and test methods

Installations pour sports à roulettes et vélos bicross -Exigences de sécurité et méthodes d'essai Anlagen für Benutzer von Rollsportgeräten -Sicherheitstechnische Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 24 May 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

SIST EN 14974:2006

https://standards.iteh.ai/catalog/standards/sist/6975eac5-04f1-42c2-81ca-225eb793a572/sist-en-14974-2006



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

		Page
	ord	_
Introdu	uction	4
1	Scope	5
2	Normative references	5
3	Terms and definitions	6
1	Material	7
4.1	General	
4.2	Timber and associated products	
4.2.1	General	
4.2.2	Solid wood	
4.2.3 4.2.4	Laminated woodPlywood panel	
4.2.4 4.2.5	Oriented strand boards	
4.2.6	Particle boards (chipboards)	
4.3	Metals	
4.4	Polymer-based composites	
4.5	Concrete	
4.6	Other materials	
4.7 4.7.1	Fastenings ITeh STANDARD PREVIEW	9
4.7.1 4.7.2	Ronding	و
4.7.3	Bonding	9
F		
5 5.1	Safety requirements SIST EN 14974:2006	و
5.1.1	General https://standards.iteh.ai/catalog/standards/sist/6975eac5-04fl-42c2-81ca-	9
5.1.2	Design/construction 225eh793a572/sist-en-14974-2006	
5.2	Specific requirements for different facilities for users of roller sports equipment	
5.2.1	General	
5.2.2	Curb	
5.2.3 5.2.4	LedgeRail	
5.2. 4 5.2.5	Jump ramp	
5.2.6	Platform bank	
5.2.7	Platform transition	16
5.2.8	Spine ramp	
5.2.9	Wall ramp	
5.2.10 5.2.11	Pyramid bank	_
5.2.11 5.2.12	StairPipe	
5.2.12	Fun box	
5.3	Safety zones	
5.3.1	General	
5.3.2	Special requirements for safety zones	23
6	Testing	23
7	Marking	24
8	Information supplied by the manufacturer	24
8.1	General	
8.2	Installation	
8.3	Inspection and maintenance	24
9	Information for users	25

Foreword

This document (EN 14974:2006) has been prepared by Technical Committee CEN/TC 136 "Sports, playground and other recreational equipment", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2006, and conflicting national standards shall be withdrawn at the latest by December 2006.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 14974:2006</u> https://standards.iteh.ai/catalog/standards/sist/6975eac5-04f1-42c2-81ca-225eb793a572/sist-en-14974-2006

Introduction

The use of facilities for users of roller sports equipment is connected with sporting risks. Sporting skills and the use of appropriate protective equipment essentially reduces the risk of accident.

It is not the intention of this standard to specify every possible shape and construction of facilities for users of roller sports equipment.

For supervised practices, facilities for users of roller sports equipment (competitions, demonstrations, training and initiation) having different dimensions and thus also increased risks, are also acceptable within the frame of legal provisions (e.g. regional building regulations).

The development of facilities for users of roller sports equipment is in constant evolution, therefore, some specific structures are not considered in this European Standard. For all such structures the general requirements apply.

This European Standard does not specify specific requirements for combinations.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 14974:2006</u> https://standards.iteh.ai/catalog/standards/sist/6975eac5-04f1-42c2-81ca-225eb793a572/sist-en-14974-2006

Scope

This standard applies to facilities for users of inline-skates, roller skates, skateboards or similar roller sports equipment, as well as BMX cycles (hereinafter referred to as facility/facilities).

It specifies general and specific requirements and test methods for facilities used in unsupervised areas.

The purpose of this European Standard is to specify the safety requirements, which to a large extent protect users and third parties (e.g. spectators) from hazards when using a facility as intended or as can be reasonably expected.

2 **Normative references**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 59. Glass reinforced plastics - Measurement of hardness by means of a Barcol impressor.

EN 206-1, Concrete - Part 1: Specification, performance, production and conformity

EN 300:1997, Oriented Strand Boards (OSB) - Definitions, classification and specifications

EN 301, Adhesives, phenolic and aminoplastic, for load-bearing timber structures / Classification and performance requirements

EN 312, Particleboards - Specifications (standards.iteh.ai)

EN 335-1:1992, Durability of wood and wood-based products Definition of hazard classes of biological attack https://standards.iteh.ai/catalog/standards/sist/697 Part 1: General 225eb793a572/sist-en-14974-2006

EN 338:2003, Structural timber - Strength classes

EN 351-1, Durability of wood and wood-based products - Preservative-treated solid wood - Part 1: Classification of preservative penetration and retention

EN 599-1, Durability of wood and wood-based products - Performance of preventive wood preservatives as determined by biological tests - Part 1: Specification according to hazard class

EN 636, Plywood - Specifications

EN 789, Timber structures - Test methods - Determination of mechanical properties of wood based panels

EN ISO 5470-1, Rubber- or plastics-coated fabrics - Determination of abrasion resistance - Part 1: Taber abrader (ISO 5470-1:1999)

EN ISO 12944-5, Paints and varnishes - Corrosion protection of steel structures by protective paint systems -Part 5: Protective paint systems (ISO 12944-5:1998)

ENV 1099, Plywood - Biological durability - Guidance for the assessment of plywood for use in different hazard classes

Terms and definitions

For the purposes of this European Standard, the following terms and definitions apply.

3.1

facility for users of roller sports equipment

structure and necessary area designated for users of roller sports equipment including inline-skates, roller skates, skateboards or similar roller sports equipment, as well as BMX cycles

3.2

structure

sports equipment having a solid surface on which the user of skateboards, roller skates, inline skates or similar roller sports equipment as well as BMX cycles can manoeuvre freely

3.3

ramp

structure incorporating one or more transitions and/or banks

3.4

transition

curved part of the riding surface

3.5

riding surface

part of the structure intended for grinding, sliding and rolling PREVIEW

(standards.iteh.ai) 3.6

rolling surface

part of the structure intended for rolling

SIST EN 14974:2006

https://standards.iteh.ai/catalog/standards/sist/6975eac5-04f1-42c2-81ca-225eb793a572/sist-en-14974-2006

grinding surface

part of the structure intended for grinding and sliding

3.8

3.7

extension

raised, horizontal portion of the platform which permits continuation of the rolling surface passed the lower portion of the platform

3.9

vert

vertical part of the rolling surface at the top of transition

3.10

coping

circular tube or section of a circular tube, which is firmly attached to the top of the riding surface

3.11

safety zone

space around a structure necessary for the safety of the user as well as third parties

3.12

run-up zone

space which is required to access a structure on roller sports equipment

3.13

free-fall height

vertical distance between the supporting surfaces and an adjoining horizontal surface located at a lower level

Supporting surfaces are horizontal riding surfaces and surfaces intended for standing. Exceptions are described in relevant sub-clauses of Clause 5.

3.14

platform

horizontal surface on a structure provided with a barrier

3.15

run-out zone

space required to exit a structure on roller sports equipment

3.16

foot

part of the rolling surface located at a junction with the ground

3.17

barrier

construction which prevents the user and/or roller sports equipment from falling from a height

3.18

table

horizontal surface on a structure without a barrier

3.19

bank

straight inclined part of the riding surface

3.20

table edge

iTeh STANDARD PREVIEW

part of the rolling surface located at a junction with the table

(standards.iteh.ai)

3.21

optional vertical wall located along the lateral edges of the rolling surface on a pipe

225eb793a572/sist-en-14974-2006

3.22

fastening

mechanical load bearing component joining materials, parts and structures to withstand extreme vibrations and extreme temperatures

Material

4.1 General

The materials shall be selected in such a manner that the construction of a structure of any element manufactured from these materials meets the requirements of this standard.

Indoor structures shall comply with current Fire safety regulations.

The requirements in 4.2 and 4.3 relating to resistance to weather conditions may be neglected if the facility is installed in indoor or covered areas.

No substance that can adversely affect health shall be present in the facility.

NOTE The restrictions on the marketing and use of certain dangerous substances and preparations are ruled by the European Council Directive 76/769/EEC of the 27th July 1976 and its Amendments.

Timber and associated products

4.2.1 General

Building elements made of wood which touch the ground, shall be protected against rotting.

NOTE When selecting metal fastenings, consideration should be given to the species of timber and chemical treatments used, as some will accelerate corrosion of certain metals if there is contact.

Timber components shall be designed so that rain shall drain or drop freely from the structure.

4.2.2 Solid wood

If it is in contact with the ground, solid wood shall meet the biological attack requirements of hazard class 4 according to EN 335-1:1992, or of hazard class 3, if it is at least over 200 mm from the ground. This natural or conferred durability of solid wood shall meet the levels required by EN 351-1 and EN 599-1.

For structural use solid wood shall be of at least class C 24 according to EN 338:2003.

4.2.3 Laminated wood

Laminated wood shall comply with the requirements of hazard class 2 for indoor use and of hazard class 3 for out-door use in accordance with EN 335-1:1992. Laminate wood shall be of structural quality with bondings taking into account the intended indoor or outdoor use.

4.2.4 Plywood panel

Plywood panels shall meet the biological attack requirements of hazard class 2 for indoor use and of hazard class 3 for outdoor use according to EN 335-1:1992 and ENV 1099.

For structural use and climatic resistance, the requirements for structural panels according to EN 636 shall be met. The longitudinal modulus of elasticity and shear stress (mean value in each direction) and bending compressive and shear strength (characteristic value in each direction), shall be specified according to EN 789.

4.2.5 Oriented strand boards

SIST EN 14974:2006

Oriented strand boards shall meet the biological attack requirements of hazard class 2 for indoor use according to EN 335-1:1992.

For structural use the requirements of class OSB 4 are to be met according to EN 300:1997. In addition its mechanical properties, measured in accordance with EN 789, shall be defined.

4.2.6 Particle boards (chipboards)

Particle boards shall only be used for indoor facilities. They shall meet the biological attack requirements of hazard class 2 according to EN 335-1:1992.

For structural use particle boards shall comply with EN 312.

4.3 Metals

Metal components shall be resistant to weathering under atmospheric conditions. See also EN ISO 12944-5.

4.4 Polymer-based composites

When conducting the tests in accordance with EN ISO 5470-1, the layer situated beneath the gelcoat shall not be visible. The thickness of the gelcoat shall be at least 0,3 mm.

When conducting tests in accordance with EN 59, all types of polymer surfaces shall meet a Barcol hardness level equal to at least 40.

If, during the course of maintenance it is difficult to determine when the material becomes brittle, the manufacturers shall indicate a period of time after which the part or equipment should be replaced.

4.5 Concrete

- **4.5.1** Concrete mix and reinforcement shall comply with EN 206-1.
- **4.5.2** Concrete used for riding surfaces and foundations shall be at least in accordance with Table 1.

Table 1 — Types of concrete to be used

Concrete used for	Application area	Type of concrete
Riding surfaces	Outdoor	C 35/45
Riding surfaces	Indoor	C 25/30
Foundations	Outdoor and indoor	C 16/20

4.6 Other materials

The use of other materials is acceptable provided their suitability has been sufficiently proven by the supplier and/or manufacturer.

4.7 Fastenings

4.7.1 General iTeh STANDARD PREVIEW

The complete fastening system shall be protected against corrosion.

NOTE This protection can be achieved for example, by galvanising or equivalent procedures.

SIST EN 14974:2006

4.7.2 Bonding

https://standards.iteh.ai/catalog/standards/sist/6975eac5-04f1-42c2-81ca-225eb793a572/sist-en-14974-2006

Glues used shall comply with the requirements of EN 301. They shall be chosen as a function of the environment in which the construction is installed.

4.7.3 Metal fastenings

Smooth tacks and nails shall not be used.

5 Safety requirements

5.1 General requirements

5.1.1 General

- **5.1.1.1** Where facilities for users of roller sports equipment are erected in combination with playgrounds, sports grounds, holiday parks and similar establishments, they have to be physically separated by an appropriate distance, fence or other constructional measures from the general playing activities.
- **5.1.1.2** All external accessible edges shall be chamfered with a radius of at least 3 mm.
- **5.1.1.3** The difference between the levels of the ground (see 5.1.2.2) and of the foot shall not exceed 5 mm measured from the top of the foot.
- **5.1.1.4** It shall not be possible to dismantle structures without tools.
- **5.1.1.5** Structures shall be screwed together or be securely joined by other means, or fixed to the ground to prevent displacement.