

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ETS 300 324-3 E2:2003

<https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003>



EUROPEAN
TELECOMMUNICATION
STANDARD

DRAFT
pr **ETS 300 324-3**

December 1997

Second Edition

Source: SPS

Reference: RE/SPS-03055-3

ICS: 33.020

Key words: V interface, V5 interface, AN, ISDN, layer 3, LE, PSTN, testing, TSS&TP

**Signalling Protocols and Switching (SPS);
V interfaces at the digital Local Exchange (LE);
V5.1 interface for the support of Access Network (AN);
Part 3: Test Suite Structure and Test Purposes (TSS&TP)
specification for the network layer (AN side)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1997. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 324-3 E2:2003](https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003)

<https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003>

Contents

Foreword	7
1 Scope	9
2 Normative references	9
3 Definitions and abbreviations	10
3.1 Definitions	10
3.2 Abbreviations	11
4 Test Suite Structure (TSS)	12
4.1 TSS overview	12
4.2 Test groups	13
4.2.1 Protocol groups	13
4.2.1.1 Control protocol	13
4.2.1.2 PSTN protocol	14
4.2.2 Main test groups	14
4.2.2.1 Basic Interconnection (IT) tests	14
4.2.2.2 Capability (CA) tests	14
4.2.2.3 Valid Behaviour (BV) tests	14
4.2.2.4 Inopportune Behaviour (BO) tests	14
4.2.2.5 Invalid Behaviour (BI) tests	14
4.2.2.6 Timer (TI) expiry and counter mismatch tests	14
4.2.2.6.1 Timer expiry and counters of the Control protocol	15
4.2.2.6.2 Timer expiry and counters of the PSTN protocol	15
4.2.2.6.3 Timer expiry and counters of the AN system management	15
4.3 Test step structure	15
4.3.1 State transitions	15
4.3.1.1 Startup of V5.1 interface	16
4.3.1.2 Common control protocol (system management)	17
4.3.1.3 Control protocol (PSTN port FSM)	17
4.3.1.4 Control protocol (ISDN-BA port FSM)	17
4.3.1.5 PSTN protocol	17
4.3.2 Preconditions	18
4.3.3 Preambles	18
4.3.4 Postambles	18
4.3.5 Status verification	18
4.3.5.1 PSTN protocol	18
4.3.5.2 Port control protocol	19
4.3.5.3 Common control protocol	19
4.3.6 Common test steps	19
4.4 Defaults	19
4.5 Abstract Service Primitives (ASPs) and Protocol Data Units (PDUs)	19
4.5.1 ASPs	19
4.5.2 PDUs	19
4.5.2.1 Common control protocol	19
4.5.2.2 Port control protocol	19
4.5.2.3 PSTN protocol	19
4.5.3 Information elements	20
4.5.3.1 Variable length information elements	20
4.5.3.1.1 Control protocol	20
4.5.3.1.2 PSTN protocol	20
4.5.3.2 Single octet information elements	20
4.5.3.2.1 Control protocol	20
4.5.3.2.2 PSTN protocol	20
4.6 Timers and counters of the Abstract Test Suite (ATS)	20

5	Test Purposes (TPs).....	22
5.1	Introduction.....	22
5.1.1	TP naming convention.....	22
5.1.2	Source of TP definition.....	23
5.1.3	Test strategy.....	23
5.1.4	Requirements not covered by TPs.....	23
5.1.5	Initial state.....	24
5.1.6	Test and data configuration requirements.....	24
5.2	Control protocol.....	24
5.2.1	Basic interconnection tests (V5NWKAN/CTRL/IT).....	24
5.2.2	Capability tests (V5NWKAN/CTRL/CA).....	24
5.2.3	Valid behaviour tests (V5NWKAN/CTRL/BV).....	24
5.2.3.1	V5NWKAN/CTRL/BV/COM.....	24
5.2.3.1.1	V5NWKAN/CTRL/BV/COM/TRANS.....	24
5.2.3.1.2	V5NWKAN/CTRL/BV/COM/REST.....	25
5.2.3.1.3	V5NWKAN/CTRL/BV/COM/REVV.....	25
5.2.3.2	V5NWKAN/CTRL/BV/PORT.....	27
5.2.3.2.1	V5NWKAN/CTRL/BV/PORT/TRANS.....	27
5.2.3.2.2	V5NWKAN/CTRL/BV/PORT/PSTN.....	27
5.2.3.2.3	V5NWKAN/CTRL/BV/PORT/ISDNBA.....	29
5.2.4	Inopportune behaviour tests (V5NWKAN/CTRL/BO).....	32
5.2.4.1	V5NWKAN/CTRL/BO/COM.....	32
5.2.4.1.1	V5NWKAN/CTRL/BO/COM/TRANS.....	32
5.2.4.1.2	V5NWKAN/CTRL/BO/COM/REVV.....	32
5.2.4.2	V5NWKAN/CTRL/BO/PORT.....	33
5.2.4.2.1	V5NWKAN/CTRL/BO/PORT/TRANS.....	33
5.2.4.2.2	V5NWKAN/CTRL/BO/PORT/PSTN.....	33
5.2.4.2.3	V5NWKAN/CTRL/BO/PORT/ISDNBA.....	33
5.2.5	Invalid behaviour tests (V5NWKAN/CTRL/BI).....	34
5.2.5.1	V5NWKAN/CTRL/BI/COM.....	34
5.2.5.1.1	V5NWKAN/CTRL/BI/COM/TRANS.....	34
5.2.5.2	V5NWKAN/CTRL/BI/PORT.....	35
5.2.5.2.1	V5NWKAN/CTRL/BI/PORT/TRANS.....	35
5.2.6	Timer expiry and counter mismatch tests (V5NWKAN/CTRL/TI).....	36
5.2.6.1	V5NWKAN/CTRL/TI/COM.....	36
5.2.6.1.1	V5NWKAN/CTRL/TI/COM/TRANS.....	36
5.2.6.2	V5NWKAN/CTRL/TI/PORT.....	36
5.2.6.2.1	V5NWKAN/CTRL/TI/PORT/TRANS.....	36
5.3	PSTN protocol.....	37
5.3.1	Basic interconnection tests (V5NWKAN/PSTN/IT).....	37
5.3.2	Capability tests (V5NWKAN/PSTN/CA).....	37
5.3.3	Valid behaviour tests (V5NWKAN/PSTN/BV).....	37
5.3.3.1	V5NWKAN/PSTN/BV/0.....	38
5.3.3.2	V5NWKAN/PSTN/BV/1.....	38
5.3.3.3	V5NWKAN/PSTN/BV/2.....	39
5.3.3.4	V5NWKAN/PSTN/BV/3.....	40
5.3.3.5	V5NWKAN/PSTN/BV/4.....	41
5.3.3.6	V5NWKAN/PSTN/BV/5.....	42
5.3.3.7	V5NWKAN/PSTN/BV/6.....	43
5.3.3.8	V5NWKAN/PSTN/BV/7.....	44
5.3.4	Inopportune behaviour tests (V5NWKAN/PSTN/BO).....	45
5.3.4.1	V5NWKAN/PSTN/BO/0.....	45
5.3.4.2	V5NWKAN/PSTN/BO/1.....	46
5.3.4.3	V5NWKAN/PSTN/BO/2.....	46
5.3.4.4	V5NWKAN/PSTN/BO/3.....	47
5.3.4.5	V5NWKAN/PSTN/BO/4.....	47
5.3.4.6	V5NWKAN/PSTN/BO/5.....	48
5.3.4.7	V5NWKAN/PSTN/BO/6.....	48
5.3.4.8	V5NWKAN/PSTN/BO/7.....	49
5.3.5	Invalid behaviour tests (V5NWKAN/PSTN/BI).....	49
5.3.5.1	V5NWKAN/PSTN/BI/1.....	49
5.3.5.2	V5NWKAN/PSTN/BI/5.....	51

5.3.6	Timer expiry and counter mismatch tests (V5NWKAN/PSTN/TI)	52
5.3.6.1	V5NWKAN/PSTN/TI/2	52
5.3.6.2	V5NWKAN/PSTN/TI/3	52
5.3.6.3	V5NWKAN/PSTN/TI/4	52
5.3.6.4	V5NWKAN/PSTN/TI/5	53
5.3.6.5	V5NWKAN/PSTN/TI/7	53
Annex A (informative):	Bibliography	54
History.....		55

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 324-3 E2:2003](https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003)

<https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003>

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ETS 300 324-3 E2:2003

<https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003>

Foreword

This draft second edition European Telecommunication Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI), and is now submitted for the Public Enquiry phase of the ETSI standards approval procedure.

This ETS is part 3 of a multi-part standard covering the V5.1 interface as described below:

- Part 1: "V5.1 interface specification";
- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for the network layer (AN side)";**
- Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network layer (AN side)";
- Part 5: "Test Suite Structure and Test Purposes (TSS&TP) specification for the network layer (LE side)";
- Part 6: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network layer (LE side)";
- Part 7: "Test Suite Structure and Test Purposes (TSS&TP) specification for the data link layer";
- Part 8: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the data link layer";
- Part 9: "Test specification for the physical layer".

SIST ETS 300 324-3 E2:2003

Proposed transposition dates	
Date of latest announcement of this ETS (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ETS 300 324-3 E2:2003

<https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003>

1 Scope

This third part of ETS 300 324 contains the Test Suite Structure (TSS) and Test Purposes (TPs) for the Network layer (NWK) and parts of the system management of the Access Network (AN) side of a V5.1 interface.

The objective of this ETS is to provide conformance tests giving a high probability of inter-operability of an AN and a Local Exchange (LE) from different manufacturers over the V5.1 interface. This ETS covers only the procedures described in ETS 300 324-1 [1].

ISO/IEC 9646-1 [5] is used as the basis for the methodology of conformance testing.

Concerning the Public Switched Telephone Network (PSTN) protocol testing, only the procedures defined in ETS 300 324-1 [1] are covered by the tests defined in this ETS. An Implementation Under Test (IUT), however, will have implemented a national PSTN protocol part as well. This requires that the tester generates messages containing the national PSTN protocol specific optional Information Elements (IEs), otherwise the IUT would not act on messages according to the PSTN protocol procedure definition. However, this does not provide a comprehensive test of the national PSTN protocol mapping specification, which is outside the scope of this ETS.

As the tests use PSTN messages containing optional IEs according to national specifications, the test result is only valid for the implemented national mapping of the V5.1 PSTN protocol.

This ETS does not cover tests related to functions of the bearer channel. Those functions should be tested in conjunction with testing of the national PSTN protocol mapping specification.

This ETS contains no requirements concerning NWK tests for Integrated Services Digital Network Basic Access (ISDN-BA).

Annex A lists the bibliography. (standards.iteh.ai)

2 Normative references

This ETS incorporates by dated or undated reference provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 324-1 (1994) including amendment A1 (1996): "Signalling Protocols and Switching (SPS); V interfaces at the digital Local Exchange (LE); V5.1 interface for the support of Access Network (AN); Part 1: V5.1 interface specification".
- [2] ETS 300 324-2 (1994): "Signalling Protocols and Switching (SPS); V interfaces at the digital Local Exchange (LE); V5.1 interface for the support of Access Network (AN); Part 2: Protocol Implementation Conformance Statement (PICS) proforma".
- [3] ETS 300 297 (1995): "Integrated Services Digital Network (ISDN); Access digital section for ISDN basic access".
- [4] ISO 7498: "Information Processing Systems - Open Systems Interconnection - Basic Reference Model".
- [5] ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of this ETS, the following definitions apply, together with those given in ETS 300 324-1 [1]:

Abstract Test Case (ATC): Refer to ISO/IEC 9646-1 [5].

Abstract Test Suite (ATS): Refer to ISO/IEC 9646-1 [5].

current provisioning variant: Identifier for the presently active data set.

data link layer: Refer to ISO 7498 [4].

Implementation Under Test (IUT): Refer to ISO/IEC 9646-1 [5].

incorrect IE: Specified IE carrying IE types not defined in ETS 300 324-1 [1].

invalid PSTN IE: PSTN IE not according to national specific requirements.

invalid Protocol Data Unit (PDU): PDU which contains incorrect message format.

invalid PSTN message: PSTN message carrying IEs not according to national specific requirements.

Lower Tester (LT): Refer to ISO/IEC 9646-1 [5].

Network Layer (NWK): Refer to ISO 7498 [4].

Network Termination (NT): An equipment providing the network side at the ISDN user-network interface for the basic access.

NOTE: This term is used in this ETS to indicate network-terminating aspects of NT1 and NT2.

new provisioning variant: Identifier for the data set which was announced to the IUT to become the next active data set through reprovisioning.

physical layer: Refer to ISO 7498 [4].

Protocol Implementation Conformance Statement (PICS): Refer to ISO/IEC 9646-1 [5].

PICS proforma: Refer to ISO/IEC 9646-1 [5].

specified IE: IE identifier defined in ETS 300 324-1 [1].

System Under Test (SUT): Refer to ISO/IEC 9646-1 [5].

Test Purpose (TP): Refer to ISO/IEC 9646-1 [5].

unknown provisioning variant: Identifier for a non-available data set.

unspecified IE: IE identifier not defined in ETS 300 324-1 [1].

valid IE: PSTN IE according to national specific requirements.

valid PSTN message: PSTN message carrying IEs according to national specific requirements.

3.2 Abbreviations


For the purposes of this ETS, the following abbreviations apply:

AN	Access Network
ASP	Abstract Service Primitive
ATC	Abstract Test Case
ATS	Abstract Test Suite
BI	Invalid Behaviour
BO	Inopportune Behaviour
BV	Valid Behaviour
CA	Capability
COM	Common control protocol
CTRL	Control
DSAP	Data link Service Access Point
FE	Function Element
FSM	Finite State Machine
ID	Identifier
IE	Information Element
ISDN	Integrated Services Digital Network
ISDN-BA	ISDN Basic Access
IT	Basic Interconnection
IUT	Implementation Under Test
L3addr	Layer 3 address
LE	Local Exchange
LT	Lower Tester
MDU	Management Data Unit
MPH	Management Physical Layer
NT	Network Termination
NWK	Network layer
PDU	Protocol Data Unit
PICS	Protocol Implementation Conformance Statement
PL	Permanent Line
PSTN	Public Switched Telephone Network
REST	Restart
REVV	Verify and Reprovisioning
SUT	System Under Test
TE	Terminal Equipment (ISDN or PSTN)
TI	Timer
TP	Test Purpose
TSS	Test Suite Structure
UNI	User Network Interface

4 Test Suite Structure (TSS)

4.1 TSS overview

Figure 1 shows the structure of the V5.1 AN side NWK test suite.



iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ETS 300 324-3 E2:2003
<https://standards.iteh.ai/catalog/standards/sist/05a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003>

Figure 1: NWK AN TSS

4.2 Test groups

Figure 2 gives an overview of the various protocol entities of a V5.1 interface. Table 1 maps each protocol entity on tested protocol groups.




Figure 2: Network Layer AN - protocol entity overview

Table 1: Names used in figure 2 that correspond to ETS 300 324-1

NWK protocol entities	Protocol entities defined in ETS 300 324-1 [1]	Protocol group reference
AN_PSTN_UP	AN_PSTN_user_port	4.2.1.1
AN_PSTN_port_FSM	AN_PSTN_user_port_FSM	4.2.1.1
AN_ISDN_port_FSM	AN_ISDN_BA_user_port_FSM	4.2.1.1
AN_ISDN_UP	AN_ISDN_BA_user_port AN_ISDN_PRA_user_port	4.2.1.1
AN_CTRL	AN_control_protocol	4.2.1.1
AN_SYS	AN_system_management	4.2.1.1
AN_PSTN	AN_PSTN_protocol	4.2.1.2

4.2.1 Protocol groups

4.2.1.1 Control protocol

All tests in the Control protocol (V5NWKAN/CTRL) test group are intended to verify as thoroughly as possible the various procedures of the AN_control_protocol entity. Depending on provisioning the following configurations are covered:

AN_system_management: the startup, restart, re-provisioning and verification procedures of normal operation of the AN_system_management (V5NWKAN/CTRL/BV/COM/REST, V5NWKAN/CTRL/BV/COM/REVV) and V5NWKAN/CTRL/BO/COM/REVV) are tested.

AN_control_protocol: the normal and exceptional procedures of the AN_control_protocol are verified in the test groups V5NWKAN/CTRL/BV/COM/TRANS, V5NWKAN/CTRL/BO/COM/TRANS, V5NWKAN/CTRL/TI/COM/TRANS, V5NWKAN/CTRL/BV/PORT/TRANS, V5NWKAN/CTRL/BO/PORT/TRANS and V5NWKAN/CTRL/TI/PORT/TRANS. Contents of the AN_control_protocol values are not verified (e.g. the control function ID). The error handling procedures are verified in test groups V5NWKAN/CTRL/BI/COM/TRANS and V5NWKAN/CTRL/BI/PORT/TRANS.