



SLOVENSKI STANDARD
SIST ETS 300 324-3 E2:2003

01-december-2003

Vmesniki V pri digitalnih krajevnih centralah (LE) – Vmesnik V5.1 za podporo dostopovnemu omrežju (AN) – 3. del: Zgradba preskušalnega niza in nameni preskušanja (TSS&TP) – Specifikacija za omrežno plast na strani dostopovnega omrežja (AN)

V interfaces at the digital Local Exchange (LE); V5.1 interface for the support of Access Network (AN); Part 3: Test Suite Structure and Test Purposes (TSS&TP) specification for the network layer (AN side)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 324-3 E2:2003](#)
<https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003>

Ta slovenski standard je istoveten z: **ETS 300 324-3 Edition 2**

ICS:

33.040.30 Komutacijski in signalizacijski sistem Switching and signalling systems


SIST ETS 300 324-3 E2:2003

en

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST ETS 300 324-3 E2:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003>



**EUROPEAN
TELECOMMUNICATION
STANDARD**

ETS 300 324-3

April 1999

Second Edition

Source: SPS

Reference: RE/SPS-09055-3

ICS: 33.020

Key words: V interface, V5 interface, PSTN, ISDN, AN, TSS&TP, testing, layer 3, LE

**V interfaces at the digital Local Exchange (LE);
V5.1 interface for the support of Access Network (AN);
Part 3: Test Suite Structure and Test Purposes (TSS&TP)
<https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-000000000000>
specification for the network layer (AN side)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

Internet: secretariat@etsi.fr - <http://www.etsi.org>

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1999. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 324-3 E2:2003](#)
<https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003>

Contents

Foreword	7
1 Scope.....	9
2 References.....	9
3 Definitions and abbreviations.....	10
3.1 Definitions.....	10
3.2 Abbreviations.....	11
4 Test Suite Structure (TSS).....	12
4.1 TSS overview	12
4.2 Test groups	13
4.2.1 Protocol groups.....	13
4.2.1.1 Control protocol	13
4.2.1.2 PSTN protocol	14
4.2.2 Main test groups	14
4.2.2.1 Basic Interconnection (IT) tests.....	14
4.2.2.2 Capability (CA) tests.....	14
4.2.2.3 Valid Behaviour (BV) tests	14
4.2.2.4 Inopportune Behaviour (BO) tests.....	14
4.2.2.5 Invalid Behaviour (BI) tests	14
4.2.2.6 Timer (TI) expiry and counter mismatch tests.....	15
4.2.2.6.1 Timer expiry and counters of the Control protocol	15
4.2.2.6.2 Timer expiry and counters of the PSTN protocol	15
4.2.2.6.3 Timer expiry and counters of the AN system management.....	15
4.3 Test step structure.....	15
4.3.1 State transitions	16
4.3.1.1 Startup of V5.1 interface	16
4.3.1.2 Common control protocol (system management).	17
4.3.1.3 Control protocol (PSTN port FSM)	17
4.3.1.4 Control protocol (ISDN-BA port FSM)	18
4.3.1.5 PSTN protocol	18
4.3.2 Preconditions	19
4.3.3 Preambles.....	19
4.3.4 Postamables	19
4.3.5 Status verification.....	19
4.3.5.1 PSTN protocol	19
4.3.5.2 Port control protocol	19
4.3.5.3 Common control protocol	19
4.3.6 Common test steps.....	20
4.4 Defaults	20
4.5 Abstract Service Primitives (ASPs) and Protocol Data Units (PDUs)	20
4.5.1 ASPs	20
4.5.2 PDUs.....	20
4.5.2.1 Common control protocol	20
4.5.2.2 Port control protocol	20
4.5.2.3 PSTN protocol	20
4.5.3 Information elements	20
4.5.3.1 Variable length information elements.....	20
4.5.3.1.1 Control protocol	20
4.5.3.1.2 PSTN protocol	21
4.5.3.2 Single octet information elements	21
4.5.3.2.1 Control protocol	21

	4.5.3.2.2	PSTN protocol	21
4.6	Timers and counters of the Abstract Test Suite (ATS)	22	
5	Test Purposes (TPs)	23	
5.1	Introduction	23	
5.1.1	TP naming convention.....	23	
5.1.2	Source of TP definition	24	
5.1.3	Test strategy.....	24	
5.1.4	Requirements not covered by TPs	24	
5.1.5	Initial state	25	
5.1.6	Test and data configuration requirements.....	25	
5.2	Control protocol.....	25	
5.2.1	Basic interconnection tests (V5NWKAN/CTRL/IT)	25	
5.2.2	Capability tests (V5NWKAN/CTRL/CA)	25	
5.2.3	Valid behaviour tests (V5NWKAN/CTRL/BV)	26	
5.2.3.1	V5NWKAN/CTRL/BV/COM	26	
5.2.3.1.1	V5NWKAN/CTRL/BV/COM/TRANS	26	
5.2.3.1.2	V5NWKAN/CTRL/BV/COM/REST	26	
5.2.3.1.3	V5NWKAN/CTRL/BV/COM/REVY	27	
5.2.3.2	V5NWKAN/CTRL/BV/PORT	28	
5.2.3.2.1	V5NWKAN/CTRL/BV/PORT/TRANS	28	
5.2.3.2.2	V5NWKAN/CTRL/BV/PORT/PSTN	29	
5.2.3.2.3	V5NWKAN/CTRL/BV/PORT/ISDNBA ..	31	
5.2.4	Inopportune behaviour tests (V5NWKAN/CTRL/BO)	34	
5.2.4.1	V5NWKAN/CTRL/BO/COM.....	34	
5.2.4.1.1	V5NWKAN/CTRL/BO/COM/TRANS	34	
5.2.4.1.2	V5NWKAN/CTRL/BO/COM/REVY	34	
5.2.4.2	V5NWKAN/CTRL/BO/PORT	34	
5.2.4.2.1	V5NWKAN/CTRL/BO/PORT/TRANS	34	
5.2.4.2.2	V5NWKAN/CTRL/BO/PORT/PSTN.....	34	
5.2.4.2.3	V5NWKAN/CTRL/BO/PORT/ISDNBA..	35	
5.2.5	Invalid behaviour tests (V5NWKAN/CTRL/BI)	35	
5.2.5.1	V5NWKAN/CTRL/BI/COM	35	
5.2.5.1.1	V5NWKAN/CTRL/BI/COM/TRANS	35	
5.2.5.2	V5NWKAN/CTRL/BI/PORT	36	
5.2.5.2.1	V5NWKAN/CTRL/BI/PORT/TRANS	36	
5.2.6	Timer expiry and counter mismatch tests (V5NWKAN/CTRL/TI)	37	
5.2.6.1	V5NWKAN/CTRL/TI/COM.....	37	
5.2.6.1.1	V5NWKAN/CTRL/TI/COM/TRANS	37	
5.2.6.2	V5NWKAN/CTRL/TI/PORT	38	
5.2.6.2.1	V5NWKAN/CTRL/TI/PORT/TRANS	38	
5.3	PSTN protocol.....	38	
5.3.1	Basic interconnection tests (V5NWKAN/PSTN/IT)	38	
5.3.2	Capability tests (V5NWKAN/PSTN/CA)	39	
5.3.3	Valid behaviour tests (V5NWKAN/PSTN/BV)	39	
5.3.3.1	V5NWKAN/PSTN/BV/0	39	
5.3.3.2	V5NWKAN/PSTN/BV/1	40	
5.3.3.3	V5NWKAN/PSTN/BV/2	41	
5.3.3.4	V5NWKAN/PSTN/BV/3	42	
5.3.3.5	V5NWKAN/PSTN/BV/4	43	
5.3.3.6	V5NWKAN/PSTN/BV/5	44	
5.3.3.7	V5NWKAN/PSTN/BV/6	45	
5.3.3.8	V5NWKAN/PSTN/BV/7	45	
5.3.4	Inopportune behaviour tests (V5NWKAN/PSTN/BO).....	47	
5.3.4.1	V5NWKAN/PSTN/BO/0	47	
5.3.4.2	V5NWKAN/PSTN/BO/1	47	
5.3.4.3	V5NWKAN/PSTN/BO/2	48	
5.3.4.4	V5NWKAN/PSTN/BO/3	48	
5.3.4.5	V5NWKAN/PSTN/BO/4	49	
5.3.4.6	V5NWKAN/PSTN/BO/5	49	
5.3.4.7	V5NWKAN/PSTN/BO/6	50	
5.3.4.8	V5NWKAN/PSTN/BO/7	51	
5.3.5	Invalid behaviour tests (V5NWKAN/PSTN/BI)	51	

5.3.5.1	V5NWKAN/PSTN/BI/1	51
5.3.5.2	V5NWKAN/PSTN/BI/5	52
5.3.6	Timer expiry and counter mismatch tests (V5NWKAN/PSTN/TI).....	53
5.3.6.1	V5NWKAN/PSTN/TI/2	53
5.3.6.2	V5NWKAN/PSTN/TI/3	53
5.3.6.3	V5NWKAN/PSTN/TI/4	53
5.3.6.4	V5NWKAN/PSTN/TI/5	54
5.3.6.5	V5NWKAN/PSTN/TI/7	54
Annex A (informative):	Bibliography.....	55
History	56

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 324-3 E2:2003](#)
<https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003>

Blank page

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST ETS 300 324-3 E2:2003](#)
<https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003>

Foreword

This European Telecommunication Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS is part 3 of a multi-part standard covering the V5.1 interface as described below:

- Part 1: "V5.1 interface specification";
- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for the network layer (AN side)";**
- Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network layer (AN side)";
- Part 5: "Test Suite Structure and Test Purposes (TSS&TP) specification for the network layer (LE side)";
- Part 6: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network layer (LE side)";
- Part 7: "Test Suite Structure and Test Purposes (TSS&TP) specification for the data link layer";
- Part 8: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the data link layer";
- Part 9: "Test specification for the physical layer".

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

Transposition dates	
Date of adoption of this ETS: https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9641-a46141a483bec/sist-ets-300-324-3-e2-2003	SIST ETS 300 324-3 E2:2003 26 March 1999
Date of latest announcement of this ETS (doa):	30 June 1999
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 December 1999
Date of withdrawal of any conflicting National Standard (dow):	31 December 1999

Blank page

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST ETS 300 324-3 E2:2003](#)
<https://standards.iteh.ai/catalog/standards/sist/03a3d4fd-6c5c-4280-9841-46141a483bec/sist-ets-300-324-3-e2-2003>

1 Scope

This third part of ETS 300 324 contains the Test Suite Structure (TSS) and Test Purposes (TPs) for the Network layer (NWK) and parts of the system management of the Access Network (AN) side of a V5.1 interface.

The objective of this ETS is to provide conformance tests giving a high probability of inter-operability of an AN and a Local Exchange (LE) from different manufacturers over the V5.1 interface. This ETS covers only the procedures described in ETS 300 324-1 [1].

ISO/IEC 9646-1 [5] is used as the basis for the methodology of conformance testing.

Concerning the Public Switched Telephone Network (PSTN) protocol testing, only the procedures defined in ETS 300 324-1 [1] are covered by the tests defined in this ETS. An Implementation Under Test (IUT), however, will have implemented a national PSTN protocol part as well. This requires that the tester generates messages containing the national PSTN protocol specific optional Information Elements (IEs), otherwise the IUT would not act on messages according to the PSTN protocol procedure definition. However, this does not provide a comprehensive test of the national PSTN protocol mapping specification, which is outside the scope of this ETS.

As the tests use PSTN messages containing optional IEs according to national specifications, the test result is only valid for the implemented national mapping of the V5.1 PSTN protocol.

This ETS does not cover tests related to functions of the bearer channel. Those functions should be tested in conjunction with testing of the national PSTN protocol mapping specification.

This ETS contains no requirements concerning NWK tests for Integrated Services Digital Network Basic Access (ISDN-BA). **iTeh STANDARD PREVIEW**

2 References (standards.iteh.ai)

This ETS incorporates by dated and undated reference, provisions from other publications. These references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 324-1 (1994) including amendment A1: "V interfaces at the digital Local Exchange (LE); V5.1 interface for the support of Access Network (AN); Part 1: V5.1 interface specification".
- [2] ETS 300 324-2 (1994): "V interfaces at the digital Local Exchange (LE); V5.1 interface for the support of Access Network (AN); Part 2: Protocol Implementation Conformance Statement (PICS) proforma".
- [3] ETS 300 297 (1995): "Integrated Services Digital Network (ISDN); Access Digital Section for ISDN basic rate".
- [4] ISO 7498: "Information Processing Systems - Open Systems Interconnection - Basic Reference Model".
- [5] ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of this ETS, the following definitions apply, together with those given in ETS 300 324-1 [1]:

Abstract Test Case (ATC): Refer to ISO/IEC 9646-1 [5]

Abstract Test Suite (ATS): Refer to ISO/IEC 9646-1 [5]

current provisioning variant: Identifier for the presently active data set

data link layer: Refer to ISO 7498 [4]

implementation under test: Refer to ISO/IEC 9646-1 [5]

incorrect information element: Specified information element carrying information element types not defined in ETS 300 324-1 [1]

invalid PSTN information element: PSTN information element not according to national specific requirements

invalid Protocol Data Unit: PDU which contains incorrect message format

invalid PSTN message: PSTN message carrying information elements not according to national specific requirements

iTeh STANDARD PREVIEW

lower tester: Refer to ISO/IEC 9646-1 [5] (standards.iteh.ai)

network layer: Refer to ISO 7498 [4]

SIST ETS 300 324-3 E2:2003

network termination: Equipment providing the network side at the ISDN user-network interface for the basic access

NOTE: This term is used in this ETS to indicate network-terminating aspects of NT1 and NT2.

new provisioning variant: Identifier for the data set which was announced to the IUT to become the next active data set through reprovisioning

physical layer: Refer to ISO 7498 [4]

Protocol Implementation Conformance Statement: Refer to ISO/IEC 9646-1 [5]

PICS proforma: Refer to ISO/IEC 9646-1 [5]

specified information element: Information element identifier defined in ETS 300 324-1 [1]

System Under Test (SUT): Refer to ISO/IEC 9646-1 [5]

Test Purpose (TP): Refer to ISO/IEC 9646-1 [5]

unknown provisioning variant: Identifier for a non-available data set

unspecified Information Element: Information element identifier not defined in ETS 300 324-1 [1]

valid information element: PSTN information element according to national specific requirements

valid PSTN message: PSTN message carrying information elements according to national specific requirements

3.2 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

AN	Access Network
ASP	Abstract Service Primitive
ATC	Abstract Test Case
ATS	Abstract Test Suite
BI	Invalid Behaviour
BO	Inopportune Behaviour
BV	Valid Behaviour
CA	Capability
COM	Common control protocol
CTRL	Control
DSAP	Data link Service Access Point
FE	Function Element
FSM	Finite State Machine
ID	Identifier
IE	Information Element
ISDN	Integrated Services Digital Network
ISDN-BA	ISDN Basic Access
IT	Basic Interconnection
IUT	Implementation Under Test
L3addr	Layer 3 address
LE	Local Exchange
LT	Lower Tester
MDU	Management Data Unit
MPH	Management Physical Layer
NT	Network Termination
NWK	Network layer
PDU	Protocol Data Unit
PICS	Protocol Implementation Conformance Statements
PL	Permanent Line
PSTN	Public Switched Telephone Network
REST	Restart
REVVY	Verify and Reprovisioning
SUT	System Under Test
TE	Terminal Equipment (ISDN or PSTN)
TI	Timer
TP	Test Purpose
TSS	Test Suite Structure
UNI	User Network Interface

4 Test Suite Structure (TSS)

4.1 TSS overview

Figure 1 shows the structure of the V5.1 AN side NWK test suite.




Figure 1: NWK AN TSS

4.2 Test groups

Figure 2 gives an overview of the various protocol entities of a V5.1 interface. Table 1 maps each protocol entity on tested protocol groups.




Figure 2: Network Layer AN - protocol entity overview

Table 1: Names used in figure 2 that correspond to ETS 300 324-1 [1]

NWK protocol entities	Protocol entities defined in ETS 300 324-1	Protocol group reference
AN_PSTN_UP	AN_PSTN_user_port	4.2.1.1
AN_PSTN_port_FSM	AN_PSTN_user_port_FSM	4.2.1.1
AN_ISDN_port_FSM	AN_ISDN_BA_user_port_FSM	4.2.1.1
AN_ISDN_UP	AN_ISDN_BA_user_port AN_ISDN_PRA_user_port	4.2.1.1
AN_CTRL	AN_control_protocol	4.2.1.1
AN_SYS	AN_system_management	4.2.1.1
AN_PSTN	AN_PSTN_protocol	4.2.1.2

4.2.1 Protocol groups

4.2.1.1 Control protocol

All tests in the Control protocol (V5NWKAN/CTRL) test group are intended to verify as thoroughly as possible the various procedures of the AN_control_protocol entity. Depending on provisioning the following configurations are covered:

AN_system_management: the startup, restart, re-provisioning and verification procedures of normal operation of the AN_system_management (V5NWKAN/CTRL/BV/COM/REST, V5NWKAN/CTRL/BV/COM/REVB) and V5NWKAN/CTRL/BO/COM/REVB) are tested.

AN_control_protocol: the normal and exceptional procedures of the AN_control_protocol are verified in the test groups V5NWKAN/CTRL/BV/COM/TRANS, V5NWKAN/CTRL/BO/COM/TRANS, V5NWKAN/CTRL/TI/COM/TRANS, V5NWKAN/CTRL/BV/PORT/TRANS, V5NWKAN/CTRL/BO/PORT/TRANS and V5NWKAN/CTRL/TI/PORT/TRANS. Contents of the AN_control_protocol values are not verified (e.g. the control function ID). The error handling procedures are verified in test groups V5NWKAN/CTRL/BI/COM/TRANS and V5NWKAN/CTRL/BI/PORT/TRANS.