

ETSI TS 144 018 V12.6.0 (2015-07)



**Digital cellular telecommunications system (Phase 2+);
Mobile radio interface layer 3 specification;
Radio Resource Control (RRC) protocol
(3GPP TS 44.018 version 12.6.0 Release 12)**



Reference

RTS/TSGG-0244018vc60

Keywords

GSM

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	18
1 Scope	19
1.1 Scope of the Technical Specification	19
1.2 Application to the interface structures.....	19
1.3 Structure of layer 3 procedures.....	19
1.4 Test procedures	19
1.5 Use of logical channels.....	20
1.6 Overview of control procedures	20
1.6.1 List of procedures	20
1.7 Applicability of implementations	21
1.7.1 Voice Group Call Service (VGCS) and Voice Broadcast Service (VBS).....	21
1.7.2 General Packet Radio Service (GPRS).....	22
1.7.3 Multimedia Broadcast/Multicast Service (MBMS).....	22
1.8 Restrictions	22
2 References	22
2.1 Abbreviations	26
2.1.1 Random values.....	26
2.1.2 Vocabulary.....	26
3 Radio Resource management procedures.....	29
3.1 Overview/General	29
3.1.1 General.....	29
3.1.2 Services provided to upper layers	29
3.1.2.1 Idle mode	29
3.1.2.2 Dedicated mode.....	30
3.1.2.3 Group receive mode	30
3.1.2.4 Group transmit mode.....	30
3.1.2.5 Packet idle mode	31
3.1.2.6 Packet transfer mode	31
3.1.2.7 Dual transfer mode (DTM)	31
3.1.3 Services required from data link and physical layers.....	31
3.1.4 Change of dedicated channels.....	32
3.1.4.1 Change of dedicated channels using SAPI = 0.....	32
3.1.4.2 Change of dedicated channels using other SAPIs than 0	32
3.1.5 Procedure for Service Request and Contention Resolution	32
3.1.6 Preemption.....	34
3.2 Idle mode procedures and general procedures in packet idle and packet transfer modes.....	34
3.2.1 Mobile Station side	34
3.2.2 Network side	36
3.2.2.1 System information broadcasting.....	36
3.2.2.2 Paging	38
3.2.2.3 Sending of ETWS Primary Notification	38
3.2.3 Inter-RAT cell re-selection based on priority information.....	38
3.2.3.1 General	38
3.2.3.2 Common priorities information.....	39
3.2.3.3 Provision of individual priorities information.....	39
3.2.4 (void).....	40
3.3 RR connection establishment	40
3.3.1 RR connection establishment initiated by the mobile station	40
3.3.1.1 Entering the dedicated mode : immediate assignment procedure	40
3.3.1.1.1 Permission to access the network	41

3.3.1.1.1a	Implicit reject indication from the network	41
3.3.1.1.2	Initiation of the immediate assignment procedure	41
3.3.1.1.3	Answer from the network	43
3.3.1.1.3.1	On receipt of a CHANNEL REQUEST message	43
3.3.1.1.3.2	Assignment rejection	43
3.3.1.1.3.2a	Implicit Reject procedure	44
3.3.1.1.4	Assignment completion	44
3.3.1.1.4.1	Early classmark sending	45
3.3.1.1.4.2	Service information sending	46
3.3.1.1.5	Abnormal cases	46
3.3.1.2	Entering the group transmit mode: uplink access procedure	46
3.3.1.2.1	Mobile station side	47
3.3.1.2.1.1	Uplink investigation procedure - talker priority not supported by the network	47
3.3.1.2.1.1a	Uplink investigation procedure - talker priority supported by the network	47
3.3.1.2.1.2	Uplink access procedure with talker priority not supported by the network	48
3.3.1.2.1.2a	Uplink access procedure - with talker priority supported by the network using uplink access procedure	48
3.3.1.2.1.2a.1	Talker priority normal, privileged or emergency	48
3.3.1.2.1.2a.2	Emergency mode reset request	49
3.3.1.2.1.2b	Priority uplink request procedure	50
3.3.1.2.1.2b.1	Talker priority privileged or emergency	50
3.3.1.2.1.2b.2	Emergency mode reset request	50
3.3.1.2.1.2b.3	Validation of priority uplink requests for ciphered voice group calls	51
3.3.1.2.1.2c	Uplink access procedure for sending application-specific data	51
3.3.1.2.1.2c.1	General	51
3.3.1.2.1.2c.2	Using the Voice Group Call Channel	51
3.3.1.2.1.2c.3	Using the RACH	51
3.3.1.2.2	Network side - talker priority not supported by the network	52
3.3.1.2.2a	Network side - network supports talker priority using uplink access procedure	52
3.3.1.2.2a.1	Uplink FREE	52
3.3.1.2.2a.1.1	Uplink Access cause - Normal, Privileged, or Emergency priority request	52
3.3.1.2.2a.1.2	Uplink Access cause - Emergency mode reset request	52
3.3.1.2.2a.2	Uplink BUSY	53
3.3.1.2.2a.2.1	Uplink Access with cause priority less than or equal to current talker priority	53
3.3.1.2.2a.2.2	Uplink Access with cause priority higher than current talker priority	53
3.3.1.2.2a.2.3	Uplink Access with cause Emergency mode reset request	53
3.3.1.2.2b	Network side - network supports talker priority using priority uplink procedure	53
3.3.1.2.2b.1	Uplink FREE	53
3.3.1.2.2b.1.1	Uplink Access cause - Normal, Privileged, or Emergency priority request	53
3.3.1.2.2b.1.2	Uplink Access cause - Emergency mode reset request	53
3.3.1.2.2b.2	Uplink BUSY	54
3.3.1.2.2b.2.1	Priority Uplink Request with cause priority less than or equal to current talker priority	54
3.3.1.2.2b.2.2	Priority Uplink Request with cause priority higher than current talker priority	54
3.3.1.2.2b.2.3	Priority Uplink Request with cause Emergency mode reset request	54
3.3.1.2.2b.2.4	Validation of Priority Uplink Requests for ciphered voice group calls	54
3.3.1.2.2c	Network side - network supports sending application-specific data by mobile station	55
3.3.1.2.2c.1	General	55
3.3.1.2.2c.2	Using the Voice Group Call Channel	55
3.3.1.2.2c.3	Using the RACH	55
3.3.1.2.3	Abnormal cases	55
3.3.1.3	Dedicated mode and GPRS	55
3.3.1.4	Preliminary Access Barring Check	55
3.3.2	Paging procedure for RR connection establishment	56
3.3.2.1	Paging initiation by the network	56
3.3.2.1.1	Paging initiation using paging subchannel on CCCH	56
3.3.2.1.2	Paging initiation using paging subchannel on PCCCH	57
3.3.2.1.3	Paging initiation using PACCH	57
3.3.2.2	Paging response	58
3.3.2.3	Abnormal cases	58
3.3.3	Notification procedure	58
3.3.3.1	Notification of a call	58
3.3.3.2	Joining a VGCS or VBS call	59

3.3.3.2.1	General	59
3.3.3.2.2	Segmentation of notifications	60
3.3.3.2.2.1	General.....	60
3.3.3.2.2.2	Segmentation of notifications on NCH	60
3.3.3.2.2.4	Segmentation of notifications on PCH.....	62
3.3.3.3	Reduced NCH monitoring mechanism.....	63
3.3.3.4	Notification response procedure.....	64
3.4	Procedures in dedicated mode and in group transmit mode	64
3.4.1	SACCH procedures.....	64
3.4.1.1	General	64
3.4.1.2	Measurement Report and Enhanced Measurement Report	65
3.4.1.2.1	Parameters for Measurements and Reporting.....	66
3.4.1.2.1.1	Deriving the 3G Neighbour Cell list from the 3G Neighbour Cell Description sent on BCCH or on SACCH.....	67
3.4.1.2.1.1a	Deriving the E-UTRAN Neighbour Cell list from the Repeated E-UTRAN Neighbour Cell information sent on BCCH or on SACCH	68
3.4.1.2.1.1b	Deriving the E-UTRAN Neighbour Cell list from the Repeated E-UTRAN Neighbour Cell information sent on BCCH or on SACCH (abnormal cases)	69
3.4.1.2.1.2	Deriving the GSM Neighbour Cell list from the BSICs and the BA (list).....	70
3.4.1.2.1.3	Deriving the Neighbour Cell list from the GSM Neighbour Cell list and the 3G Neighbour Cell list.....	70
3.4.1.2.1.4	Real Time Differences	70
3.4.1.2.1.5	Report Priority Description.....	70
3.4.1.2.1.6	GPRS Parameters.....	71
3.4.1.2.1.7	The 3G Cell Reselection list	71
3.4.1.2.1.7a	(void).....	71
3.4.1.2.1.7b	Closed Subscriber Group Information	71
3.4.1.2.1.7c	The 3G Frequency list.....	71
3.4.1.2.1.8	CCN Support description.....	72
3.4.1.2.1.9	3G_CCN_ACTIVE Description	72
3.4.1.2.1.9a	E-UTRAN_CCN_ACTIVE Description	72
3.4.1.2.1.10	GSM Neighbour Cell Selection parameters.....	72
3.4.1.2.1.11	Fast Acquisition of System Information	73
3.4.1.2.1.12	Reporting of CSG Cells and Hybrid Cells	74
3.4.1.3	Extended measurement report \$(MAFA)\$.....	74
3.4.2	Transfer of messages and link layer service provision	75
3.4.3	Channel assignment procedure	75
3.4.3.1	Channel assignment initiation	75
3.4.3.2	Assignment completion.....	77
3.4.3.3	Abnormal cases	77
3.4.4	Handover procedure.....	78
3.4.4.1	Handover initiation.....	79
3.4.4.2	Physical channel establishment.....	82
3.4.4.2.1	Finely synchronized cell case	82
3.4.4.2.2	Non synchronized cell case	82
3.4.4.2.3	Pseudo-synchronized cell case	83
3.4.4.2.4	Pre-synchronized cell case.....	83
3.4.4.3	Handover completion	84
3.4.4.4	Abnormal cases	84
3.4.4a	Handover to UTRAN procedure	85
3.4.4a.1	Handover to UTRAN initiation.....	86
3.4.4a.2	Handover to UTRAN completion	86
3.4.4a.3	Abnormal cases	86
3.4.4b	Handover to CDMA2000 procedure.....	87
3.4.4b.1	Handover to CDMA2000 initiation.....	87
3.4.4b.2	Handover to CDMA2000 completion	87
3.4.4b.3	Abnormal cases	87
3.4.4c	Intermode handover to GERAN <i>Iu mode</i> procedure.....	88
3.4.4c.1	General	88
3.4.4c.2	Initiation of the handover to GERAN <i>Iu mode</i> procedure.....	88
3.4.4c.3	Completion of the Handover to GERAN <i>Iu Mode</i> procedure	88
3.4.4c.4	Abnormal cases	89

3.4.4d	CS to PS SRVCC procedure	89
3.4.4d.1	CS to PS SRVCC procedure initiation	89
3.4.4d.2	CS to PS SRVCC procedure completion	90
3.4.4d.3	Abnormal cases	90
3.4.5	Frequency redefinition procedure	90
3.4.5.1	Abnormal cases	91
3.4.6	Channel mode modify procedure	91
3.4.6.1	Normal channel mode modify procedure	91
3.4.6.1.1	Initiation of the channel mode modify procedure	91
3.4.6.1.2	Completion of channel mode modify procedure	92
3.4.6.1.3	Abnormal cases	92
3.4.6.2	Channel mode modify procedure for a voice group call talker	92
3.4.6.2.1	Initiation of the channel mode modify procedure	92
3.4.6.2.2	Completion of mode change procedure	93
3.4.6.2.3	Abnormal cases	93
3.4.7	Ciphering mode setting procedure	93
3.4.7.1	Ciphering mode setting initiation	93
3.4.7.2	Ciphering mode setting completion	93
3.4.7a	Selective Ciphering of Downlink SACCH	94
3.4.8	Additional channel assignment procedure	94
3.4.8.1	Additional assignment procedure initiation	95
3.4.8.2	Additional assignment procedure completion	95
3.4.8.3	Abnormal cases	95
3.4.9	Partial channel release procedure	95
3.4.9.1	Partial release procedure initiation	95
3.4.9.2	Abnormal cases	95
3.4.10	Classmark change procedure	96
3.4.11	Classmark interrogation procedure	96
3.4.11.1	Classmark interrogation initiation	96
3.4.11.2	Classmark interrogation completion	96
3.4.12	Indication of notifications and paging information	97
3.4.13	RR connection release procedure	97
3.4.13.1	Normal release procedure	97
3.4.13.1.1	Channel release procedure initiation in dedicated mode and in group transmit mode	97
3.4.13.1.1a	Channel release procedure initiation in dual transfer mode	99
3.4.13.1.2	Abnormal cases	99
3.4.13.2	Radio link failure in dedicated mode or dual transfer mode	99
3.4.13.2.1	Mobile side	100
3.4.13.2.2	Network side	100
3.4.13.3	RR connection abortion in dedicated mode or dual transfer mode	100
3.4.13.4	Uplink release procedure	101
3.4.13.5	Radio link failure in group transmit mode	101
3.4.13.5.1	Mobile side	101
3.4.13.5.2	Network side	101
3.4.13.6	RR connection abortion requested by upper layers	101
3.4.14	Receiving a RR STATUS message by a RR entity	102
3.4.15	Group receive mode procedures	102
3.4.15.1	Mobile station side	102
3.4.15.1.1	Reception of the VGCS or VBS channel	102
3.4.15.1.1.1	General	102
3.4.15.1.1.2	Reception on ciphered VGCS or VBS channel	102
3.4.15.1.2	Monitoring of downlink messages and related procedures	102
3.4.15.1.2.1	(void)	103
3.4.15.1.2.2	(void)	103
3.4.15.1.2.3	Channel mode modify procedure	103
3.4.15.1.2.4	Notification and paging information	103
3.4.15.1.2.4.1	Use of Reduced NCH monitoring	103
3.4.15.1.2.5	Uplink status messages	103
3.4.15.1.2.6	Channel release message	103
3.4.15.1.2.7	Information on paging channel restructuring	104
3.4.15.1.3	Uplink reply procedure	104
3.4.15.1.4	Leaving the group receive mode	104

3.4.15.1.4.1	Returning to idle mode.....	104
3.4.15.1.4.2	Going to group transmit mode	104
3.4.15.2	Network side	105
3.4.15.2.1	Provision of messages on the VGCS or VBS channel downlink.....	105
3.4.15.2.1.1	General.....	105
3.4.15.2.1.2	Provision of general information messages	105
3.4.15.2.1.3	Provision of messages related to the voice group call uplink channel	106
3.4.15.2.1.4	Provision of messages related to the voice broadcast uplink channel.....	106
3.4.15.2.2	Release of the VGCS or VBS Channels	106
3.4.15.2a	VBS/VGCS reconfiguration procedure.....	107
3.4.15.2a.1	Normal behaviour	107
3.4.15.2a.2	Abnormal cases	107
3.4.15.3	Failure cases.....	108
3.4.15.3a	Additional Information procedure.....	108
3.4.15.3b	SMS to on going group call procedure.....	108
3.4.16	Configuration change procedure.....	109
3.4.16.1	Configuration change initiation.....	109
3.4.16.2	Configuration change completion	109
3.4.16.3	Abnormal cases	109
3.4.17	Mapping of user data substreams onto timeslots in a multislot configuration.....	109
3.4.18	Handling of classmark information at band change.....	110
3.4.19	(void)	110
3.4.20	(void)	110
3.4.21	Application Procedures.....	110
3.4.21.1	General	110
3.4.21.2	Location Services (LCS)	110
3.4.21.2A	Earthquake and Tsunami Warning System (ETWS).....	111
3.4.21.3	Application Information Transfer	111
3.4.21.3.1	Normal Procedure without Segmentation.....	111
3.4.21.3.2	Normal Procedure with Segmentation.....	111
3.4.21.3.3	Abnormal Cases.....	112
3.4.22	RR procedures related to packet resource establishment while in dedicated mode	112
3.4.22.1	Packet request procedure while in dedicated mode.....	112
3.4.22.1.1	Entering the dual transfer mode.....	113
3.4.22.1.1.1	Permission to access the network.....	113
3.4.22.1.1.2	Initiation of establishment of the packet request procedure.....	113
3.4.22.1.1.3	Answer from the network	114
3.4.22.1.1.3.1	Packet assignment.....	114
3.4.22.1.1.3.2	RR reallocation only	115
3.4.22.1.1.3.3	Packet request rejection	115
3.4.22.1.1.4	Packet request completion	115
3.4.22.1.1.5	Abnormal cases.....	115
3.4.22.2	Packet notification procedure in dedicated mode.....	117
3.4.22.2.1	Packet notification initiation by the network	117
3.4.22.2.2	Packet notification response	117
3.4.22.3	Packet downlink assignment in dedicated mode.....	117
3.4.22.3.1	Initiation of the packet downlink assignment procedure in dedicated mode	117
3.4.22.3.2	Packet downlink assignment completion.....	118
3.4.22.3.3	Abnormal cases	118
3.4.22.4	Modification of packet resources while in DTM	119
3.4.23	RR procedures related to packet resource maintenance while in dual transfer mode	120
3.4.23.1	General	120
3.4.23.2	RR and packet resource reallocation whilst in dual transfer mode	120
3.4.23.2.1	General	120
3.4.23.2.2	Normal resource reallocation case.....	121
3.4.23.2.3	Abnormal cases	121
3.4.24	RR procedures related to packet resource release while in dual transfer mode	123
3.4.25	GPRS suspension procedure	123
3.4.25.1	General	123
3.4.25.2	MS in class B mode of operation	123
3.4.25.3	Dual transfer mode not supported	124
3.4.26	GPRS Transparent Transport Procedure.....	124

3.4.27	RR procedures related to dedicated mode MBMS notification	124
3.4.27.1	General	124
3.4.27.2	MBMS announcement procedure in dedicated mode	125
3.4.27.2.1	General	125
3.4.27.2.2	MBMS announcement initiation by the network	125
3.4.27.2.3	MBMS notification response	125
3.4.28	Transmission of application-specific data by the talker	125
3.4.28.1	General	125
3.5	RR procedures on CCCH related to temporary block flow establishment	126
3.5.1	Packet paging procedure using CCCH	126
3.5.1.1	Packet paging initiation by the network	126
3.5.1.2	On receipt of a packet paging request	127
3.5.1.3	Packet Paging for MBMS notification on CCCH	127
3.5.1.3.1	General	127
3.5.1.3.2	MBMS pre-notification	127
3.5.1.3.3	MBMS notification	128
3.5.1.3.4	Response to MBMS notification	128
3.5.2	Packet access procedure using CCCH	129
3.5.2.1	Entering the packet transfer mode: packet access procedure	129
3.5.2.1.1	Permission to access the network	129
3.5.2.1.2	Initiation of the packet access procedure: channel request	130
3.5.2.1.3	Packet immediate assignment	133
3.5.2.1.3.1	On receipt of a CHANNEL REQUEST or EGPRS PACKET CHANNEL REQUEST message	133
3.5.2.1.3.2	One phase packet access	135
3.5.2.1.3.3	Single block packet access	136
3.5.2.1.3.3a	Multiblock packet access	137
3.5.2.1.3.4	Packet access rejection	138
3.5.2.1.4	Packet access completion	138
3.5.2.1.5	Abnormal cases	138
3.5.2.2	Sending an RLC/MAC control message: single block packet access procedure	139
3.5.3	Packet downlink assignment procedure using CCCH	139
3.5.3.1	Entering the packet transfer mode: packet downlink assignment procedure	139
3.5.3.1.2	Initiation of the packet downlink assignment procedure	139
3.5.3.1.3	Packet downlink assignment completion	141
3.5.3.1.4	Abnormal cases	142
3.5.3.2	Sending an RLC/MAC control message: single block packet downlink assignment procedure	142
3.5.3.2a	Sending an RLC/MAC control message: multiple blocks packet downlink assignment procedure	142
3.5.4	MBMS packet access procedure using CCCH	143
3.5.4.1	General	143
3.5.4.2	On receipt of a CHANNEL REQUEST message	143
3.5.4.3	On receipt of an IMMEDIATE ASSIGNMENT message	144
3.5.4.4	On receipt of an IMMEDIATE ASSIGNMENT REJECT message	144
3.5.4.5	On receipt of an MBMS ASSIGNMENT message	144
3.5.4.6	Abnormal cases	144
3.6	RR Procedures in packet transfer mode	144
3.6.1	RR Connection establishment using enhanced DTM CS establishment	144
3.6.2	Completion of RR Connection establishment	145
3.6.2.1	Connection established in response to an encapsulated IMMEDIATE ASSIGNMENT message	145
3.6.2.2	Connection established in response to an encapsulated DTM ASSIGNMENT COMMAND message	145
3.7	DTM Handover procedure	145
3.7.1	General	145
3.7.2	DTM Handover from GERAN A/Gb mode to GERAN A/Gb mode procedure	145
3.7.2.1	Abnormal cases	146
3.7.3	DTM Handover from GERAN A/Gb mode to UTRAN procedure	147
3.8	Network sharing	147
3.8.1	General	147
3.8.2	Network side	147
3.8.3	Mobile station side	148
3.8.4	Abnormal cases	149

4	Elementary procedures for Mobility Management.....	149
5	Elementary procedures for circuit-switched Call Control.....	150
6	Support for packet services	150
7	Examples of structured procedures	150
8	Handling of unknown, unforeseen, and erroneous protocol data.....	150
8.1	General	150
8.2	Message too short.....	151
8.3	(void).....	151
8.4	Unknown or unforeseen message type	151
8.5	Non-semantic mandatory information element errors	151
8.5.1	Radio resource management	152
8.6	Unknown and unforeseen IEs in the non-imperative message part.....	152
8.6.1	IEs unknown in the message	152
8.6.2	Out of sequence IEs	152
8.6.3	Repeated IEs	152
8.7	Non-imperative message part errors.....	152
8.7.1	Syntactically incorrect optional IEs	152
8.7.2	Conditional IE errors	153
8.8	Messages with semantically incorrect contents.....	153
8.9	Incomplete rest octets	153
9	Message functional definitions and contents.....	154
9.1	Messages for Radio Resources management.....	155
9.1.1	Additional assignment	156
9.1.1.1	Mobile Allocation	157
9.1.1.2	Starting Time.....	157
9.1.1.3	Extended TSC Set	157
9.1.2	Assignment command.....	157
9.1.2.1	Mode of the First Channel (Channel Set 1) and Mode of Channel Set "X" (2= X =<8).....	158
9.1.2.2	Description of the Second Channel.....	158
9.1.2.3	Mode of the Second Channel	159
9.1.2.4	Mobile Allocation and Frequency List, after the starting time.....	159
9.1.2.5	Starting Time.....	159
9.1.2.6	Reference cell frequency list.....	160
9.1.2.7	Cell Channel Description.....	160
9.1.2.8	Cipher Mode Setting	160
9.1.2.9	VGCS target mode Indication.....	160
9.1.2.10	Description of the multislot allocation	160
9.1.2.11	Multi Rate configuration	161
9.1.2.12	VGCS Ciphering Parameters	161
9.1.2.13	Extended TSC Set, after time	161
9.1.2.14	Extended TSC Set, before time	161
9.1.3	Assignment complete.....	161
9.1.4	Assignment failure.....	161
9.1.5	Channel mode modify.....	162
9.1.5.1	Channel Description.....	162
9.1.5.2	VGCS target mode Indication	162
9.1.5.3	Multi Rate configuration	163
9.1.5.4	VGCS Ciphering Parameters	163
9.1.5.5	Extended TSC Set	163
9.1.6	Channel mode modify acknowledge.....	163
9.1.6.1	Extended TSC Set	163
9.1.7	Channel release	163
9.1.7.1	Group Channel Description / Group Channel Description 2.....	164
9.1.7.2	Group Cipher Key Number	164
9.1.7.3	UTRAN Freq List	165
9.1.7.4	Cell Channel Description	165
9.1.7.5	VGCS Ciphering Parameters	165
9.1.7.6	Talker Identity.....	165

9.1.7.7	Talker Priority Status	165
9.1.7.8	VGCS AMR Configuration.....	165
9.1.7.9	Individual priorities.....	165
9.1.8	Channel request	165
9.1.9	Ciphering mode command.....	167
9.1.10	Ciphering mode complete.....	168
9.1.10.1	Mobile Equipment Identity	168
9.1.11	Classmark change	169
9.1.11.1	Additional Mobile Station Classmark Information	169
9.1.11.2	Mobile Station Classmark	169
9.1.11a	UTRAN Classmark Change.....	169
9.1.11b	cdma2000 Classmark Change.....	170
9.1.11c	(void)	171
9.1.11d	GERAN IU Mode Classmark Change	171
9.1.12	Classmark enquiry	171
9.1.12a	(void)	172
9.1.12b	Configuration change command.....	172
9.1.12b.1	Description of the multislot allocation	172
9.1.12b.2	Mode of Channel Set "X" (1= X ≤8).....	172
9.1.12c	Configuration change acknowledge.....	173
9.1.12d	Configuration change reject.....	173
9.1.12e	DTM Assignment Command.....	174
9.1.12e.1	(void).....	174
9.1.12e.2	RR Packet Uplink Assignment and RR Packet Downlink Assignment IEs.....	174
9.1.12e.3	MultiRate configuration	175
9.1.12e.4	Ciphering Mode Setting	175
9.1.12e.5	(void).....	175
9.1.12e.6	Mobile Allocation and Frequency List.....	175
9.1.12e.7	Mobile Allocation C2, Frequency List C2, Channel Description C2 and Description of the Downlink Packet Channel Assignment Type 2.....	175
9.1.12e.8	Extended TSC Set.....	175
9.1.12f	DTM Assignment Failure.....	176
9.1.12g	DTM Information	176
9.1.12g.1	Routeing Area Identification	176
9.1.12h	DTM Reject.....	177
9.1.12i	DTM Request.....	177
9.1.13	Frequency redefinition.....	178
9.1.13.1	Cell Channel Description	178
9.1.13.2	Carrier Indication	178
9.1.13.3	Mobile Allocation C2 and Channel Description C2.....	178
9.1.13.4	Extended TSC Set	178
9.1.13a	(void)	179
9.1.13b	GPRS suspension request	179
9.1.13b.1	General	179
9.1.13b.2	Routeing Area Identification	179
9.1.13b.3	Temporary Logical Link Identity	179
9.1.14	Handover access	179
9.1.15	Handover command.....	181
9.1.15.1	Synchronization Indication	182
9.1.15.2	Mode of the First Channel (Channel Set 1) and Mode of Channel Set "X" (2= X ≤8).....	182
9.1.15.3	Description of the Second Channel	182
9.1.15.4	Mode of the Second Channel	183
9.1.15.5	Frequency Channel Sequence, Frequency List, Frequency short list and Mobile Allocation, after time.	183
9.1.15.6	Starting Time.....	183
9.1.15.7	Reference cell frequency list	184
9.1.15.8	Real Time Difference	184
9.1.15.9	Timing Advance.....	184
9.1.15.10	Cipher Mode Setting	184
9.1.15.11	VGCS target mode indication	184
9.1.15.12	Description of the multislot allocation	185
9.1.15.13	MultiRateconfiguration	185

9.1.15.14	Dynamic ARFCN Mapping	185
9.1.15.15	VGCS Target cell Ciphering information	185
9.1.15.16	Dedicated Service Information.....	185
9.1.15.17	Extended TSC Set, after time	185
9.1.15.18	Extended TSC Set, before time	186
9.1.15a	Inter System To UTRAN Handover Command.....	186
9.1.15b	Inter System To cdma2000 Handover Command.....	186
9.1.15c	HANDOVER TO GERAN Iu MODE Command	187
9.1.15d	Inter System To E-UTRAN Handover Command	187
9.1.16	Handover complete	187
9.1.16.1	Mobile Observed Time Difference	188
9.1.16.2	Mobile Observed Time Difference on Hyperframe level.....	188
9.1.17	Handover failure	188
9.1.17.1	PS Cause	188
9.1.18	Immediate assignment	188
9.1.18.0a	Dedicated mode or TBF.....	189
9.1.18.0b	Channel Description.....	189
9.1.18.0c	Packet Channel Description	189
9.1.18.0d	Request Reference.....	190
9.1.18.0e	Timing Advance.....	190
9.1.18.1	Mobile Allocation	190
9.1.18.2	Starting Time.....	190
9.1.18.3	IA Rest Octets (Frequency parameters, before time)	190
9.1.18.4	IA Rest Octets (assignment of uplink or downlink TBF).....	190
9.1.18.5	Extended TSC Set	191
9.1.18a	(void)	191
9.1.18b	Immediate packet assignment	191
9.1.19	Immediate assignment extended	191
9.1.19.1	Unnecessary IEs	192
9.1.19.2	Mobile Allocation	192
9.1.19.3	Starting Time.....	192
9.1.19.4	Maximum message length.....	193
9.1.19.5	IAX Rest Octets	193
9.1.20	Immediate assignment reject.....	193
9.1.20.1	Use of the indexes	194
9.1.20.2	Filling of the message	194
9.1.20.2a	Request Reference.....	194
9.1.20.3	Wait Indication.....	194
9.1.20.4	IAR Rest Octets	194
9.1.21	Measurement report	194
9.1.21a	Notification/FACCH.....	195
9.1.21a.1	(void).....	198
9.1.21a.2	(void).....	198
9.1.21a.3	(void).....	198
9.1.21a.4	(void).....	198
9.1.21b	Notification/NCH	198
9.1.21b.1	(void).....	198
9.1.21b.2	(void).....	198
9.1.21c	(void)	198
9.1.21d	Notification response	198
9.1.21e	(void)	199
9.1.21f	Packet Assignment.....	199
9.1.21f.1	RR Packet Uplink Assignment and RR Packet Downlink Assignment IEs	200
9.1.21f.2	(void).....	200
9.1.21f.3	Frequency List C2, Mobile Allocation C2 and Description of the Downlink Packet Channel Assignment Type 2	200
9.1.21f.4	Extended TSC Set	200
9.1.21g	Packet Notification	200
9.1.21g.1	P-TMSI	201
9.1.21g.2	Mobile identity	201
9.1.21h	VBS/VGCS reconfigure	201
9.1.21i	VBS/VGCS reconfigure2	202

9.1.21j	MBMS Announcement	202
9.1.22	Paging request type 1	203
9.1.22.1	Unnecessary IE	204
9.1.22.2	Channels needed for Mobiles 1 and 2	204
9.1.22.3	Mobile Identities	204
9.1.22.4	P1 Rest Octets	204
9.1.23	Paging request type 2	204
9.1.23.1	Channels needed for Mobiles 1 and 2	205
9.1.23.2	Mobile Identity 3	205
9.1.23.3	P2 Rest Octets	205
9.1.24	Paging request type 3	205
9.1.24.1	Channels needed for Mobiles 1 and 2	206
9.1.24.2	P3 Rest Octets	206
9.1.25	Paging response	206
9.1.25.1	Mobile Station Classmark	207
9.1.25.2	Additional Update Parameters	207
9.1.26	Partial release	207
9.1.26.1	Channel Description	207
9.1.27	Partial release complete	208
9.1.28	Physical information	208
9.1.28a	(void)	208
9.1.29	RR Status	208
9.1.30a	Synchronization channel information	209
9.1.30b	COMPACT Synchronization channel information	209
9.1.31	System information type 1	210
9.1.32	System information type 2	210
9.1.33	System information type 2bis	211
9.1.34	System information type 2ter	211
9.1.34a	System information type 2quater	212
9.1.34b	System information type 2n	213
9.1.35	System information type 3	213
9.1.36	System information type 4	214
9.1.36.1	CBCH Channel description	215
9.1.36.2	CBCH Mobile Allocation	215
9.1.36.3	SI 4 Rest Octets	215
9.1.37	System information type 5	215
9.1.38	System information type 5bis	215
9.1.39	System information type 5ter	216
9.1.40	System information type 6	217
9.1.40.1	Cell Identity	217
9.1.40.2	Location Area Identification	217
9.1.40.3	Cell Options	217
9.1.40.4	NCC permitted	217
9.1.41	System information type 7	218
9.1.42	System information type 8	218
9.1.43	System information Type 9	219
9.1.43a	System information Type 13	219
9.1.43b	(void)	220
9.1.43c	(void)	220
9.1.43d	System information type 16	220
9.1.43e	System information type 17	220
9.1.43f	System information type 19	221
9.1.43g	System information type 18	221
9.1.43h	System information type 20	222
9.1.43i	System information type 14	222
9.1.43j	System information type 15	223
9.1.43k	System information Type 13alt	223
9.1.43m	System information type 21	224
9.1.43n	System information type 22	224
9.1.43o	System information type 23	224
9.1.44	Talker indication	225
9.1.44a	Priority Uplink Request	225