

ETSI ES 202 184 V2.4.1 (2016-06)



MHEG-5 Broadcast Profile

PREVIEW
iTech STANDARD
(standards.itih.ai)
Full standard:
<https://standards.itih.ai/catalog/standards/sist/5d123f2a-9c34-45af-8400-f7d9d61723f5/etsi-es-202-184-v2.4.1-2016-06>

EBU

OPERATING EUROVISION

Reference

RES/JTC-031

Keywords

broadcasting, data, digital, DVB, IP, MHEG,
MPEG, terrestrial, TV, video**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.

© European Broadcasting Union 2016.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	20
Foreword.....	20
Modal verbs terminology.....	20
Introduction	20
1 Scope	21
1.0 Introduction	21
1.1 Localizing the present document.....	21
1.1.0 Approach to creating a local implementation	21
1.1.1 Extensions.....	21
1.1.2 Allocation of codes	22
1.1.3 Duplicate services	22
2 References	23
2.1 Normative references	23
2.2 Informative references.....	25
3 Definitions and abbreviations.....	26
3.1 Definitions.....	26
3.2 Abbreviations	28
4 Conventions.....	30
5 Basic architecture	30
6 Transport protocols.....	32
7 Content formats	32
7.1 Static formats.....	32
7.1.1 Bitmap image formats.....	32
7.1.1.1 PNG.....	32
7.1.1.2 MPEG-2 I-frames.....	32
7.1.2 Monomedia formats for audio clips	32
7.1.3 Monomedia formats for text	32
7.2 Broadcast streaming formats	32
7.3 Resident fonts	33
7.4 Colour representation	33
8 Application model	33
8.0 Introduction	33
8.1 Application lifecycle	33
8.1.1 Launching and terminating MHEG-5 applications	33
8.1.2 Preparing for launch.....	34
8.1.3 Auto boot broadcast application	34
8.1.3.0 When to launch an auto-boot application.....	34
8.1.3.1 How an auto-boot application is done.....	34
8.1.4 Auto kill application	34
8.1.5 Application context.....	34
8.1.5.0 Identification of a file reference source.....	34
8.1.5.1 Initial carousel.....	34
8.1.5.2 Current carousel	34
8.1.5.3 Current source	35
8.1.5.4 Authentication Source.....	35
8.1.6 Accessible file systems	35
8.1.6.0 List of available file systems	35
8.1.6.1 Broadcast applications	36
8.1.6.2 CI introduced applications	36
8.1.6.3 Interaction Channel	36

8.1.7	Keeping an application running across service tunes.....	36
8.1.7.0	Required behaviour for non-destructive tune.....	36
8.1.7.1	Broadcast file system requests.....	36
8.1.7.2	Timers.....	37
8.1.7.3	Carousel Identity.....	37
8.1.7.4	Broadcast file system.....	37
8.1.7.5	Network and service boot info.....	37
8.1.7.6	Behaviour of stream decoders.....	37
8.1.7.7	Content management.....	38
8.1.7.8	Receiver keys.....	38
8.1.7.9	Interaction with resident programs.....	38
8.1.7.10	Interaction channel security.....	39
8.1.7.11	Autoboot behaviour.....	39
8.1.7.12	True persistent storage.....	39
8.2	Application stacking.....	39
9	Signalling.....	39
9.1	Introduction to application lifecycle signalling.....	39
9.1.0	Overview.....	39
9.1.1	Application-level signalling.....	40
9.1.2	Service-level signalling.....	40
9.1.3	Network-level signalling.....	40
9.1.4	Scope.....	40
9.2	AIT Signalling Extension.....	40
9.2.0	AIT profile.....	40
9.2.1	Coexistence of Classical and AIT signalling.....	42
9.2.2	Life-cycle signalling in AIT and PMT.....	42
9.2.2.0	Life-cycle information in the PMT.....	42
9.2.2.1	carousel_id_descriptor.....	42
9.2.2.2	data_broadcast_id_descriptor.....	43
9.2.2.3	MHEG Non-destructive tune support with AIT signalling.....	43
9.2.2.3.0	AIT signalling.....	43
9.2.2.3.1	Network and service boot info.....	44
9.2.2.4	Definition of "well formed" for MHEG Applications.....	44
9.3	PMT and ServiceGateway signalling extension.....	44
9.3.1	Introduction.....	44
9.3.2	Identification of auto-boot application.....	44
9.3.2.0	Identifying the boot-PID.....	44
9.3.2.1	data_broadcast_id_descriptor.....	44
9.3.2.2	Network boot info sub-descriptor.....	45
9.3.2.3	Service boot info sub-descriptor.....	46
9.3.3	Acquisition of the ServiceGateway object.....	46
9.3.3.0	Approach to acquisition of the ServiceGateway object.....	46
9.3.3.1	carousel_id_descriptor.....	47
9.3.4	Acquisition of the auto-boot object.....	47
9.3.4.0	Approach to acquisition of the auto-boot object.....	47
9.3.4.1	ServiceContextList.....	47
9.3.4.2	Locating the initial object.....	49
9.3.4.2.1	Explicit Initial Object Identified.....	49
9.3.4.2.2	No Explicit Initial Object Identified.....	49
9.3.4.2.3	Initial File System.....	49
9.3.4.2.4	Example.....	49
9.3.5	Example of steps required for auto-boot.....	49
9.3.6	Service-level application lifecycle signalling.....	50
9.3.7	Network-level application lifecycle signalling.....	51
9.3.7.0	PMT monitoring.....	51
9.3.7.1	Auto mount broadcast file system.....	51
9.3.7.2	network_boot_info.....	51
9.3.7.3	data_broadcast_id.....	51
9.3.7.4	carousel_id.....	51
9.3.7.5	Carousels moving components.....	51
9.3.7.6	Removal of service.....	51

10	Security.....	52
11	MHEG-5 engine profile.....	52
11.0	Introduction	52
11.1	Basic specification.....	52
11.2	Object interchange format	52
11.3	Set of classes	53
11.4	Set of features.....	54
11.4.0	MHEG-5 optional features.....	54
11.4.1	GetEngineSupport "feature" strings.....	54
11.4.1.0	Set of mandatory GetEngineSupport "feature" strings.....	54
11.4.1.1	VideoDecodeOffset.....	56
11.4.1.2	BitmapDecodeOffset.....	57
11.4.1.3	Engine identification strings.....	57
11.4.1.4	Audio stream decoders.....	57
11.5	Content data encoding	58
11.5.0	Coding attributes and hook values	58
11.5.1	Use of negative hook values	59
11.5.2	Bitmap objects	59
11.5.2.1	Scaling.....	59
11.5.2.2	Tiling.....	59
11.5.2.3	Transparency.....	59
11.5.3	Stream "memory" formats	59
11.5.3.0	Scope of StreamComponent applicability	59
11.5.3.1	Audio.....	59
11.5.4	Non-linear stream formats	59
11.5.4.0	Profile for IP-delivered Transport Stream.....	59
11.5.4.1	Video.....	60
11.5.4.2	Audio.....	60
11.5.4.3	Subtitles.....	60
11.5.4.4	Encrypted non-linear streams.....	60
11.6	User input.....	60
11.6.1	Base remote control functions	60
11.6.1.0	Overview of remote control function groups.....	60
11.6.1.1	Receiver group	61
11.6.1.2	Register 3 group (see table 11.8).....	61
11.6.1.3	Register 4 group (see table 11.8).....	62
11.6.1.4	Register 5 group (see table 11.8).....	62
11.6.1.5	Register 6 group (see table 11.8).....	62
11.6.2	Extended remote control functions	62
11.6.2.0	Outline of extended function groups.....	62
11.6.2.1	Register 6 group (see table 11.9).....	62
11.6.3	UserInput registers.....	62
11.6.3.1	Base UserInput registers	62
11.6.3.2	Extended UserInput registers	63
11.6.4	Implementation of this interaction model	64
11.6.5	Interaction with broadcast-triggered native applications	64
11.7	Semantic constraints on MHEG-5 applications.....	64
11.8	EngineEvents.....	64
11.8.0	List of required engine events.....	64
11.8.1	Object retrieval errors	66
11.8.2	Object retrieval errors - Interaction Channel	66
11.9	Protocol mapping and external interaction	66
11.10	ResidentPrograms.....	67
11.10.0	List of ResidentPrograms.....	67
11.10.1	Typical use.....	68
11.10.2	Program names	69
11.10.3	Encoding of resident program names.....	69
11.10.4	Date and time functions	69
11.10.4.1	Day, date and time functions.....	69
11.10.4.2	GetCurrentDate	69
11.10.4.3	FormatDate.....	69

11.10.4.4	GetDayOfWeek.....	70
11.10.5	Random number function	70
11.10.5.1	Random	70
11.10.6	Type conversion functions.....	71
11.10.6.1	CastToContentRef.....	71
11.10.6.2	CastToObjectRef.....	71
11.10.6.3	CastToStringInt.....	71
11.10.7	String manipulation functions.....	72
11.10.7.0	Use of string manipulation functions	72
11.10.7.1	Range of string index values	72
11.10.7.2	GetStringLength.....	72
11.10.7.3	GetSubString.....	72
11.10.7.4	SearchSubString.....	73
11.10.7.5	SearchAndExtractSubString.....	73
11.10.8	Service selection	74
11.10.8.0	Use of service selection functions	74
11.10.8.1	SI_GetServiceIndex	74
11.10.8.2	SI_TuneIndex.....	74
11.10.8.3	SI_GetBasicSI.....	74
11.10.8.4	SI_TuneIndexInfo	75
11.10.8.4.0	Usage	75
11.10.8.4.1	Destructive service tune.....	76
11.10.8.4.2	Non-destructive service tune	77
11.10.9	Checking references.....	78
11.10.9.0	Use of reference checking functions	78
11.10.9.1	CheckContentRef.....	78
11.10.9.2	CheckGroupIDRef	79
11.10.10	Presentation information.....	79
11.10.10.1	VideoToGraphics.....	79
11.10.10.2	SetWidescreenAlignment.....	80
11.10.10.3	GetDisplayAspectRatio.....	81
11.10.10.4	SetSubtitleMode.....	81
11.10.10.5	SetBroadcasterInterruptions	81
11.10.10.6	GetAudioDescPref	82
11.10.10.7	GetSubtitlePref.....	83
11.10.11	Common Interface	83
11.10.11.1	CI_SendMessage.....	83
11.10.12	Interaction channel.....	83
11.10.12.0	Introduction to interaction channel resident programs.....	83
11.10.12.1	GetICStatus	83
11.10.12.2	ReturnData	84
11.10.12.3	MeasureStreamPerformance	85
11.10.12.4	PromptForGuidance	86
11.10.12.5	PersistentStorageInfo	86
11.10.12.6	SetCookie.....	86
11.10.12.7	GetCookie	87
11.10.12.8	GetPINSupport.....	87
11.10.13	Hybrid file system.....	88
11.10.13.0	Introduction to hybrid file system resident programs.....	88
11.10.13.1	SetHybridFileSystem	88
11.10.14	Developer utilities.....	89
11.10.14.1	WhoAmI	89
11.10.14.2	Debug.....	89
11.10.15	Access to application lifecycle signalling.....	90
11.10.15.1	GetBootInfo	90
11.10.16	Data exchange with ResidentPrograms.....	90
11.10.16.0	Scope of behaviour.....	90
11.10.16.1	Memory spaces	91
11.10.16.2	On invocation.....	91
11.10.16.3	CallSucceeded/ForkSucceeded Values	91
11.10.16.4	During execution.....	91
11.10.16.5	On completion.....	91

11.10.17	Duration of effect of ResidentPrograms	91
11.11	Limitations on standard data-types	91
11.11.1	BooleanVariable	91
11.11.2	IntegerVariable	92
11.11.3	OctetString	92
11.11.4	ObjectNumber	92
11.11.5	GroupIdentifier and ContentReference	92
11.12	Extensions to the MHEG-5 language specification	92
11.12.1	Preamble	92
11.12.2	Changes to the Group class	92
11.12.2.0	Overview of changes	92
11.12.2.1	Changes to "Own internal attributes"	93
11.12.2.2	Changes to "Events"	93
11.12.2.3	Changes to "Effect of MHEG-5 actions"	93
11.12.3	Changes to the Application class	93
11.12.3.1	Changes to "Own exchanged attributes"	93
11.12.3.2	Changes to "Own internal attributes"	94
11.12.3.3	Changes to "Effect of MHEG-5 actions"	94
11.12.4	Changes to the Scene class	94
11.12.4.0	Overview of changes	94
11.12.4.1	Changes to "Own exchanged attributes"	95
11.12.4.2	Changes to "Own internal attributes"	95
11.12.4.3	Changes to "Events"	95
11.12.4.4	Changes to "Effect of MHEG-5 actions"	95
11.12.5	Changes to the TokenGroup class	96
11.12.5.1	Changes to "Effect of MHEG-5 actions"	96
11.12.6	Changes to the ListGroup class	96
11.12.6.1	Changes to "Own exchanged attributes"	96
11.12.6.2	Changes to "Own internal attributes"	96
11.12.6.3	Changes to "Effect of MHEG-5 actions"	96
11.12.7	Changes to the Bitmap class	97
11.12.7.1	Changes to "Own internal attributes"	97
11.12.7.2	Changes to "Effect of MHEG-5 actions"	97
11.12.8	Changes to the Text class	98
11.12.8.1	Changes to "Own exchanged attributes"	98
11.12.8.2	Changes to "Own internal attributes"	99
11.12.8.3	Changes to "Effect of MHEG-5 actions"	100
11.12.9	Changes to the Stream class	101
11.12.9.0	Overview of changes	101
11.12.9.1	Changes to "Own exchanged attributes"	101
11.12.9.2	Changes to "Own internal attributes"	101
11.12.9.3	Changes to "Internal behaviours"	101
11.12.9.4	Changes to "Effect of MHEG-5 actions"	101
11.12.10	Changes to the Video class	102
11.12.10.1	Changes to "Own internal attributes"	102
11.12.10.2	Changes to "Effect of MHEG-5 actions"	103
11.12.11	Changes to the Slider class	106
11.12.11.1	Changes to "Own exchanged attributes"	106
11.12.11.2	Changes to "Own internal attributes"	106
11.12.11.3	Changes to "Events"	107
11.12.11.4	Changes to "Internal behaviour"	107
11.12.11.5	Changes to "Effect of MHEG-5 actions"	107
11.12.12	Changes to the HyperText class	108
11.12.12.1	Changes to "Own internal attributes"	108
11.12.12.2	Changes to "Events"	109
11.12.12.3	Changes to "Internal behaviours"	109
11.12.12.4	Changes to "Effect of MHEG-5 actions"	110
11.12.13	Changes to the LineArt class	110
11.12.13.0	Overview of changes	110
11.12.13.1	Changes to "Own exchanged attributes"	111
11.12.13.2	Changes to "Effect of MHEG-5 actions"	111
11.13	Clarifications, restrictions and amendments	111

11.13.1	Additional semantics for the SetTimer action.....	111
11.13.2	CounterPosition attribute	111
11.13.2.0	Relationship of CounterPosition to NPT.....	111
11.13.2.1	Broadcast delivered streams.....	111
11.13.2.2	IP delivered streams	111
11.13.3	Synchronous event processing.....	112
11.13.3.0	Interpretations of synchronous event processing behaviour.....	112
11.13.3.1	Preferred interpretation	112
11.13.3.2	Alternative interpretation	112
11.13.3.3	Explanation	113
11.13.4	Actions that generate more than one synchronous event	113
11.13.5	TransitionTo deactivation of shared=FALSE ingredients	113
11.13.6	Interactibles.....	113
11.13.7	Clarification of StreamPlaying and StreamStopped events	114
11.13.8	Use of NextScenes to preload content	114
11.13.9	Application defaults.....	114
11.13.10	Effect of SetData on Internal Attributes	115
11.13.11	Clarification of TransitionTo, Launch and Spawn behaviour.....	115
11.13.12	References to shared=FALSE ingredients	115
11.13.13	Restrictions on Link EventSource	115
11.13.14	Video Termination attribute.....	115
11.13.15	Clarification of Root object destruction behaviour.....	115
11.13.16	Illegal parameter handling in :SetVariable	116
11.13.17	Referencing Group objects with an InternalReference	116
11.14	Service Information extension.....	116
11.14.0	Introduction.....	116
11.14.1	Service Information resident programs.....	116
11.14.1.0	List of Service Information resident programs.....	116
11.14.1.1	SI_GetServiceInfo.....	116
11.14.1.2	SI_GetEventInfo	117
11.15	PVR extensions	118
11.15.0	Introduction.....	118
11.15.1	PVR Implementation	118
11.15.2	CRID format.....	118
11.15.3	PVR extension resident programs.....	119
11.15.3.0	List of PVR extension resident programs.....	119
11.15.3.1	PVR_MakeBooking	119
11.15.3.2	PVR_CancelBooking	120
11.15.3.3	PVR_ListBooking.....	120
11.16	InputMaskExtension.....	121
11.16.0	Introduction.....	121
11.16.1	Operation	121
11.16.1.0	Outline of operation	121
11.16.1.1	Engine Events	121
11.16.2	Changes to the MHEG specification.....	121
11.16.2.1	Input Register semantics	121
11.16.2.2	New attributes and ElementaryActions.....	122
11.16.2.3	TestInputMask New Resident Program	122
11.16.2.4	Key values table	123
11.17	File System Acceleration Extension.....	123
11.17.0	Introduction.....	123
11.17.1	File Groups	124
11.17.2	Scope of File Groups	124
11.17.3	Stored groups descriptor	124
11.17.4	Group Location Descriptor	126
11.17.5	Group Manifest.....	127
11.17.6	Group Manifest management.....	128
11.17.7	Stored File Access	128
11.17.7.1	Read access	128
11.17.7.2	Write access	129
11.17.8	Stored Group Deletion.....	129
11.18	Application Launch Extension	129

11.18.1	GetEngineSupport 'feature' strings.....	129
11.18.2	Resident Programs	129
11.18.2.0	List of resident programs	129
11.18.2.1	ApplicationLaunch.....	130
11.18.2.2	GetLaunchArguments	131
11.18.3	Referencing MHEG Applications from other Presentation Technologies	131
12	MHEG-5 engine graphics model.....	131
12.1	The graphics plane.....	131
12.2	The colour palette.....	132
12.2.0	Minimum colour support	132
12.2.1	Reservation for MHEG-5 applications	132
12.2.1.0	Reserved locations	132
12.2.1.1	Fidelity of reproduction.....	132
12.2.1.2	Palette definition	133
12.2.2	Reservation for DVB subtitles	133
12.2.3	Subtitle priority for transparency	133
12.2.4	Reservation for manufacturer use	133
12.3	Colour representation	134
12.3.1	Colour space	134
12.3.2	Gamma.....	135
12.3.3	Direct/absolute colours	135
12.3.4	Approximation of transparency	135
12.3.5	PNG modes	136
12.4	Overlapping visibles.....	136
12.4.1	Transparency and overlapping visibles.....	136
12.4.1.1	Overlaying visibles.....	136
12.4.1.2	Rendering performance.....	137
12.5	LineArt and DynamicLineArt	137
12.5.1	Clarifications.....	137
12.5.1.1	Lineart borders	137
12.5.1.2	"Fat" lines.....	137
12.5.1.2.1	"Fat" lines are centred.....	137
12.5.1.2.2	Clipping at box edge.....	137
12.5.1.3	Line ends	137
12.5.1.4	Bordered bounding box	137
12.5.1.5	DrawSector.....	138
12.5.1.6	Effect of pixel transparency.....	138
12.5.1.7	Co-ordinate system.....	138
12.5.2	Limitations	138
12.6	Text, EntryFields and HyperText	139
12.7	PNG bitmaps	139
12.7.1	Specification conformance.....	139
12.7.2	Colour encoding.....	140
12.7.3	Aspect ratio signalling	140
12.8	MPEG-2 stills.....	141
12.8.1	File format	141
12.8.2	Semantics.....	141
12.8.3	Presentation.....	141
12.9	MPEG video.....	141
12.10	Appearance of Visible objects during content retrieval.....	141
12.11	High definition graphics model.....	141
12.11.0	Requirements for support.....	141
12.11.1	Resolution.....	142
12.11.1.0	Resolution support requirements.....	142
12.11.1.1	HD resolution graphics plane	142
12.11.1.1.0	Scope	142
12.11.1.1.1	Resolution.....	142
12.11.1.1.2	Colour range	142
12.11.1.1.3	Direct/absolute colours	142
12.11.1.1.4	Text rendering	142
12.11.1.1.5	Bitmap format and resolution	142

12.11.2	Mapping the MHEG application co-ordinate system to the graphics plane.....	143
12.11.3	Intelligent rendering.....	143
12.11.3.0	Scope.....	143
12.11.3.1	Introduction.....	143
12.11.3.1.0	Overview of process.....	143
12.11.3.1.1	Co-ordinate transformation.....	143
12.11.3.2	Bounding box transformation.....	144
12.11.3.3	Visual appearance.....	145
12.11.3.3.1	Text.....	145
12.11.3.3.2	Images.....	145
12.11.3.3.3	Line Art.....	145
12.11.3.3.4	DynamicLineArt.....	146
12.12	JPEG bitmaps.....	146
12.13	H.264/AVC stills.....	146
12.13.1	File format.....	146
12.13.2	Semantics.....	147
12.13.3	Presentation.....	147
13	Text and interactibles.....	147
13.1	Text rendering overview.....	147
13.1.0	Application of text rendering rules.....	147
13.1.1	Non-presented text.....	147
13.2	Character encoding.....	148
13.2.0	Character encoding format.....	148
13.2.1	UTF-8.....	148
13.2.2	Null characters.....	148
13.2.3	CharacterSet attribute.....	148
13.3	Fonts.....	148
13.3.1	Downloading.....	148
13.3.1.0	Application of downloadable fonts.....	148
13.3.1.1	OpenType fonts.....	149
13.3.1.1.0	Application of OpenType fonts.....	149
13.3.1.1.1	Profile of OpenType.....	149
13.3.1.1.2	Font parameters.....	149
13.3.1.1.3	Text Styles.....	149
13.3.1.2	Presentation.....	149
13.3.1.3	Defensive response.....	149
13.3.1.4	Font resource model.....	150
13.3.2	Embedded font.....	150
13.3.2.1	The DTG/RNIB font characteristics (informative).....	150
13.3.2.2	Font version.....	150
13.3.2.3	Required sizes and styles.....	150
13.3.3	Invoking the font.....	151
13.4	Text object attributes.....	151
13.4.1	FontAttributes.....	151
13.4.1.0	FontAttribute formats.....	151
13.4.1.1	Textual form.....	151
13.4.1.2	Short form.....	152
13.4.2	Control of text flow.....	152
13.4.2.1	Required flow modes.....	152
13.5	Text rendering.....	153
13.5.1	Philosophy.....	153
13.5.2	Font definition.....	154
13.5.2.0	Introduction.....	154
13.5.2.1	Font bounds.....	154
13.5.2.2	"Physical" font data.....	155
13.5.3	Converting font metrics to display pixels.....	155
13.5.3.0	Approach.....	155
13.5.3.1	Vertical resolution.....	155
13.5.3.2	Horizontal resolution.....	156
13.5.4	Rendering within the limits of the Text object.....	156
13.5.4.0	Approach.....	156

13.5.4.1	Vertical limits.....	157
13.5.4.2	Horizontal limits	157
13.5.5	"logical" text width rules	158
13.5.5.0	Approach.....	158
13.5.5.1	Computing "logical" text width.....	158
13.5.5.1.0	Parameters used.....	158
13.5.5.1.1	Font sizes.....	158
13.5.5.1.2	Character widths.....	158
13.5.5.1.3	Kerning.....	158
13.5.5.1.4	Letter spacing	159
13.5.5.2	Logical text width	159
13.5.6	Line breaking.....	159
13.5.6.1	TextWrapping false.....	159
13.5.6.2	TextWrapping true	159
13.5.7	Positioning lines of text vertically within the Text object	160
13.5.7.1	Truncation.....	160
13.5.7.2	Positioning	160
13.5.7.3	Void.....	162
13.5.8	Rendering lines of text horizontally.....	162
13.5.8.1	Truncation.....	162
13.5.8.2	Placement.....	162
13.5.8.3	Examples.....	162
13.5.8.4	Scaling for HD resolution graphics planes.....	162
13.5.9	Tabulation.....	162
13.5.10	Placing runs of characters and words.....	163
13.6	Text mark-up.....	164
13.6.1	White space characters.....	164
13.6.2	Marker characters	164
13.6.3	Non-printing characters	164
13.6.4	Format control mark-up.....	165
13.6.5	Future compatibility.....	165
13.7	EntryFields	165
13.7.1	Supported characters.....	165
13.7.2	Appearance	166
13.7.2.1	Receivers that do not implement InteractionChannelExtension.....	166
13.7.2.2	Receivers that implement InteractionChannelExtension.....	167
13.7.3	Behaviour.....	167
13.7.3.1	Character encoding.....	167
13.7.3.2	Semantics of EntryFieldFull and MaxLength	167
13.7.3.3	EntryPoint	168
13.7.3.4	Successive character entry	168
13.7.3.5	Only SetData when inactive.....	168
13.7.3.6	User input.....	168
13.7.3.7	Numerics of the EntryField.....	168
13.7.4	Non-numeric input.....	169
13.7.4.0	Scope.....	169
13.7.4.1	Introduction.....	169
13.7.4.2	Minimum requirements.....	169
13.7.4.3	SMS entry method	169
13.7.4.3.0	Scope	169
13.7.4.3.1	Basic Method.....	169
13.7.4.3.2	Timeout Period.....	170
13.7.4.3.3	Appearance during input	170
13.7.4.3.4	Character to key mappings.....	170
13.7.4.3.5	Character subsets	170
13.8	HyperText.....	171
13.8.0	HyperText markup format	171
13.8.1	HyperText anchors.....	172
13.8.2	Appearance	172
13.8.2.1	Visual appearance of anchors.....	172
13.8.2.2	Default anchor colours	172
13.8.2.3	Highlight	172

13.8.3	Behaviour.....	173
13.8.3.0	Basic behaviour.....	173
13.8.3.1	Anchor identification.....	173
13.8.3.2	Behaviour.....	173
13.8.3.3	Special behaviour at boundaries.....	173
13.9	Slider.....	174
13.9.1	Appearance.....	174
13.9.2	Behaviour.....	175
13.10	Text rendering example (informative).....	175
14	MHEG receiver requirements.....	176
14.1	Introduction.....	176
14.2	Management of stream decoders.....	176
14.2.1	Application killed by receiver.....	176
14.2.1.0	Default behaviour.....	176
14.2.1.1	On change of service.....	176
14.2.2	Effect of lockscreen.....	176
14.2.3	Stream inheritance on Application object activation.....	177
14.2.4	Synchronizing stream decoder state.....	177
14.2.4.0	Point of synchronization.....	177
14.2.4.1	Graphics Plane.....	178
14.2.4.2	Stream component selection.....	178
14.2.5	Stream continuance on Application object deactivation.....	178
14.2.6	Locating components carried in Transport Streams.....	178
14.2.6.0	Identifying a component.....	178
14.2.6.1	Multiplex references.....	178
14.2.6.1.1	DSM-CC Stream object.....	178
14.2.6.1.2	URL explicit format.....	179
14.2.6.1.3	URL inheritance formats.....	179
14.2.6.1.4	Interaction Channel format.....	179
14.2.6.1.5	Services in other transport streams.....	179
14.2.6.1.6	StreamEvent events.....	179
14.2.6.1.7	CounterTrigger events.....	179
14.2.6.1.8	Content management.....	179
14.2.6.2	Component references.....	180
14.2.7	Locating components carried in an Elementary Stream.....	180
14.2.8	Stream presentation errors.....	180
14.2.9	IC Stream buffering.....	180
14.2.9.0	Introduction.....	180
14.2.9.1	Buffer reference model.....	181
14.2.9.2	Application control of the IC stream buffer.....	181
14.2.9.3	Restrictions.....	181
14.3	Application interaction with user control of linear content decoders.....	182
14.3.0	Introduction and undefined behaviour.....	182
14.3.1	Video decoder.....	183
14.3.2	Audio decoder.....	183
14.3.3	Subtitle decoder.....	183
14.3.4	Selection of subtitle and audio description components.....	184
14.4	Application impact on stream decoder specification.....	184
14.4.1	DVB subtitles.....	184
14.4.1.1	Flexibility of control.....	184
14.4.1.1.0	Scope.....	184
14.4.1.1.1	Subtitles are a facet of full-screen video.....	184
14.4.1.1.2	Subtitles have priority if enabled.....	185
14.4.2	Video decoder performance.....	185
14.4.3	Trick modes.....	185
14.4.3.0	Standard behaviour.....	185
14.4.3.1	Pause behaviour.....	185
14.4.4	MPEG presentation.....	185
14.4.4.0	Introduction.....	185
14.4.4.1	MPEG scaling reference model.....	186
14.4.4.2	Transparency of MPEG encoding.....	186

14.4.4.3	Quarter-screen MPEG.....	187
14.4.4.4	BoxSize for MPEG images.....	187
14.4.4.5	Video/I-frame object placement.....	187
14.4.4.5.0	Behaviour.....	187
14.4.4.5.1	Restricted capability.....	187
14.4.5	Content management of IC streams.....	187
14.4.6	Multiple stream objects.....	188
14.4.6.0	Behaviour.....	188
14.4.6.1	Simultaneous Demultiplexing.....	188
14.5	Application control of aspect ratio.....	188
14.5.0	Introduction.....	188
14.5.1	No active video object.....	189
14.5.2	I-frames.....	189
14.5.3	Quarter-screen video.....	189
14.5.4	Video greater than quarter-screen.....	189
14.5.5	Decision trees.....	190
14.6	Persistent storage.....	191
14.7	True persistent storage.....	192
14.7.0	Behaviour.....	192
14.7.1	Management of true persistent storage.....	193
14.8	Receiver resource model.....	193
14.8.1	Memory.....	193
14.8.2	Numbers of objects.....	194
14.8.2.0	Minimum number of active objects using stream decoders.....	194
14.8.2.1	Single PCR.....	194
14.8.3	Link recursion behaviour.....	194
14.8.4	Timer count and granularity.....	194
14.8.5	Timer duration.....	194
14.8.6	HD graphics bitmap requirements.....	195
14.9	Receiver process priority.....	195
14.9.1	OSD arbitration.....	195
14.9.2	Event handling whilst de-prioritized.....	196
14.9.2.1	Transparently.....	196
14.9.2.2	Non-transparently.....	196
14.10	Interaction with DVB Common Interface module system.....	196
14.10.1	Overview.....	196
14.10.2	Introduction of CI sourced file system.....	196
14.10.3	Guidelines for using Application MMI resource.....	197
14.10.3.0	Introduction.....	197
14.10.3.1	Resource contention.....	197
14.10.3.2	RequestStart.....	197
14.10.3.2.0	Behaviour.....	197
14.10.3.2.1	Application Domain Identifier.....	197
14.10.3.2.2	Initial object.....	197
14.10.3.3	RequestStartAck.....	198
14.10.3.4	FileRequest.....	198
14.10.3.5	FileAcknowledge.....	199
14.10.3.6	AppAbortRequest.....	199
14.10.3.7	AppAbortAck.....	199
14.10.3.8	Asynchronous events.....	200
14.10.4	Application Info Resource "Enter_Menu".....	200
15	File system profile.....	200
15.1	Introduction.....	200
15.1.1	Broadcast file system.....	200
15.1.2	Interaction channel.....	200
15.2	Object carousel profile.....	201
15.2.1	DSM-CC sections.....	201
15.2.1.0	DSM-CC section format.....	201
15.2.1.1	Sections per TS packet.....	201
15.2.2	Data carousel.....	201
15.2.2.1	General.....	201