



MHEG-5 Broadcast Profile

PREVIEW
iTech STANDARD
(standards.itech.ai)
Full standard:
<https://standards.itech.ai/catalog/standards/sist/5d12327a-9c34-45af-8400-f7d9d61723f5/etsi-es-202-184-v2.4.1-2016-04>

EBU

OPERATING EUROVISION

Reference

RES/JTC-031

Keywords

broadcasting, data, digital, DVB, IP, MHEG,
MPEG, terrestrial, TV, video

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.

© European Broadcasting Union 2016.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	20
Foreword.....	20
Modal verbs terminology.....	20
Introduction	20
1 Scope	21
1.0 Introduction	21
1.1 Localizing the present document.....	21
1.1.0 Approach to creating a local implementation	21
1.1.1 Extensions.....	21
1.1.2 Allocation of codes	22
1.1.3 Duplicate services	22
2 References	23
2.1 Normative references	23
2.2 Informative references.....	25
3 Definitions and abbreviations.....	26
3.1 Definitions.....	26
3.2 Abbreviations	28
4 Conventions.....	30
5 Basic architecture	30
6 Transport protocols.....	32
7 Content formats	32
7.1 Static formats.....	32
7.1.1 Bitmap image formats.....	32
7.1.1.1 PNG.....	32
7.1.1.2 MPEG-2 I-frames.....	32
7.1.2 Monomedia formats for audio clips	32
7.1.3 Monomedia formats for text	32
7.2 Broadcast streaming formats	32
7.3 Resident fonts	32
7.4 Colour representation	32
8 Application model	33
8.0 Introduction	33
8.1 Application lifecycle	33
8.1.1 Launching and terminating MHEG-5 applications	33
8.1.2 Preparing for launch.....	33
8.1.3 Auto boot broadcast application	34
8.1.3.0 When to launch an auto-boot application.....	34
8.1.3.1 How an auto-boot application is done.....	34
8.1.4 Auto kill application	34
8.1.5 Application context.....	34
8.1.5.0 Identification of a file reference source.....	34
8.1.5.1 Initial carousel.....	34
8.1.5.2 Current carousel	34
8.1.5.3 Current source	35
8.1.5.4 Authentication Source.....	35
8.1.6 Accessible file systems	35
8.1.6.0 List of available file systems	35
8.1.6.1 Broadcast applications	35
8.1.6.2 CI introduced applications	35
8.1.6.3 Interaction Channel	36
8.1.7 Keeping an application running across service tunes.....	36
8.1.7.0 Required behaviour for non-destructive tune	36

8.1.7.1	Broadcast file system requests	36
8.1.7.2	Timers	36
8.1.7.3	Carousel Identity	36
8.1.7.4	Broadcast file system	37
8.1.7.5	Network and service boot info	37
8.1.7.6	Behaviour of stream decoders	37
8.1.7.7	Content management.....	38
8.1.7.8	Receiver keys	38
8.1.7.9	Interaction with resident programs.....	38
8.1.7.10	Interaction channel security	38
8.1.7.11	Autoboot behaviour.....	38
8.1.7.12	True persistent storage	38
8.2	Application stacking.....	38
9	Signalling	39
9.1	Introduction to application lifecycle signalling	39
9.1.0	Overview	39
9.1.1	Application-level signalling.....	39
9.1.2	Service-level signalling.....	39
9.1.3	Network-level signalling.....	40
9.1.4	Scope	40
9.2	AIT Signalling Extension	40
9.2.0	AIT profile	40
9.2.1	Coexistence of Classical and AIT signalling	41
9.2.2	Life-cycle signalling in AIT and PMT.....	42
9.2.2.0	Life-cycle information in the PMT	42
9.2.2.1	carousel_id_descriptor	42
9.2.2.2	data_broadcast_id_descriptor.....	42
9.2.2.3	MHEG Non-destructive tune support with AIT signalling.....	43
9.2.2.3.0	AIT signalling.....	43
9.2.2.3.1	Network and service boot info.....	43
9.2.2.4	Definition of "well formed" for MHEG Applications.....	43
9.3	PMT and ServiceGateway signalling extension.....	43
9.3.1	Introduction.....	43
9.3.2	Identification of auto-boot application.....	44
9.3.2.0	Identifying the boot-PID	44
9.3.2.1	data_broadcast_id_descriptor.....	44
9.3.2.2	Network boot info sub-descriptor	45
9.3.2.3	Service boot info sub-descriptor	45
9.3.3	Acquisition of the ServiceGateway object.....	46
9.3.3.0	Approach to acquisition of the ServiceGateway object.....	46
9.3.3.1	carousel_id_descriptor	46
9.3.4	Acquisition of the auto-boot object.....	46
9.3.4.0	Approach to acquisition of the auto-boot object	46
9.3.4.1	ServiceContextList.....	46
9.3.4.2	Locating the initial object.....	48
9.3.4.2.1	Explicit Initial Object Identified.....	48
9.3.4.2.2	No Explicit Initial Object Identified	48
9.3.4.2.3	Initial File System.....	48
9.3.4.2.4	Example	48
9.3.5	Example of steps required for auto-boot.....	49
9.3.6	Service-level application lifecycle signalling	49
9.3.7	Network-level application lifecycle signalling	50
9.3.7.0	PMT monitoring.....	50
9.3.7.1	Auto mount broadcast file system.....	50
9.3.7.2	network_boot_info	50
9.3.7.3	data_broadcast_id.....	50
9.3.7.4	carousel_id	50
9.3.7.5	Carousels moving components.....	50
9.3.7.6	Removal of service.....	51
10	Security.....	51

11	MHEG-5 engine profile.....	51
11.0	Introduction.....	51
11.1	Basic specification.....	51
11.2	Object interchange format.....	51
11.3	Set of classes.....	52
11.4	Set of features.....	53
11.4.0	MHEG-5 optional features.....	53
11.4.1	GetEngineSupport "feature" strings.....	53
11.4.1.0	Set of mandatory GetEngineSupport "feature" strings.....	53
11.4.1.1	VideoDecodeOffset.....	56
11.4.1.2	BitmapDecodeOffset.....	56
11.4.1.3	Engine identification strings.....	56
11.4.1.4	Audio stream decoders.....	57
11.5	Content data encoding.....	57
11.5.0	Coding attributes and hook values.....	57
11.5.1	Use of negative hook values.....	58
11.5.2	Bitmap objects.....	58
11.5.2.1	Scaling.....	58
11.5.2.2	Tiling.....	58
11.5.2.3	Transparency.....	58
11.5.3	Stream "memory" formats.....	58
11.5.3.0	Scope of StreamComponent applicability.....	58
11.5.3.1	Audio.....	58
11.5.4	Non-linear stream formats.....	59
11.5.4.0	Profile for IP-delivered Transport Stream.....	59
11.5.4.1	Video.....	59
11.5.4.2	Audio.....	59
11.5.4.3	Subtitles.....	59
11.5.4.4	Encrypted non-linear streams.....	59
11.6	User input.....	60
11.6.1	Base remote control functions.....	60
11.6.1.0	Overview of remote control function groups.....	60
11.6.1.1	Receiver group.....	60
11.6.1.2	Register 3 group (see table 11.8).....	61
11.6.1.3	Register 4 group (see table 11.8).....	61
11.6.1.4	Register 5 group (see table 11.8).....	61
11.6.1.5	Register 6 group (see table 11.8).....	61
11.6.2	Extended remote control functions.....	61
11.6.2.0	Outline of extended function groups.....	61
11.6.2.1	Register 6 group (see table 11.9).....	61
11.6.3	UserInput registers.....	61
11.6.3.1	Base UserInput registers.....	61
11.6.3.2	Extended UserInput registers.....	62
11.6.4	Implementation of this interaction model.....	63
11.6.5	Interaction with broadcast-triggered native applications.....	63
11.7	Semantic constraints on MHEG-5 applications.....	63
11.8	EngineEvents.....	63
11.8.0	List of required engine events.....	63
11.8.1	Object retrieval errors.....	65
11.8.2	Object retrieval errors - Interaction Channel.....	65
11.9	Protocol mapping and external interaction.....	65
11.10	ResidentPrograms.....	66
11.10.0	List of ResidentPrograms.....	66
11.10.1	Typical use.....	67
11.10.2	Program names.....	67
11.10.3	Encoding of resident program names.....	68
11.10.4	Date and time functions.....	68
11.10.4.1	Day, date and time functions.....	68
11.10.4.2	GetCurrentDate.....	68
11.10.4.3	FormatDate.....	68
11.10.4.4	GetDayOfWeek.....	69
11.10.5	Random number function.....	69

11.10.5.1	Random	69
11.10.6	Type conversion functions	69
11.10.6.1	CastToContentRef	69
11.10.6.2	CastToObjectRef	70
11.10.6.3	CastToStringInt	70
11.10.7	String manipulation functions	70
11.10.7.0	Use of string manipulation functions	70
11.10.7.1	Range of string index values	70
11.10.7.2	GetStringLength	71
11.10.7.3	GetSubString	71
11.10.7.4	SearchSubString	71
11.10.7.5	SearchAndExtractSubString	72
11.10.8	Service selection	72
11.10.8.0	Use of service selection functions	72
11.10.8.1	SI_GetServiceIndex	72
11.10.8.2	SI_TuneIndex	73
11.10.8.3	SI_GetBasicSI	73
11.10.8.4	SI_TuneIndexInfo	74
11.10.8.4.0	Usage	74
11.10.8.4.1	Destructive service tune	75
11.10.8.4.2	Non-destructive service tune	76
11.10.9	Checking references	77
11.10.9.0	Use of reference checking functions	77
11.10.9.1	CheckContentRef	77
11.10.9.2	CheckGroupIDRef	78
11.10.10	Presentation information	78
11.10.10.1	VideoToGraphics	78
11.10.10.2	SetWidescreenAlignment	79
11.10.10.3	GetDisplayAspectRatio	80
11.10.10.4	SetSubtitleMode	80
11.10.10.5	SetBroadcasterInterruptions	80
11.10.10.6	GetAudioDescPref	81
11.10.10.7	GetSubtitlePref	82
11.10.11	Common Interface	82
11.10.11.1	CI_SendMessage	82
11.10.12	Interaction channel	82
11.10.12.0	Introduction to interaction channel resident programs	82
11.10.12.1	GetICStatus	82
11.10.12.2	ReturnData	83
11.10.12.3	MeasureStreamPerformance	84
11.10.12.4	PromptForGuidance	84
11.10.12.5	PersistentStorageInfo	85
11.10.12.6	SetCookie	85
11.10.12.7	GetCookie	86
11.10.12.8	GetPINSupport	86
11.10.13	Hybrid file system	86
11.10.13.0	Introduction to hybrid file system resident programs	86
11.10.13.1	SetHybridFileSystem	86
11.10.14	Developer utilities	88
11.10.14.1	WhoAmI	88
11.10.14.2	Debug	88
11.10.15	Access to application lifecycle signalling	89
11.10.15.1	GetBootInfo	89
11.10.16	Data exchange with ResidentPrograms	89
11.10.16.0	Scope of behaviour	89
11.10.16.1	Memory spaces	89
11.10.16.2	On invocation	89
11.10.16.3	CallSucceeded/ForkSucceeded Values	89
11.10.16.4	During execution	89
11.10.16.5	On completion	90
11.10.17	Duration of effect of ResidentPrograms	90
11.11	Limitations on standard data-types	90

11.11.1	BooleanVariable	90
11.11.2	IntegerVariable	90
11.11.3	OctetString	90
11.11.4	ObjectNumber	90
11.11.5	GroupIdentifier and ContentReference	91
11.12	Extensions to the MHEG-5 language specification	91
11.12.1	Preamble	91
11.12.2	Changes to the Group class	91
11.12.2.0	Overview of changes	91
11.12.2.1	Changes to "Own internal attributes"	91
11.12.2.2	Changes to "Events"	91
11.12.2.3	Changes to "Effect of MHEG-5 actions"	91
11.12.3	Changes to the Application class	91
11.12.3.1	Changes to "Own exchanged attributes"	91
11.12.3.2	Changes to "Own internal attributes"	92
11.12.3.3	Changes to "Effect of MHEG-5 actions"	92
11.12.4	Changes to the Scene class	93
11.12.4.0	Overview of changes	93
11.12.4.1	Changes to "Own exchanged attributes"	93
11.12.4.2	Changes to "Own internal attributes"	93
11.12.4.3	Changes to "Events"	93
11.12.4.4	Changes to "Effect of MHEG-5 actions"	93
11.12.5	Changes to the TokenGroup class	94
11.12.5.1	Changes to "Effect of MHEG-5 actions"	94
11.12.6	Changes to the ListGroup class	94
11.12.6.1	Changes to "Own exchanged attributes"	94
11.12.6.2	Changes to "Own internal attributes"	94
11.12.6.3	Changes to "Effect of MHEG-5 actions"	95
11.12.7	Changes to the Bitmap class	95
11.12.7.1	Changes to "Own internal attributes"	95
11.12.7.2	Changes to "Effect of MHEG-5 actions"	95
11.12.8	Changes to the Text class	97
11.12.8.1	Changes to "Own exchanged attributes"	97
11.12.8.2	Changes to "Own internal attributes"	97
11.12.8.3	Changes to "Effect of MHEG-5 actions"	98
11.12.9	Changes to the Stream class	99
11.12.9.0	Overview of changes	99
11.12.9.1	Changes to "Own exchanged attributes"	99
11.12.9.2	Changes to "Own internal attributes"	100
11.12.9.3	Changes to "Internal behaviours"	100
11.12.9.4	Changes to "Effect of MHEG-5 actions"	100
11.12.10	Changes to the Video class	101
11.12.10.1	Changes to "Own internal attributes"	101
11.12.10.2	Changes to "Effect of MHEG-5 actions"	101
11.12.11	Changes to the Slider class	105
11.12.11.1	Changes to "Own exchanged attributes"	105
11.12.11.2	Changes to "Own internal attributes"	105
11.12.11.3	Changes to "Events"	105
11.12.11.4	Changes to "Internal behaviour"	106
11.12.11.5	Changes to "Effect of MHEG-5 actions"	106
11.12.12	Changes to the HyperText class	107
11.12.12.1	Changes to "Own internal attributes"	107
11.12.12.2	Changes to "Events"	108
11.12.12.3	Changes to "Internal behaviours"	108
11.12.12.4	Changes to "Effect of MHEG-5 actions"	109
11.12.13	Changes to the LineArt class	109
11.12.13.0	Overview of changes	109
11.12.13.1	Changes to "Own exchanged attributes"	110
11.12.13.2	Changes to "Effect of MHEG-5 actions"	110
11.13	Clarifications, restrictions and amendments	110
11.13.1	Additional semantics for the SetTimer action	110
11.13.2	CounterPosition attribute	110

11.13.2.0	Relationship of CounterPosition to NPT	110
11.13.2.1	Broadcast delivered streams	110
11.13.2.2	IP delivered streams	110
11.13.3	Synchronous event processing	111
11.13.3.0	Interpretations of synchronous event processing behaviour	111
11.13.3.1	Preferred interpretation	111
11.13.3.2	Alternative interpretation	111
11.13.3.3	Explanation	112
11.13.4	Actions that generate more than one synchronous event	112
11.13.5	TransitionTo deactivation of shared=FALSE ingredients	112
11.13.6	Interactibles	112
11.13.7	Clarification of StreamPlaying and StreamStopped events	113
11.13.8	Use of NextScenes to preload content	113
11.13.9	Application defaults	113
11.13.10	Effect of SetData on Internal Attributes	114
11.13.11	Clarification of TransitionTo, Launch and Spawn behaviour	114
11.13.12	References to shared=FALSE ingredients	114
11.13.13	Restrictions on Link EventSource	114
11.13.14	Video Termination attribute	114
11.13.15	Clarification of Root object destruction behaviour	114
11.13.16	Illegal parameter handling in :SetVariable	114
11.13.17	Referencing Group objects with an InternalReference	115
11.14	Service Information extension	115
11.14.0	Introduction	115
11.14.1	Service Information resident programs	115
11.14.1.0	List of Service Information resident programs	115
11.14.1.1	SI_GetServiceInfo	116
11.14.1.2	SI_GetEventInfo	116
11.15	PVR extensions	118
11.15.0	Introduction	118
11.15.1	PVR Implementation	118
11.15.2	CRID format	118
11.15.3	PVR extension resident programs	118
11.15.3.0	List of PVR extension resident programs	118
11.15.3.1	PVR_MakeBooking	119
11.15.3.2	PVR_CancelBooking	119
11.15.3.3	PVR_ListBooking	120
11.16	InputMaskExtension	120
11.16.0	Introduction	120
11.16.1	Operation	120
11.16.1.0	Outline of operation	120
11.16.1.1	Engine Events	121
11.16.2	Changes to the MHEG specification	121
11.16.2.1	Input Register semantics	121
11.16.2.2	New attributes and ElementaryActions	121
11.16.2.3	TestInputMask New Resident Program	122
11.16.2.4	Key values table	122
11.17	File System Acceleration Extension	123
11.17.0	Introduction	123
11.17.1	File Groups	124
11.17.2	Scope of File Groups	124
11.17.3	Stored groups descriptor	124
11.17.4	Group Location Descriptor	126
11.17.5	Group Manifest	126
11.17.6	Group Manifest management	128
11.17.7	Stored File Access	128
11.17.7.1	Read access	128
11.17.7.2	Write access	128
11.17.8	Stored Group Deletion	129
11.18	Application Launch Extension	129
11.18.1	GetEngineSupport 'feature' strings	129
11.18.2	Resident Programs	129

11.18.2.0	List of resident programs	129
11.18.2.1	ApplicationLaunch	129
11.18.2.2	GetLaunchArguments	130
11.18.3	Referencing MHEG Applications from other Presentation Technologies	131
12	MHEG-5 engine graphics model.....	131
12.1	The graphics plane.....	131
12.2	The colour palette.....	132
12.2.0	Minimum colour support	132
12.2.1	Reservation for MHEG-5 applications	132
12.2.1.0	Reserved locations	132
12.2.1.1	Fidelity of reproduction.....	132
12.2.1.2	Palette definition	132
12.2.2	Reservation for DVB subtitles	133
12.2.3	Subtitle priority for transparency	133
12.2.4	Reservation for manufacturer use	133
12.3	Colour representation	133
12.3.1	Colour space	133
12.3.2	Gamma.....	135
12.3.3	Direct/absolute colours	135
12.3.4	Approximation of transparency	135
12.3.5	PNG modes	135
12.4	Overlapping visibles.....	135
12.4.1	Transparency and overlapping visibles.....	135
12.4.1.1	Overlaying visibles.....	135
12.4.1.2	Rendering performance	136
12.5	LineArt and DynamicLineArt	136
12.5.1	Clarifications.....	136
12.5.1.1	Lineart borders	136
12.5.1.2	"Fat" lines.....	136
12.5.1.2.1	"Fat" lines are centred.....	136
12.5.1.2.2	Clipping at box edge	136
12.5.1.3	Line ends	137
12.5.1.4	Bordered bounding box.....	137
12.5.1.5	DrawSector.....	137
12.5.1.6	Effect of pixel transparency	137
12.5.1.7	Co-ordinate system.....	137
12.5.2	Limitations	138
12.6	Text, EntryFields and HyperText	138
12.7	PNG bitmaps	138
12.7.1	Specification conformance.....	138
12.7.2	Colour encoding.....	139
12.7.3	Aspect ratio signalling	139
12.8	MPEG-2 stills	140
12.8.1	File format	140
12.8.2	Semantics.....	140
12.8.3	Presentation.....	140
12.9	MPEG video.....	140
12.10	Appearance of Visible objects during content retrieval.....	140
12.11	High definition graphics model	140
12.11.0	Requirements for support.....	140
12.11.1	Resolution.....	140
12.11.1.0	Resolution support requirements.....	140
12.11.1.1	HD resolution graphics plane	141
12.11.1.1.0	Scope	141
12.11.1.1.1	Resolution.....	141
12.11.1.1.2	Colour range	141
12.11.1.1.3	Direct/absolute colours	141
12.11.1.1.4	Text rendering	141
12.11.1.1.5	Bitmap format and resolution	141
12.11.2	Mapping the MHEG application co-ordinate system to the graphics plane.....	141
12.11.3	Intelligent rendering.....	142

12.11.3.0	Scope.....	142
12.11.3.1	Introduction.....	142
12.11.3.1.0	Overview of process.....	142
12.11.3.1.1	Co-ordinate transformation.....	142
12.11.3.2	Bounding box transformation.....	142
12.11.3.3	Visual appearance.....	143
12.11.3.3.1	Text.....	143
12.11.3.3.2	Images.....	144
12.11.3.3.3	Line Art.....	144
12.11.3.3.4	DynamicLineArt.....	144
12.12	JPEG bitmaps.....	145
12.13	H.264/AVC stills.....	145
12.13.1	File format.....	145
12.13.2	Semantics.....	145
12.13.3	Presentation.....	146
13	Text and interactibles.....	146
13.1	Text rendering overview.....	146
13.1.0	Application of text rendering rules.....	146
13.1.1	Non-presented text.....	146
13.2	Character encoding.....	146
13.2.0	Character encoding format.....	146
13.2.1	UTF-8.....	146
13.2.2	Null characters.....	147
13.2.3	CharacterSet attribute.....	147
13.3	Fonts.....	147
13.3.1	Downloading.....	147
13.3.1.0	Application of downloadable fonts.....	147
13.3.1.1	OpenType fonts.....	147
13.3.1.1.0	Application of OpenType fonts.....	147
13.3.1.1.1	Profile of OpenType.....	147
13.3.1.1.2	Font parameters.....	148
13.3.1.1.3	Text Styles.....	148
13.3.1.2	Presentation.....	148
13.3.1.3	Defensive response.....	148
13.3.1.4	Font resource model.....	148
13.3.2	Embedded font.....	148
13.3.2.1	The DTG/RNIB font characteristics (informative).....	148
13.3.2.2	Font version.....	149
13.3.2.3	Required sizes and styles.....	149
13.3.3	Invoking the font.....	149
13.4	Text object attributes.....	150
13.4.1	FontAttributes.....	150
13.4.1.0	FontAttribute formats.....	150
13.4.1.1	Textual form.....	150
13.4.1.2	Short form.....	150
13.4.2	Control of text flow.....	151
13.4.2.1	Required flow modes.....	151
13.5	Text rendering.....	151
13.5.1	Philosophy.....	151
13.5.2	Font definition.....	152
13.5.2.0	Introduction.....	152
13.5.2.1	Font bounds.....	152
13.5.2.2	"Physical" font data.....	153
13.5.3	Converting font metrics to display pixels.....	153
13.5.3.0	Approach.....	153
13.5.3.1	Vertical resolution.....	153
13.5.3.2	Horizontal resolution.....	153
13.5.4	Rendering within the limits of the Text object.....	154
13.5.4.0	Approach.....	154
13.5.4.1	Vertical limits.....	155
13.5.4.2	Horizontal limits.....	155

13.5.5	"logical" text width rules	155
13.5.5.0	Approach	155
13.5.5.1	Computing "logical" text width	156
13.5.5.1.0	Parameters used	156
13.5.5.1.1	Font sizes	156
13.5.5.1.2	Character widths	156
13.5.5.1.3	Kerning	156
13.5.5.1.4	Letter spacing	156
13.5.5.2	Logical text width	157
13.5.6	Line breaking	157
13.5.6.1	TextWrapping false	157
13.5.6.2	TextWrapping true	157
13.5.7	Positioning lines of text vertically within the Text object	158
13.5.7.1	Truncation	158
13.5.7.2	Positioning	158
13.5.7.3	Void	160
13.5.8	Rendering lines of text horizontally	160
13.5.8.1	Truncation	160
13.5.8.2	Placement	160
13.5.8.3	Examples	160
13.5.8.4	Scaling for HD resolution graphics planes	160
13.5.9	Tabulation	160
13.5.10	Placing runs of characters and words	161
13.6	Text mark-up	162
13.6.1	White space characters	162
13.6.2	Marker characters	162
13.6.3	Non-printing characters	162
13.6.4	Format control mark-up	163
13.6.5	Future compatibility	163
13.7	EntryFields	163
13.7.1	Supported characters	163
13.7.2	Appearance	164
13.7.2.1	Receivers that do not implement InteractionChannelExtension	164
13.7.2.2	Receivers that implement InteractionChannelExtension	165
13.7.3	Behaviour	165
13.7.3.1	Character encoding	165
13.7.3.2	Semantics of EntryFieldFull and MaxLength	165
13.7.3.3	EntryPoint	165
13.7.3.4	Successive character entry	165
13.7.3.5	Only SetData when inactive	166
13.7.3.6	User input	166
13.7.3.7	Numerics of the EntryField	166
13.7.4	Non-numeric input	166
13.7.4.0	Scope	166
13.7.4.1	Introduction	167
13.7.4.2	Minimum requirements	167
13.7.4.3	SMS entry method	167
13.7.4.3.0	Scope	167
13.7.4.3.1	Basic Method	167
13.7.4.3.2	Timeout Period	167
13.7.4.3.3	Appearance during input	167
13.7.4.3.4	Character to key mappings	167
13.7.4.3.5	Character subsets	168
13.8	HyperText	168
13.8.0	HyperText markup format	168
13.8.1	HyperText anchors	169
13.8.2	Appearance	170
13.8.2.1	Visual appearance of anchors	170
13.8.2.2	Default anchor colours	170
13.8.2.3	Highlight	170
13.8.3	Behaviour	170
13.8.3.0	Basic behaviour	170

13.8.3.1	Anchor identification	170
13.8.3.2	Behaviour	170
13.8.3.3	Special behaviour at boundaries	170
13.9	Slider	171
13.9.1	Appearance	171
13.9.2	Behaviour	172
13.10	Text rendering example (informative)	172
14	MHEG receiver requirements	174
14.1	Introduction	174
14.2	Management of stream decoders	174
14.2.1	Application killed by receiver	174
14.2.1.0	Default behaviour	174
14.2.1.1	On change of service	174
14.2.2	Effect of lockscreen	174
14.2.3	Stream inheritance on Application object activation	174
14.2.4	Synchronizing stream decoder state	175
14.2.4.0	Point of synchronization	175
14.2.4.1	Graphics Plane	175
14.2.4.2	Stream component selection	175
14.2.5	Stream continuance on Application object deactivation	175
14.2.6	Locating components carried in Transport Streams	176
14.2.6.0	Identifying a component	176
14.2.6.1	Multiplex references	176
14.2.6.1.1	DSM-CC Stream object	176
14.2.6.1.2	URL explicit format	176
14.2.6.1.3	URL inheritance formats	176
14.2.6.1.4	Interaction Channel format	177
14.2.6.1.5	Services in other transport streams	177
14.2.6.1.6	StreamEvent events	177
14.2.6.1.7	CounterTrigger events	177
14.2.6.1.8	Content management	177
14.2.6.2	Component references	177
14.2.7	Locating components carried in an Elementary Stream	177
14.2.8	Stream presentation errors	178
14.2.9	IC Stream buffering	178
14.2.9.0	Introduction	178
14.2.9.1	Buffer reference model	178
14.2.9.2	Application control of the IC stream buffer	178
14.2.9.3	Restrictions	179
14.3	Application interaction with user control of linear content decoders	180
14.3.0	Introduction and undefined behaviour	180
14.3.1	Video decoder	180
14.3.2	Audio decoder	180
14.3.3	Subtitle decoder	181
14.3.4	Selection of subtitle and audio description components	181
14.4	Application impact on stream decoder specification	182
14.4.1	DVB subtitles	182
14.4.1.1	Flexibility of control	182
14.4.1.1.0	Scope	182
14.4.1.1.1	Subtitles are a facet of full-screen video	182
14.4.1.1.2	Subtitles have priority if enabled	182
14.4.2	Video decoder performance	182
14.4.3	Trick modes	182
14.4.3.0	Standard behaviour	182
14.4.3.1	Pause behaviour	182
14.4.4	MPEG presentation	183
14.4.4.0	Introduction	183
14.4.4.1	MPEG scaling reference model	183
14.4.4.2	Transparency of MPEG encoding	183
14.4.4.3	Quarter-screen MPEG	184
14.4.4.4	BoxSize for MPEG images	184

14.4.4.5	Video/I-frame object placement.....	184
14.4.4.5.0	Behaviour	184
14.4.4.5.1	Restricted capability	185
14.4.5	Content management of IC streams	185
14.4.6	Multiple stream objects.....	185
14.4.6.0	Behaviour.....	185
14.4.6.1	Simultaneous Demultiplexing.....	185
14.5	Application control of aspect ratio	185
14.5.0	Introduction.....	185
14.5.1	No active video object	186
14.5.2	I-frames.....	186
14.5.3	Quarter-screen video.....	186
14.5.4	Video greater than quarter-screen.....	187
14.5.5	Decision trees.....	187
14.6	Persistent storage.....	188
14.7	True persistent storage.....	189
14.7.0	Behaviour.....	189
14.7.1	Management of true persistent storage	190
14.8	Receiver resource model	190
14.8.1	Memory	190
14.8.2	Numbers of objects	191
14.8.2.0	Minimum number of active objects using stream decoders	191
14.8.2.1	Single PCR.....	191
14.8.3	Link recursion behaviour.....	191
14.8.4	Timer count and granularity.....	191
14.8.5	Timer duration	191
14.8.6	HD graphics bitmap requirements	191
14.9	Receiver process priority.....	192
14.9.1	OSD arbitration.....	192
14.9.2	Event handling whilst de-prioritized.....	193
14.9.2.1	Transparently	193
14.9.2.2	Non-transparently.....	193
14.10	Interaction with DVB Common Interface module system	193
14.10.1	Overview	193
14.10.2	Introduction of CI sourced file system.....	193
14.10.3	Guidelines for using Application MMI resource	193
14.10.3.0	Introduction.....	193
14.10.3.1	Resource contention.....	193
14.10.3.2	RequestStart	194
14.10.3.2.0	Behaviour	194
14.10.3.2.1	Application Domain Identifier.....	194
14.10.3.2.2	Initial object.....	194
14.10.3.3	RequestStartAck.....	195
14.10.3.4	FileRequest.....	195
14.10.3.5	FileAcknowledge	195
14.10.3.6	AppAbortRequest.....	196
14.10.3.7	AppAbortAck.....	196
14.10.3.8	Asynchronous events	196
14.10.4	Application Info Resource "Enter_Menu"	196
15	File system profile	197
15.1	Introduction	197
15.1.1	Broadcast file system.....	197
15.1.2	Interaction channel.....	197
15.2	Object carousel profile	198
15.2.1	DSM-CC sections	198
15.2.1.0	DSM-CC section format	198
15.2.1.1	Sections per TS packet.....	198
15.2.2	Data carousel	198
15.2.2.1	General	198
15.2.2.2	DownloadInfoIndication	198
15.2.2.3	DownloadServerInitiate	199