



SLOVENSKI STANDARD
SIST EN 319 522-2 V1.1.1:2018

01-november-2018

Elektronski podpisi in infrastruktura (ESI) - Storitve elektronske priporočene dostave - 2. del: Semantične vsebine

Electronic Signatures and Infrastructures (ESI) - Electronic Registered Delivery Services
- Part 2: Semantic contents

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: [SIST EN 319 522-2 V1.1.1:2018](https://standards.iteh.ai/catalog/standards/sist/5906e78a-2bc3-4845-99d0-273eabbfa17d/sist-en-319-522-2-v1-1-1-2018) [ETSI EN 319 522-2 V1.1.1 \(2018-09\)](https://standards.iteh.ai/catalog/standards/sist/5906e78a-2bc3-4845-99d0-273eabbfa17d/sist-en-319-522-2-v1-1-1-2018)
<https://standards.iteh.ai/catalog/standards/sist/5906e78a-2bc3-4845-99d0-273eabbfa17d/sist-en-319-522-2-v1-1-1-2018>

ICS:

35.040.01 Kodiranje informacij na splošno Information coding in general

SIST EN 319 522-2 V1.1.1:2018 en

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 319 522-2 V1.1.1:2018

<https://standards.iteh.ai/catalog/standards/sist/5906e78a-2bc3-4845-99d0-273eabbfa17d/sist-en-319-522-2-v1-1-1-2018>

ETSI EN 319 522-2 V1.1.1 (2018-09)



Electronic Signatures and Infrastructures (ESI); Electronic Registered Delivery Services; Part 2a Semantic contents

[SIST EN 319 522-2 V1.1.1:2018](https://standards.iteh.ai/catalog/standards/sist/5906e78a-2bc3-4845-99d0-273eabbfa17d/sist-en-319-522-2-v1-1-1-2018)
<https://standards.iteh.ai/catalog/standards/sist/5906e78a-2bc3-4845-99d0-273eabbfa17d/sist-en-319-522-2-v1-1-1-2018>

ReferenceDEN/ESI-0019522-2

Keywords

e-delivery services, registered e-delivery
services, registered electronic mail

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88**iTeh STANDARD PREVIEW**
(standards.iteh.ai)

Important notice

SIST EN 319 522-2 V1.1.1:2018

<https://standards.iteh.ai/catalog/standards/sist/5906e78a-2bc3-4845-99d0-2f2cabbfa1/d/STEN319522-2-V1.1.1-2018>
The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.
GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

| | |
|---|----|
| Intellectual Property Rights | 5 |
| Foreword..... | 5 |
| Modal verbs terminology..... | 5 |
| 1 Scope | 6 |
| 2 References | 6 |
| 2.1 Normative references | 6 |
| 2.2 Informative references..... | 6 |
| 3 Definitions | 7 |
| 4 Overview | 7 |
| 5 Identification of actors..... | 10 |
| 5.1 Introduction | 10 |
| 5.2 Identifiers | 10 |
| 5.3 Identity attributes..... | 10 |
| 5.3.1 Introduction..... | 10 |
| 5.3.2 Identity attributes of natural persons..... | 10 |
| 5.3.3 Identity attributes of legal person | 11 |
| 5.3.4 Identity attributes of other entities | 11 |
| 5.4 Identity verification and authentication assurance levels information | 11 |
| 6 ERDS relay metadata iTeh STANDARD PREVIEW | 12 |
| 6.1 Introduction | 12 |
| 6.2 Metadata components..... (standards.iteh.ai) | 12 |
| 6.2.1 MD01 - Metadata version | 12 |
| 6.2.2 MD02 - Relay date and time | 12 |
| 6.2.3 MD03 - Expiry date and time | 13 |
| 6.2.4 MD04 - Recipient required level of assurance | 13 |
| 6.2.5 MD05 - Applicable policy | 13 |
| 6.2.6 MD06 - Mode of consignment..... | 14 |
| 6.2.7 MD07 - Scheduled delivery | 14 |
| 6.2.8 MD08 - Sender's identifier..... | 14 |
| 6.2.9 MD09 - Reply-to..... | 14 |
| 6.2.10 MD10 - Recipient's identifier | 15 |
| 6.2.11 MD11 - Message identifier | 15 |
| 6.2.12 MD12 - In reply to | 15 |
| 6.2.13 MD13 - Message type..... | 15 |
| 6.2.14 MD14 - User content information..... | 15 |
| 6.2.15 MD15 - Other metadata | 16 |
| 7 Digital signatures in ERDS provisioning | 16 |
| 7.1 Objects and actors for digital signatures..... | 16 |
| 7.2 Common requirements for digital signatures | 16 |
| 8 ERDS evidence set and components | 17 |
| 8.1 Introduction | 17 |
| 8.2 Evidence components | 17 |
| 8.2.1 G01 - Evidence identifier..... | 17 |
| 8.2.2 G02 - Evidence version | 18 |
| 8.2.3 G03 - Event identifier | 18 |
| 8.2.4 G04 - Reason identifier | 18 |
| 8.2.5 G05 - Event time..... | 18 |
| 8.2.6 G06 - Transaction log information | 18 |
| 8.2.7 R01 - Evidence issuer policy identifier | 19 |
| 8.2.8 R02 - Evidence issuer details | 19 |
| 8.2.9 R03 - Signature by issuing ERDS..... | 19 |
| 8.2.10 I01 - Sender's identity attributes | 19 |

| | | |
|---------|---|----|
| 8.2.11 | I02 - Sender's identifier | 19 |
| 8.2.12 | I03 - Sender's delegate identity attributes | 20 |
| 8.2.13 | I04 - Sender's delegate identifier | 20 |
| 8.2.14 | I05 - Recipient's identity attributes | 20 |
| 8.2.15 | I06 - Recipient's identifier | 20 |
| 8.2.16 | I07 - Recipient's delegate identity attributes | 21 |
| 8.2.17 | I08 - Recipient's delegate identifier | 21 |
| 8.2.18 | I09 - Recipient referred to by the evidence | 21 |
| 8.2.19 | I10 - Sender's identity assurance level details | 21 |
| 8.2.20 | I11 - Sender's delegate identity assurance level details | 22 |
| 8.2.21 | I12 - Recipient's identity assurance level details | 22 |
| 8.2.22 | I13 - Recipient's delegate identity assurance level details | 22 |
| 8.2.23 | M01 - Message identifier | 22 |
| 8.2.24 | M02 - User content information | 22 |
| 8.2.25 | M03 - Submission date and time | 23 |
| 8.2.26 | M04 - External system | 23 |
| 8.2.27 | M05 - External ERDS | 23 |
| 8.2.28 | E01 - Extensions | 23 |
| 8.3 | Evidence components values | 23 |
| 8.3.1 | Free text | 23 |
| 8.3.2 | Events | 23 |
| 8.3.3 | Reasons | 24 |
| 8.3.3.1 | Reasons related to Events A.1, A.2 (Sender's submission) | 24 |
| 8.3.3.2 | Reasons related to the Events B.1, B.2, B.3 (Relay between ERDSs) | 24 |
| 8.3.3.3 | Reasons related to events C.1, C.2, C.3, C.4, C.5 (Acceptance/rejection by the recipient) | 24 |
| 8.3.3.4 | Reasons related to events D.1, D.2, D.3, D.4 (Consignment to the recipient) | 25 |
| 8.3.3.5 | Reasons related to events E.1, E.2 (Handover to the recipient) | 25 |
| 8.3.3.6 | Reasons related to events F1, F2 (Connection to non ERDS) | 25 |
| 8.4 | Additional requirements for components of evidence | 25 |
| 9 | Common Services Interface content | 28 |
| 9.1 | Introduction | 28 |
| 9.2 | ERD message routing | 28 |
| 9.3 | ERDS trust establishment and governance | 28 |
| 9.4 | Capability management | 29 |
| 9.4.1 | Introduction | 29 |
| 9.4.2 | Resolving recipient identification to ERDS identification | 29 |
| 9.4.3 | Recipient metadata | 30 |
| 9.4.4 | ERDS capability metadata | 30 |
| | History | 32 |

ITEM STANDARD PREVIEW (standards.itech.ai)

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This European Standard (EN) has been produced by ETSI Technical Committee Electronic Signatures and Infrastructures (ESI). **ITEN STANDARD PREVIEW**

The present document is part 2 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

| SIST EN 319 522-2 V1.1.1:2018 https://standards.etsi.org/legislation/1/0006793bc3-4845-99d0-273cab bla17d/sist-en-319-522-2-v1-1-1-2018 | |
|--|------------------|
| National transposition dates | |
| Date of adoption of this EN: | 23 August 2018 |
| Date of latest announcement of this EN (doa): | 30 November 2018 |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 31 May 2019 |
| Date of withdrawal of any conflicting National Standard (dow): | 31 May 2019 |

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document specifies the semantic content that flows across the interfaces of ERD services which are specified in ETSI EN 319 522-1 [1], clause 5.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 319 522-1: "Electronic Signatures and Infrastructures (ESI); Electronic Registered Delivery Services; Part 1: Framework and Architecture".

iTeh STANDARD PREVIEW

- [2] IETF RFC 3061: "A URN Namespace of Object Identifiers".

(standards.iteh.ai)

NOTE: Available at <https://joinup.ec.europa.eu/solution/core-person-vocabulary>.

- [4] Registered Organizations Vocabulary v2.0.
<https://standards.iteh.ai/vocab/standards/ist/5906e78a-2bc3-4845-99d0-273eabbfa17d/sist-en-319-522-2-v1-1-1-2018>

NOTE: Available at <https://joinup.ec.europa.eu/solution/registered-organization-vocabulary>.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Regulation (EU) No 910/2014 of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC.
- [i.2] Directive 2012/17/EU of the European Parliament and of the Council of 13 June 2012 amending Council Directive 89/666/EEC and Directives 2005/56/EC and 2009/101/EC of the European Parliament and of the Council as regards the interconnection of central, commercial and companies registers. Text with EEA relevance.
- [i.3] IETF RFC 4122: "A Universally Unique IDentifier (UUID) URN Namespace".
- [i.4] IETF RFC 5332: "Internet Message Format".
- [i.5] ETSI TS 119 312: "Electronic Signatures and Infrastructures (ESI); Cryptographic Suites".

- [i.6] ETSI TS 119 612: "Electronic Signatures and Infrastructures (ESI); Trusted Lists".
- [i.7] ETSI EN 319 522-3: "Electronic Signatures and Infrastructures (ESI); Electronic Registered Delivery Services; Part 3: Formats".
- [i.8] ETSI EN 319 522-4-1: "Electronic Signatures and Infrastructures (ESI); Electronic Registered Delivery Services; Part 4: Bindings; Sub-part 1: Message delivery bindings".
- [i.9] ETSI EN 319 522-4-2: "Electronic Signatures and Infrastructures (ESI); Electronic Registered Delivery Services; Part 4: Bindings; Sub-part 2: evidence and identification bindings".
- [i.10] CEF eIDAS Technical Sub-group: "eIDAS SAML Attribute profile", Version 1.1.2. October 2016.
- [i.11] ETSI EN 319 122-1: "Electronic Signatures and Infrastructures (ESI); CAdES digital signatures; Part 1: Building blocks and CAdES baseline signatures".
- [i.12] ETSI EN 319 132-1: "Electronic Signatures and Infrastructures (ESI); XAdES digital signatures; Part 1: Building blocks and XAdES baseline signatures".
- [i.13] ETSI EN 319 142-1: "Electronic Signatures and Infrastructures (ESI); PAdES digital signatures; Part 1: Building blocks and PAdES baseline signatures".

3 Definitions

For the purposes of the present document, the terms and definitions given in ETSI EN 319 522-1 [1] and the following apply:

iTeh STANDARD PREVIEW

ERD dispatch: ERD message which contains the user content, some ERDS relay metadata and ERDS evidence

(standards.iteh.ai)

ERD payload: ERD message which contains the user content and some ERDS relay metadata

ERDS receipt: ERD message which contains ~~SIST EN 319 522-2 V1.1.1:2018~~ ERDS evidence and some ERDS relay metadata

ERDS serviceinfo: ERD message which contains some ERDS relay metadata
~~https://standards.iteh.ai/catalog/standards/sist/5906e78a-2bc3-4845-99d0-273eabbfa17d/sist-en-319-522-2-v1-1-1-2018~~

4 Overview

The present document specifies the semantic content that flows across the interfaces which have been identified in ETSI EN 319 522-1 [1]. No requirements are introduced on the specific formats for the content; formats are specified in ETSI EN 319 522-3 [i.7].

Figure 1 outlines how data flows through the interfaces in the four corner model. User content shall not be changed by ERDSs. Data flowing between systems is always encrypted, as specified by the applicable binding. As detailed below, not all objects are always required.




Figure 1: Data flowing through interfaces

For convenience, the present document defines (table 1) some aggregate constructs (ERD dispatch, ERDS receipt, ERDS serviceInfo, ERD payload, original message) which package the basic objects (user content, ERDS relay metadata, ERDS evidence, submission metadata) in different modes. Constructs define the semantic information flowing between parties, so they ease the definition of bindings [3] [4], even if, specific bindings may split the construct in its basic objects for transport.

The naming convention used in the present document is that constructs whose content is completely generated by the ERDS are prefixed with "ERDS", while constructs whose content includes user generated data is prefixed with "ERD". Table 1 specifies the composition of constructs as a collection of basic objects.

iTeh STANDARD PREVIEW

Table 1: Composition of constructs
(standards.itech.ai)

| Construct | Basic object | User content | ERDS relay metadata | ERDS evidence | Submission metadata |
|-------------|------------------|-------------------------------|---------------------|---------------|---------------------|
| ERD message | ERD dispatch | SIST EN 319 522-2 V1.1.1 2018 | | 1..n | 0 |
| | ERDS receipt | 0 | 1..n | 1..n | 0 |
| | ERDS serviceInfo | 0 | 1..n | 0 | 0 |
| | ERD payload | 1 | 1 | 0 | 0 |
| | original message | 1 | 0 | 0 | 0..1 |

Table 2 provides an abstract specification of the functions provided by the ERDS APIs as defined in ETSI EN 319 522-1 [1].

Table 2: Abstract interfaces

| Interface | Provided function | Description | Arguments and output |
|--------------------|----------------------------|--|--|
| ERDS MSI | out := SubmitMessage(og) | The method is used for posting an original message to the S-ERDS. In order to use the SubmitMessage API, the UA/Application has to prove that the sender is the owner of the sender's identifier (via an authentication token, a challenge response, etc.). | og: original message, composed of user content and (optional) submission metadata. out: the outcome of the method. There is no specification on the outcome, which may be a simple success/error indication, or may include a message identifier or a larger set of information. |
| ERDS MERI | out := RetrieveMessage(mi) | The method is used for retrieving a user content from the R-ERDS. Alternatively, a push of the user content to the recipient UA/application can be used through the ERD-UA MEPI interface. In order to use the RetrieveMessage API, the UA/Application has to prove that the recipient is the owner of the recipient's identifier (via an authentication token, a challenge response, etc.). | mi: this is a set of parameters which is used for the identification and retrieval of the requested user content. out: this is the outcome of the method, which, in case of success, includes the user content and possibly handover metadata and ERDS evidence. In case of failure the outcome will include error information. |
| | e := GetEvidences(ei) | The method is used for retrieving one or more evidences associated to a user content which has previously been managed by the ERDS. Note that this is not the only way to obtain evidence, since an evidence can be transmitted in different ways (e.g. as an output of the SubmitMessage or the RetrieveMessage). | ei: this is a set of parameters which is used for the identification and retrieval of the requested evidence. e: the requested evidences. |
| ERD-UA MEPI | out := HandoverObjects(o) | The method is used for handing over user content, ERDS evidence, handover metadata to the ERD-UA. | o: a combination of user content [0..1], ERDS evidence [0..n], handover metadata [0..1], excluding void. out: this is the outcome of the method, which is a success/failure indication plus error information in case of failure. |
| ERDS RI | out := Relay(em) | The method is used for relaying an ERD message to a different ERDS. Relaying is used when S-ERDS has not the capability to deliver to the recipient itself. Metadata and evidences may be transmitted with the user content or independently from the user content through this method. | em: ERD message. out: this is the outcome of the method, which is a success/failure indication plus error information in case of failure. It may also include an evidence and ERDS relay metadata. |
| CSI | re:= LookupERDS(ri) | This method is used to identify the ERDS which has the capability to deliver to a defined recipient. The method may return more than one ERDS. | ri: unique identification of the recipient, which may be one identifier or a set of attributes that together provides unique identification (e.g. id, domain, application protocol, etc.). re: one or more endpoints of the ERDS(s) which has(have) the capability to deliver to the recipient identified by ri. |
| | out := ValidateERDS(ei, p) | This method may be used to validate the inclusion of an ERDS into a trust circle. The method may receive some parameters for the validation (e.g. date and time of validity, specific trust circle, etc.). | ei: a unique identifier for the ERDS. p: a set of parameters for the validation out: the outcome of the check, which may include a set of information about the ERDS from a trust perspective. |
| | em := GetERDSMetadata(ei) | This method is used to retrieve operational metadata about a specific ERDS. | ei: a unique identifier for the ERDS. em: a set of information about the ERDS from an operational perspective (capabilities, requirements, endpoints). |

The following clauses specify the semantics of the data which are transported through the interfaces; in particular:

- Clause 5 specifies the semantics of the components required for identifying the sender and the recipient.
- Clause 6 specifies the semantics of ERDS relay metadata.
- Clause 8 specifies the semantics of ERDS Evidence.
- Clause 9 specifies the semantics of information for Common Service Interface.

5 Identification of actors

5.1 Introduction

An ERDS needs to generate, exchange and validate attributes to support the identification and authentication of end entities like sender, recipient or a delegate.

5.2 Identifiers

An identifier shall have two components: an identifying scheme name and the identifier value, which shall be coherent with the identifying scheme name. The identifier shall be unique within the network of interoperating ERDSs.

5.3 Identity attributes ~~STANDARD PREVIEW~~ ~~(standards.iteh.ai)~~

All attributes in the present document related to identification and authentication are derived from the EU Vocabulary. For natural persons, the attributes defined by the Core Person Vocabulary [3] shall be used; for legal persons, the attributes defined by the Registered Organization Vocabulary [4] shall be used. The Registered Organization Vocabulary defines the core vocabulary for legal persons registered through a formal process, typically in a national or regional register.

For the sake of simplicity, the present document limits the supported attributes to the ones defined in the eIDAS attribute profile specification [i.10], which are also attributes derived from the ISA vocabulary.

5.3.2 Identity attributes of natural persons

For natural persons, a non empty subset of the following identity attributes shall be used.

Table 3: Natural person identity attributes

| Attribute (Friendly) Name as defined by [i.10] | eIDAS minimum data set attribute | Core Vocabulary Equivalent |
|---|----------------------------------|----------------------------|
| FamilyName | Current Family Name | cbc:FamilyName |
| FirstName | Current First Names | cvb:GivenName |
| DateOfBirth | Date of Birth | cvb:BirthDate |
| PersonIdentifier | Uniqueness Identifier | cva:Cvidentifier |
| BirthName | First Names at Birth | cvb:BirthName |
| BirthName | Family Name at Birth | cvb:BirthName |
| PlaceOfBirth | Place of Birth | cva:BirthPlaceCvlocation |
| CurrentAddress | Current Address | cva:Cvaddress |
| Gender | Gender | cvb:GenderCode |