



**Electronic Signatures and Infrastructures (ESI);
Electronic Registered Delivery Services;
Part 4: Bindings;
Sub-part 2: Evidence and identification bindings**

*Full document available at
https://standards.iteh.ai/catalog/standards/si/319522-4-2-2018-05
4d68-8abd-c70c1fbc66e5/etsi-en-319522-4-2-2018-05*

ReferenceDEN/ESI-0019522-4-2

Keywordse-delivery services, registered e-delivery services, registered electronic mail

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	4
Foreword	4
Modal verbs terminology	4
1 Scope	5
2 References	5
2.1 Normative references	5
2.2 Informative references	5
3 Definitions and abbreviations	6
3.1 Definitions	6
3.2 Abbreviations	6
4 Message delivery bindings - general concepts	6
5 AS4 binding	6
5.1 Introduction	6
5.2 Generic requirements	6
5.3 Binding of ERDS receipts	6
6 IETF RFC 5322 binding	7
History	8

iTeh STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard:
<https://standards.iteh.ai/catalog/standards/sist/3d9301a8-2545-4d68-8abd-c70efb66e5/etsi-en-319-522-4-2-v1.1.1-2018-09>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This draft European Standard (EN) has been produced by ETSI Technical Committee Electronic Signatures and Infrastructures (ESI), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document is part 4, sub-part 2 of a multi-part deliverable. Full details of the entire series can be found in part 1 [i.1].

Proposed national transposition dates

Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document specifies the binding of the Electronic Registered Delivery (ERD) evidence and identification, whose semantics is defined in ETSI EN 319 522-2 [1] and whose format is defined in ETSI EN 319 522-3 [2], to the specific transmission protocol AS4 [6].

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 319 522-2: "Electronic Signatures and Infrastructures (ESI); Electronic Registered Delivery Services; Part 2: Semantic Contents".
- [2] ETSI EN 319 522-3: "Electronic Signatures and Infrastructures (ESI); Electronic Registered Delivery Services; Part 3: Formats".
- [3] ETSI EN 319 522-4-1: "Electronic Signatures and Infrastructures (ESI); Electronic Registered Delivery Services; Part 4: Bindings; Sub-part 1: Message delivery bindings".
- [4] ETSI EN 319 532-3: "Electronic Signatures and Infrastructures (ESI); Registered Electronic Mail (REM) Services; Part 3: Formats".
- [5] OASIS: "ebXML Messaging Services Version 3.0: Part 1, Core Features", Committee Specification, 02 July 2007.
- [6] OASIS: "AS4 Profile of ebMS 3.0 Version 1.0", OASIS Standard, January 2013.
- [7] IETF RFC 5322: "Internet Message Format".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI EN 319 522-1: "Electronic Signatures and Infrastructures (ESI); Electronic Registered Delivery Services; Part 1: Framework and Architecture".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in ETSI EN 319 522-1 [i.1] apply.

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI EN 319 522-1 [i.1] apply.

4 Message delivery bindings - general concepts

The present document specifies the bindings of evidence and identification information which flows through the interface ERDS-RI to specific protocols, when they travel decoupled from the user content they are related to.

As defined in ETSI EN 319 522-2 [1], the ERDS-RI interface allows for the exchange of ERD messages (ERD dispatch, ERD payload, ERDS receipt, ERDS serviceInfo). Specific formats for these objects shall be supported as defined in ETSI EN 319 522-3 [2].

Evidence and identification information, when not associated to the user content, form an ERD receipt.

Clause 5 specifies the mapping of ERDS receipts to AS4 [6]. Clause 6 defines the binding to IETF RFC 5322 [7] through ETSI EN 319 532-3 [4].

5 AS4 binding

5.1 Introduction

This clause provides a specification for the exchange of an **ERDS receipt** between two ERDS, i.e. the implementation of the relay operation, using the AS4 message exchange protocol [6]. This binding specification consists of one clause defining the ERDS receipt binding, and one clause describing the generic requirements that apply to all bindings.

The configuration of an ebMS V3/AS4 [6] message exchange is done using P-Modes, short for processing modes. A P-Mode, specified in section 4 of the ebMS version 3 Core Specification [5], is a set of parameters each specifying a specific detail of the message exchange, e.g. the identifiers of the sender and receiver and the signing algorithm. When parties are going to set up a message exchange they need to agree on the P-Mode(s) to use.

5.2 Generic requirements

The generic requirements defined in ETSI EN 319 522-4-1 [3], clause 5.2, shall apply to ERDS receipt.

5.3 Binding of ERDS receipts

When relaying an ERDS receipt using AS4 [6] the sending ERDS shall use "
j wr <hmtkQukQti B; 744lx3%acu6dkpf lpi iCevkpuGTF U gegkr v'as value for PMode[1].Action.

In addition to the payload containing the ERDS Relay metadata the message shall include one or more payloads containing the ERDS evidence(s).

6 IETF RFC 5322 binding

This binding shall be as provided by ETSI EN 319 532-3 [4].

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/3d9b01a8-2545-4d68-8abd-c70efbbe66e5/etsi-en-319-522-4-2-v1.1.1-2018-09>

History

Document history			
V1.0.0	May 2018	EN Approval Procedure	AP 20180823: 2018-05-25 to 2018-08-23

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/3d9b01a8-2545-4d68-8abd-c70efb66e5/etsi-en-319-522-4-2-v1.1.1-2018-09>