



**oneM2M;
Service Layer Core Protocol Specification
(oneM2M TS-0004 version 1.6.0 Release 1)**

*iTeh STANDARDS PREVIEW
(standards.iteh.ai)
Full standards list: <https://standards.iteh.ai/catalog/standards/sist/61540856-be0e-464e-b7c1-11a4bf70f83a/etsi-ts-118-104-v1.1.0-2016-03>*



ReferenceRTS/oneM2M-000004v110

KeywordsIoT, M2M, protocol

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	14
Foreword.....	14
1 Scope	15
2 References	15
2.1 Normative references	15
2.2 Informative references.....	16
3 Definitions and abbreviations.....	17
3.1 Definitions.....	17
3.2 Abbreviations	17
4 Conventions.....	18
5 Protocol design principles and requirements.....	19
5.1 General introduction.....	19
5.2 Introduction	19
5.2.0 General.....	19
5.2.1 Interfaces to the underlying networks.....	19
5.3 API design guidelines.....	20
5.4 Primitives	20
5.4.1 Introduction.....	20
5.4.2 Primitives modelling.....	21
5.4.3 Primitive principles.....	22
5.4.4 Serialization of primitives.....	22
5.5 Design principles.....	22
5.5.1 Introduction.....	22
5.5.2 Extensibility.....	22
5.5.3 Scalability	22
5.5.4 Fault tolerance and robustness	23
5.5.5 Efficiency.....	23
5.5.6 Inter-operability	23
5.5.7 Self-operation and self-management	23
6 oneM2M protocols/API overview.....	23
6.1 Introduction	23
6.2 Addressing.....	24
6.2.1 Introduction.....	24
6.2.2 Summary of oneM2M Identifiers	24
6.2.3 oneM2M Entity Addressing.....	25
6.2.4 oneM2M Resource Addressing.....	26
6.3 Common data types.....	27
6.3.1 Introduction.....	27
6.3.2 Simple data types incorporated from XML schema	27
6.3.3 oneM2M simple data types.....	29
6.3.4 oneM2M enumerated data types.....	32
6.3.4.1 Introduction.....	32
6.3.4.2 Enumeration type definitions	32
6.3.4.2.1 m2m:resourceType	32
6.3.4.2.2 m2m:cseTypeID	33
6.3.4.2.3 m2m:locationSource.....	33
6.3.4.2.4 m2m:stdEventCats.....	33
6.3.4.2.5 m2m:operation.....	33
6.3.4.2.6 m2m:responseType.....	33
6.3.4.2.7 m2m:resultContent	34
6.3.4.2.8 m2m:discResType	34
6.3.4.2.9 m2m:responseStatusCode.....	34
6.3.4.2.10 m2m:requestStatus	34
6.3.4.2.11 m2m:memberType	35

6.3.4.2.12	m2m:consistencyStrategy	35
6.3.4.2.13	m2m:cmdType	35
6.3.4.2.14	m2m:execModeType	36
6.3.4.2.15	m2m:execStatusType	36
6.3.4.2.16	m2m:execResultType	36
6.3.4.2.17	m2m:pendingNotification	37
6.3.4.2.18	m2m:notificationContentType	37
6.3.4.2.19	m2m:notificationEventType	37
6.3.4.2.20	m2m:status	38
6.3.4.2.21	m2m:batteryStatus	38
6.3.4.2.22	m2m:mgmtDefinition	38
6.3.4.2.23	m2m:logTypeId	39
6.3.4.2.24	m2m:logStatus	39
6.3.4.2.25	m2m:eventType	39
6.3.4.2.26	m2m:statsRuleStatusType	40
6.3.4.2.27	m2m:statModelType	40
6.3.4.2.28	m2m:encodingType	40
6.3.4.2.29	m2m:accessControlOperations	40
6.3.4.2.30	m2m:SRole-ID	41
6.3.4.2.31	m2m:filterUsage	41
6.3.5	Complex data types	41
6.3.5.1	Introduction	41
6.3.5.2	m2m:deliveryMetaData	41
6.3.5.3	m2m:aggregatedRequest	41
6.3.5.4	m2m:metaInformation	42
6.3.5.5	m2m:primitiveContent	42
6.3.5.6	m2m:batchNotify	42
6.3.5.7	m2m:eventNotificationCriteria	42
6.3.5.8	m2m:filterCriteria	43
6.3.5.9	m2m:attribute	43
6.3.5.10	(void)	43
6.3.5.11	m2m:scheduleEntries	43
6.3.5.12	m2m:aggregatedNotification	44
6.3.5.13	m2m:notification	44
6.3.5.14	m2m:actionStatus	45
6.3.5.15	m2m:anyArgType	45
6.3.5.16	m2m:resetArgsType	45
6.3.5.17	m2m:rebootArgsType	45
6.3.5.18	m2m:uploadArgsTypes	45
6.3.5.19	m2m:downloadArgsType	46
6.3.5.20	m2m:softwareInstallArgsType	46
6.3.5.21	m2m:softwareUpdateArgsType	46
6.3.5.22	m2m:softwareUninstallArgsType	46
6.3.5.23	m2m:execReqArgsListType	47
6.3.5.24	m2m:mgmtLinkRef	47
6.3.5.25	m2m:resourceWrapper	47
6.3.5.26	m2m:setOfAcrs	48
6.3.5.27	m2m:accessControlRule	48
6.3.5.28	m2m:locationRegion	49
6.3.5.29	m2m:childResourceRef	49
6.3.5.30	m2m:responseTypeInfo	49
6.3.5.31	m2m:rateLimit	49
6.3.5.32	m2m:operationResult	50
6.3.5.33	m2m:aggregatedResponse	50
6.3.6	Universal and Common attributes	50
6.4	Message parameter data types	53
6.4.1	Request primitive parameter data types	53
6.4.2	Response primitive parameter data types	54
6.5	Resource data types	54
6.5.1	Description	54
6.5.2	resource	55
6.5.2.1	Description	55

6.5.2.2	Reference	55
6.5.2.3	Usage.....	55
6.5.3	regularResource	55
6.5.3.1	Description	55
6.5.3.2	Reference	55
6.5.3.3	Usage.....	55
6.5.4	announceableResource.....	56
6.5.4.1	Description	56
6.5.4.2	Reference	56
6.5.4.3	Usage.....	56
6.5.5	announcedResource	56
6.5.5.1	Description	56
6.5.5.2	Reference	56
6.5.5.3	Usage.....	56
6.5.6	announceableSubordinateResource	56
6.5.6.1	Description	56
6.5.6.2	Reference	56
6.5.6.3	Usage.....	56
6.5.7	announcedSubordinateResource	57
6.5.7.1	Description	57
6.5.7.2	Reference	57
6.5.7.3	Usage.....	57
6.6	Response status codes	57
6.6.1	Introduction.....	57
6.6.2	RSC framework overview	57
6.6.3	Definition of Response Status Codes.....	57
6.6.3.1	Overview.....	57
6.6.3.2	Informational response class.....	57
6.6.3.3	Successful response class.....	57
6.6.3.4	Redirection response class.....	58
6.6.3.5	Originator Error response class.....	58
6.6.3.6	Receiver Error response class.....	58
6.6.3.7	Network System Error response class.....	58
6.7	oneM2M specific MIME media types.....	59
6.8	Virtual Resources	60
7	oneM2M procedures.....	60
7.1	Introduction	60
7.2	Primitive format and generic procedure	60
7.2.1	Primitive format	60
7.2.1.1	Request primitive format.....	60
7.2.1.2	Response primitive format	61
7.2.2	Description of generic procedures	62
7.2.2.1	Generic resource request procedure for originator	62
7.2.2.2	Generic request procedure for receiver	64
7.3	Common operations	68
7.3.1	Originator actions	68
7.3.1.1	Compose request primitive	68
7.3.1.2	Send a request to the receiver CSE	69
7.3.1.3	Wait for response primitive.....	69
7.3.1.4	Retrieve the <request> resource.....	69
7.3.2	Receiver CSE actions.....	69
7.3.2.1	Check the validity of received request primitive.....	69
7.3.2.2	Create <request> resource locally	70
7.3.2.3	Create a success response (acknowledgement)	71
7.3.2.4	Send response primitive (acknowledgement).....	72
7.3.2.5	Update <request> resource.....	72
7.3.2.6	Forwarding.....	72
7.3.2.7	Check Service Subscription Profile.....	72
7.3.3	Hosting CSE actions	73
7.3.3.1	Check the supported resource types	73
7.3.3.2	Check existence of the addressed resource	73

7.3.3.3	Check validity of resource representation for CREATE.....	73
7.3.3.4	Check validity of resource representation for UPDATE.....	74
7.3.3.5	Create the resource.....	74
7.3.3.6	Retrieve the resource.....	75
7.3.3.7	Update the resource.....	75
7.3.3.8	Delete the resource.....	76
7.3.3.9	Notify re-targeting.....	76
7.3.3.10	Announce the resource or attribute.....	77
7.3.3.11	De-announce the resource or attribute.....	78
7.3.3.12	Create a success response.....	79
7.3.3.13	Create an error response.....	79
7.3.3.14	Resource discovery procedure.....	79
7.3.3.15	Check authorization of the originator.....	80
7.3.3.16	Send response primitive.....	80
7.3.3.17	Using Filter Criteria for identification of target resources.....	80
7.3.3.17.0	Introduction.....	80
7.3.3.17.1	Conditions on the creationTime attribute.....	81
7.3.3.17.2	Conditions on the lastModifiedTime attribute.....	81
7.3.3.17.3	Conditions on stateTag attribute.....	82
7.3.3.17.4	Conditions on expirationTime attribute.....	82
7.3.3.17.5	Conditions on labels attribute.....	82
7.3.3.17.6	Conditions on resourceType attribute.....	82
7.3.3.17.7	Conditions on contentType attribute.....	83
7.3.3.17.8	Conditions on typeOfContent of contentInfo attribute.....	83
7.3.3.17.9	Conditions on attribute name and value pairs.....	83
7.3.3.17.10	Constraint on number of retrieved resources by limit element.....	83
7.3.3.17.11	Filter Usage request parameter.....	83
7.3.4	Management common operations.....	84
7.3.4.1	Identify the managed entity and the technology specific protocol.....	84
7.3.4.2	Locate the technology specific data model objects to be managed on the managed entity.....	84
7.3.4.3	Establish a management session with the managed entity or management server.....	84
7.3.4.4	Send the management request(s) to the managed entity corresponding to the received Request primitive.....	84
7.4	Resource type-specific procedures and definitions.....	85
7.4.1	Introduction.....	85
7.4.2	Resource type specification conventions.....	85
7.4.2.0	Introduction.....	85
7.4.2.1	Resource type definition conventions.....	85
7.4.2.2	Resource type-specific procedure conventions.....	86
7.4.3	Resource type <accessControlPolicy>.....	86
7.4.3.1	Introduction.....	86
7.4.3.2	accessControlPolicy resource specific procedure on CRUD operations.....	87
7.4.3.2.0	Introduction.....	87
7.4.3.2.1	Create.....	87
7.4.3.2.2	Retrieve.....	87
7.4.3.2.3	Update.....	87
7.4.3.2.4	Delete.....	87
7.4.4	Resource Type <CSEBase>.....	88
7.4.4.1	Introduction.....	88
7.4.4.2	<CSEBase> resource specific procedure on CRUD operations.....	88
7.4.4.2.1	Create.....	88
7.4.4.2.2	Retrieve.....	89
7.4.4.2.3	Update.....	89
7.4.4.2.4	Delete.....	89
7.4.5	Resource Type <remoteCSE>.....	89
7.4.5.1	Introduction.....	89
7.4.5.2	<remoteCSE> resource specific procedure on CRUD operations.....	90
7.4.5.2.0	Introduction.....	90
7.4.5.2.1	Create.....	91
7.4.5.2.2	Retrieve.....	91
7.4.5.2.3	Update.....	91
7.4.5.2.4	Delete.....	91

7.4.6	Resource Type <AE>	91
7.4.6.1	Introduction	91
7.4.6.2	<AE> resource specific procedure on CRUD+N operations	92
7.4.6.2.1	Introduction	92
7.4.6.2.2	Create	92
7.4.6.2.3	Retrieve	93
7.4.6.2.4	Update	93
7.4.6.2.5	Delete	93
7.4.6.2.6	Notify	93
7.4.7	Resource Type <container>	93
7.4.7.1	Introduction	93
7.4.7.2	<container> resource specific procedure on CRUD operations	94
7.4.7.2.0	Introduction	94
7.4.7.2.1	Create	95
7.4.7.2.2	Retrieve	95
7.4.7.2.3	Update	95
7.4.7.2.4	Delete	95
7.4.8	Resource Type <contentInstance>	95
7.4.8.1	Introduction	95
7.4.8.2	<contentInstance> resource specific procedure on CRUD operations	96
7.4.8.2.1	Create	96
7.4.8.2.2	Retrieve	96
7.4.8.2.3	Update	97
7.4.8.2.4	Delete	97
7.4.9	Resource Type <subscription>	97
7.4.9.1	Introduction	97
7.4.9.2	<subscription> resource specific procedure on CRUD operations	98
7.4.9.2.1	Create	98
7.4.9.2.2	Retrieve	99
7.4.9.2.3	Update	99
7.4.9.2.4	Delete	99
7.4.10	Resource Type <schedule>	99
7.4.10.1	Introduction	99
7.4.10.2	<schedule> resource specific procedure on CRUD operations	101
7.4.10.2.0	Introduction	101
7.4.10.2.1	Create	101
7.4.10.2.2	Retrieve	101
7.4.10.2.3	Update	101
7.4.10.2.4	Delete	102
7.4.11	Resource Type <locationPolicy>	102
7.4.11.1	Introduction	102
7.4.11.2	<locationPolicy> resource specific procedure on CRUD Operations	103
7.4.11.2.0	Introduction	103
7.4.11.2.1	Create	103
7.4.11.2.2	Retrieve	104
7.4.11.2.3	Update	104
7.4.11.2.4	Delete	104
7.4.12	Resource Type <delivery>	105
7.4.12.1	Introduction	105
7.4.12.2	<delivery> resource specific procedure on CRUD operations	106
7.4.12.2.0	Introduction	106
7.4.12.2.1	Create	106
7.4.12.2.2	Retrieve	106
7.4.12.2.3	Update	106
7.4.12.2.4	Delete	107
7.4.13	Resource Type <request>	107
7.4.13.1	Introduction	107
7.4.13.2	<request> resource specific procedure on CRUD operations	108
7.4.13.2.0	Introduction	108
7.4.13.2.1	Create	108
7.4.13.2.2	Retrieve	108
7.4.13.2.3	Update	109

7.4.13.2.4	Delete.....	109
7.4.14	Resource Type <group>.....	109
7.4.14.1	Introduction.....	109
7.4.14.2	<group> resource specific procedure on CRUD operations.....	110
7.4.14.2.1	Introduction	110
7.4.14.2.2	Create.....	110
7.4.14.2.3	Retrieve	111
7.4.14.2.4	Update	111
7.4.14.2.5	Delete.....	111
7.4.15	Resource Type <fanOutPoint>	111
7.4.15.1	Introduction.....	111
7.4.15.2	<fanOutPoint> operations	112
7.4.15.2.1	Validate the type of resource to be created.....	112
7.4.15.2.2	Sub-group creation for members residing on the same CSE	112
7.4.15.2.3	Assign URI for aggregation of notification	113
7.4.15.2.4	Fanout Request to each member.....	113
7.4.15.3	<fanOutPoint> resource specific procedure on CRUD operations	113
7.4.15.3.1	Introduction	113
7.4.15.3.2	Create.....	113
7.4.15.3.3	Retrieve	114
7.4.15.3.4	Update	114
7.4.15.3.5	Delete.....	115
7.4.16	Resource Type <mgmtObj>.....	115
7.4.16.1	Introduction.....	115
7.4.16.2	<mgmtObj> resource specific procedure on CRUD operations.....	116
7.4.16.2.0	Introduction	116
7.4.16.2.1	Create.....	116
7.4.16.2.2	Retrieve	117
7.4.16.2.3	Update	117
7.4.16.2.4	Delete.....	117
7.4.17	Resource Type <mgmtCmd>.....	118
7.4.17.1	Introduction.....	118
7.4.17.2	<mgmtCmd> resource specific procedure on CRUD operations.....	120
7.4.17.2.0	Introduction	120
7.4.17.2.1	Create.....	120
7.4.17.2.2	Retrieve	120
7.4.17.2.3	Update	120
7.4.17.2.4	Delete.....	121
7.4.18	Resource Type <execInstance>.....	122
7.4.18.1	Introduction.....	122
7.4.18.2	<execInstance> resource specific procedure on CRUD operations	123
7.4.18.2.0	Introduction	123
7.4.18.2.1	Update (Cancel).....	123
7.4.18.2.2	Retrieve	124
7.4.18.2.3	Delete.....	124
7.4.19	Resource Type <node>	124
7.4.19.1	Introduction.....	124
7.4.19.2	<node> resource specific procedure on CRUD operations	125
7.4.19.2.1	Create.....	125
7.4.19.2.2	Retrieve	125
7.4.19.2.3	Update	126
7.4.19.2.4	Delete.....	126
7.4.20	Resource Type <m2mServiceSubscriptionProfile>	126
7.4.20.1	Introduction.....	126
7.4.20.2	<m2mServiceSubscriptionProfile> resource specific procedure on CRUD operations.....	127
7.4.20.2.0	Introduction	127
7.4.20.2.1	Create.....	127
7.4.20.2.2	Retrieve	127
7.4.20.2.3	Update	127
7.4.20.2.4	Delete.....	127
7.4.21	Resource Type <serviceSubscribedNode>	127
7.4.21.1	Introduction.....	127

7.4.21.2	<serviceSubscribedNode> resource specific procedure on CRUD operations	128
7.4.21.2.0	Introduction	128
7.4.21.2.1	Create.....	128
7.4.21.2.2	Retrieve	128
7.4.21.2.3	Update	129
7.4.21.2.4	Delete.....	129
7.4.22	Resource Type <pollingChannel>	129
7.4.22.1	Introduction.....	129
7.4.22.2	<pollingChannel> resource specific procedure on CRUD operations	130
7.4.22.2.0	Introduction	130
7.4.22.2.1	Create.....	130
7.4.22.2.2	Retrieve	130
7.4.22.2.3	Update	130
7.4.22.2.4	Delete.....	130
7.4.23	Resource Type <pollingChannelURI>	130
7.4.23.1	Introduction.....	130
7.4.23.2	<pollingChannelURI> resource specific procedure on CRUD operations.....	131
7.4.23.2.0	Introduction	131
7.4.23.2.1	Create.....	131
7.4.23.2.2	Retrieve	131
7.4.23.2.3	Update	131
7.4.23.2.4	Delete.....	131
7.4.24	Resource Type <statsConfig>.....	131
7.4.24.1	Introduction.....	131
7.4.24.2	<statsConfig> resource-specific procedure on CRUD operations	132
7.4.24.2.1	Create.....	132
7.4.24.2.2	Retrieve	132
7.4.24.2.3	Update	132
7.4.24.2.4	Delete.....	133
7.4.25	Resource Type <eventConfig>	133
7.4.25.1	Introduction.....	133
7.4.25.2	<eventConfig> resource-specific procedure on CRUD operations	134
7.4.25.2.1	Create.....	134
7.4.25.2.2	Retrieve	135
7.4.25.2.3	Update	135
7.4.25.2.4	Delete.....	135
7.4.26	Resource Type <statsCollect>.....	135
7.4.26.1	Introduction.....	135
7.4.26.2	<statsCollect> resource-specific procedure on CRUD operations	136
7.4.26.2.1	Create.....	136
7.4.26.2.2	Retrieve	137
7.4.26.2.3	Update	137
7.4.26.2.4	Delete.....	137
7.4.27	Announced resource type.....	137
7.4.27.1	Introduction.....	137
7.4.27.2	Resource specific procedure on CRUD operations	138
7.4.27.2.1	Introduction	138
7.4.27.2.2	Create.....	138
7.4.27.2.3	Retrieve	139
7.4.27.2.4	Update	139
7.4.27.2.5	Delete.....	139
7.4.28	Resource Type latest.....	139
7.4.28.1	Introduction.....	139
7.4.28.2	<latest> Resource Specific Procedure on CRUD Operations	139
7.4.28.2.1	Introduction	139
7.4.28.2.2	Create.....	140
7.4.28.2.3	Retrieve	140
7.4.28.2.4	Update	140
7.4.28.2.5	Delete.....	140
7.4.29	Resource Type oldest.....	141
7.4.29.1	Introduction.....	141
7.4.29.2	<oldest> Resource Specific Procedure on CRUD Operations	141

7.4.29.2.1	Introduction	141
7.4.29.2.2	Create.....	141
7.4.29.2.3	Retrieve	141
7.4.29.2.4	Update	141
7.4.29.2.5	Delete.....	142
7.4.30	Resource Type <serviceSubscribedAppRule>.....	142
7.4.30.1	Introduction	142
7.4.30.2	<serviceSubscribedAppRule> resource specific procedure on CRUD operations.....	143
7.4.30.2.1	Introduction	143
7.4.30.2.2	Create.....	143
7.4.30.2.3	Retrieve	143
7.4.30.2.4	Update	143
7.4.30.2.5	Delete.....	143
7.5	Primitive-specific procedures and definitions	143
7.5.1	Notification data object and procedures.....	143
7.5.1.1	Notification data object.....	143
7.5.1.2	Notification procedures.....	144
7.5.1.2.1	Introduction	144
7.5.1.2.2	Notification for modification of subscribed resources.....	144
7.5.1.2.3	Subscription Verification during Subscription Creation.....	146
7.5.1.2.4	Notification for Subscription Deletion	147
7.5.1.2.5	Notification for Asynchronous Non-blocking Request	147
7.5.1.2.6	Notification for subscription via group.....	147
7.5.2	Elements contained in the Content primitive parameter	148
8	Representation of primitives in data transfer.....	149
8.1	Introduction	149
8.2	Short names	149
8.2.1	Introduction.....	149
8.2.2	Primitive parameters	150
8.2.3	Resource attributes.....	150
8.2.4	Resource types	155
8.2.5	Complex data types members	156
8.3	XML serialization.....	158
8.3.1	Method.....	158
8.3.2	Examples	158
8.4	JSON serialization	159
8.4.1	Terminology	159
8.4.2	Method.....	159
8.4.3	Examples	160
Annex A (informative):	Binding Mch to Diameter for Charging.....	161
A.1	Introduction	161
A.2	Diameter Commands on Mch.....	161
A.2.1	Accounting Request Command.....	161
A.2.2	Accounting Answer Command	161
A.3	Mapping of M2M Recorded Information Elements to AVPs	161
A.4	Summary of AVPs used	162
A.5	oneM2M Specific AVP Usage	164
A.5.1	Access-Network-Identifier AVP	164
A.5.2	Acct-Application-Id AVP.....	164
A.5.3	Accounting-Record-Type AVP.....	164
A.5.4	Application-Entity-ID AVP.....	164
A.5.5	Control-Memory-Size AVP.....	164
A.5.6	Current-Number-Members AVP.....	164
A.5.7	Data-Memory-Size AVP	164
A.5.8	External-ID AVP.....	164
A.5.9	Group-Name AVP.....	164
A.5.10	Hosting-CSE-ID AVP	165

A.5.11	Originator AVP	165
A.5.12	Maximum-Number-Members AVP.....	165
A.5.13	M2M-Event-Record-Timestamp AVP	165
A.5.14	M2M-Information AVP	165
A.5.15	Node-ID AVP.....	165
A.5.16	Occupancy AVP.....	165
A.5.17	Protocol-Type AVP.....	166
A.5.18	Rating-Group AVP.....	166
A.5.19	Receiver AVP.....	166
A.5.20	Request-Body-Size AVP.....	166
A.5.21	Request-Headers-Size AVP.....	166
A.5.22	Request-Operation AVP.....	166
A.5.23	Response-Body-Size AVP	166
A.5.24	Response-Headers-Size AVP.....	166
A.5.25	Response-Status-Code AVP.....	166
A.5.26	Service-Context-Id AVP	167
A.5.27	Service-Information AVP.....	167
A.5.28	Subgroup-Name AVP.....	167
A.5.29	Subscription-Id AVP.....	167
A.5.30	Subscription-Id-Data AVP	167
A.5.31	Subscription-Id-Type AVP.....	167
A.5.32	Target-ID AVP	167
Annex B (normative): Device triggering.....		169
B.1	Providing device triggering service by means of 3GPP networks.....	169
B.1.1	Introduction	169
B.1.2	Device action request command.....	169
B.1.3	Device action answer command.....	169
B.1.4	Device notification request command.....	169
B.1.5	Device notification answer command	169
Annex C(informative): XML examples		170
C.1	XML schema for container resource type.....	170
C.2	Container resource that conforms to the Schema given above (see Annex C.1).....	171
Annex D (normative): <mgmtObj> Resource specializations.....		172
D.1	Introduction	172
D.2	Resource [firmware].....	172
D.2.1	Introduction	172
D.2.2	Resource specific procedure on CRUD operations	172
D.2.2.0	Introduction.....	172
D.2.2.1	Create.....	172
D.2.2.2	Update.....	173
D.2.2.3	Retrieve.....	173
D.2.2.4	Delete.....	173
D.3	Resource [software].....	173
D.3.1	Introduction	173
D.3.2	Resource specific procedure on CRUD operations	174
D.3.2.0	Introduction.....	174
D.3.2.1	Create.....	174
D.3.2.2	Update.....	174
D.3.2.3	Retrieve.....	175
D.3.2.4	Delete.....	175
D.4	Resource [memory]	175
D.4.1	Introduction	175
D.4.2	Resource specific procedure on CRUD operations	175
D.4.2.0	Introduction.....	175
D.4.2.1	Create.....	175

D.4.2.2	Update.....	176
D.4.2.3	Retrieve.....	176
D.4.2.4	Delete.....	176
D.5	Resource [areaNwkInfo]	176
D.5.1	Introduction	176
D.5.2	Resource specific procedure on CRUD operations	177
D.5.2.0	Introduction.....	177
D.5.2.1	Create.....	177
D.5.2.2	Update.....	177
D.5.2.3	Retrieve.....	177
D.5.2.4	Delete.....	177
D.6	Resource [areaNwkDeviceInfo].....	177
D.6.1	Introduction	177
D.6.2	Resource specific procedure on CRUD operations	178
D.6.2.0	Introduction.....	178
D.6.2.1	Create.....	178
D.6.2.2	Update.....	178
D.6.2.3	Retrieve.....	178
D.6.2.4	Delete.....	179
D.7	Resource [battery]	179
D.7.1	Introduction	179
D.7.2	Resource specific procedure on CRUD operations	179
D.7.2.0	Introduction.....	179
D.7.2.1	Create.....	179
D.7.2.2	Update.....	179
D.7.2.3	Retrieve.....	180
D.7.2.4	Delete.....	180
D.8	Resource [deviceInfo]	180
D.8.1	Introduction	180
D.8.2	Resource specific procedure on CRUD operations	181
D.8.2.0	Introduction.....	181
D.8.2.1	Create.....	181
D.8.2.2	Update.....	181
D.8.2.3	Retrieve.....	181
D.8.2.4	Delete.....	181
D.9	Resource [deviceCapability].....	181
D.9.1	Introduction	181
D.9.2	Resource specific procedure on CRUD operations	182
D.9.2.0	Introduction.....	182
D.9.2.1	Create.....	182
D.9.2.2	Update.....	182
D.9.2.3	Retrieve.....	183
D.9.2.4	Delete.....	183
D.10	Resource [reboot]	183
D.10.1	Introduction	183
D.10.2	Resource specific procedure on CRUD operations	184
D.10.2.0	Introduction.....	184
D.10.2.1	Create.....	184
D.10.2.2	Update.....	184
D.10.2.3	Retrieve.....	184
D.10.2.4	Delete.....	184
D.11	Resource [eventLog]	185
D.11.1	Introduction	185
D.11.2	Resource specific procedure on CRUD operations	185
D.11.2.1	Introduction.....	185
D.11.2.2	Create.....	185
D.11.2.3	Update.....	186

D.11.2.4	Retrieve.....	186
D.11.2.5	Delete.....	186
D.12	Resource [cmdhPolicy]	186
D.12.0	Introduction	186
D.12.1	Resource [activeCmdhPolicy]	187
D.12.2	Resource [cmdhDefaults]	187
D.12.3	Resource [cmdhDefEcValue].....	188
D.12.4	Resource [cmdhEcDefParamValues]	188
D.12.5	Resource [cmdhLimits]	189
D.12.6	Resource [cmdhNetworkAccessRules]	190
D.12.7	Resource [cmdhNwAccessRule]	191
D.12.8	Resource [cmdhBuffer]	192
Annex E (informative): Procedures for accessing resources		193
E.1	Accessing resources in CSEs - blocking requests	193
E.2	Accessing Resources in CSEs - non-blocking requests	194
E.2.1	Non-blocking models	194
E.2.2	Synchronous case	194
Annex F (informative): Guidelines for oneM2M resource type XSD.....		199
Annex G (normative): Location request.....		201
G.1	Introduction	201
G.2	Location request by means of OMA-REST-NetAPI-TerminalLocation interface.....	201
G.2.1	Introduction	201
G.2.2	Resource structure of OMA NetAPI for terminal location.....	201
G.2.3	Procedures for terminal location	203
G.2.3.1	Request in a single query toward a location server	203
G.2.4	Subscribe to notifications for periodic location updates.....	204
G.2.5	Subscribe to notifications for area updates.....	205
Annex H (normative): CMDH message processing.....		207
H.1	Pre-requisites.....	207
H.2	CMDH processing: processing request or response messages requiring the receiver CSE to forward information to another CSE.....	208
H.2.1	Applicability of CMDH processing.....	208
H.2.2	Partitioning of CMDH processing.....	208
H.2.3	CMDH message validation procedure.....	210
H.2.4	CMDH message forwarding procedure.....	215
H.2.5	Establishment of Mcc communication connection to another CSE.....	222
Annex I (informative): Guidelines for using XSD files in AE and CSE code		224
I.1	Usage of the oneM2M developed XSD files.....	224
I.2	Example AE/CSE implementation featuring mapping between short and long names for XML serialization	224
I.3	Example AE/CSE implementation featuring mapping between short and long names for JSON serialization	226
List of tables and figures		228
History		229