



**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 3: Interworking at the Inter-System Interface (ISI);
Sub-part 15: Transport layer independent Additional Network
Feature, Mobility Management (ANF-ISIMM)**

ETSI
TS 100 392-3-15 V1.1.1 (2018-05)
https://standards.iteh.ai/en/standards/etsi/ts-100-392-3-15-v1-1-1-2018-05-46fa-8e01-731bc61440cc/

ReferenceDTS/TCCE-03242

Keywordsmanagement, mobility, TETRA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/ComiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	16
Foreword.....	16
Modal verbs terminology.....	17
Introduction	18
1 Scope	19
2 References	20
2.1 Normative references	20
2.2 Informative references.....	21
3 Definitions and abbreviations.....	21
3.1 Definitions.....	21
3.2 Abbreviations	24
4 Overview	25
4.1 General	25
4.2 Applicability.....	25
4.2.1 Entities	25
4.2.2 Services.....	25
4.3 Testability.....	26
4.4 Provision/withdrawal.....	26
4.5 Activation/deactivation	26
4.6 Charging.....	26
5 The generic ANF-ISIMM stage 1 service model.....	27
5.1 ANF-ISIMM - the service provider.....	27
5.2 SwMI MMs - the ANF-ISIMM service users.....	27
5.3 Stage 1 description conventions	29
6 Migration service description - stage 1	29
6.1 Pre-requisite requirements for the migration service.....	29
6.2 Service definition	30
6.3 Service description	30
6.4 Service architecture	30
6.5 Normal procedures	31
6.5.1 Invocation	31
6.5.1.1 Invocation criteria	31
6.5.1.2 Invocation of ANF-ISIMM.....	31
6.5.2 Operation	33
6.5.2.1 General	33
6.5.2.2 Migration with pre-defined migration profile(s) (applicable for case 1).....	34
6.5.2.2.1 Support for call restoration	34
6.5.2.2.2 Final migration approval	34
6.5.2.3 Migration with migration profile exchange (applicable for case 2, 3a and 3b).....	36
6.5.2.3.1 Basic migration profile exchange	36
6.5.2.3.2 SS-migration profile(s) exchange (applicable for case 3a).....	46
6.5.2.3.3 Support for call restoration	48
6.5.2.3.4 Final migration approval (applicable for cases 2, 3a and 3b).....	48
6.5.2.3.5 SS-migration profile exchange after final migration approval (applicable for case 3b).....	48
6.6 Exceptional procedures	49
6.6.1 General.....	49
6.6.2 Detected by the individual subscriber visited SwMI MM	50
6.6.3 Detected by the individual subscriber home SwMI MM	51
6.7 Interactions	51
6.7.1 Interactions with the authentication service.....	51
6.7.2 Interactions with the group attachment and the group detachment services	51

7	Restricted migration service description - stage 1	52
7.1	Pre-requisite requirements for the restricted migration service	52
7.2	Service definition	52
7.3	Service description	52
7.4	Service architecture	53
7.5	Normal procedures	53
7.5.1	Invocation	53
7.5.1.1	Invocation criteria	53
7.5.1.2	Invocation of ANF-ISIMM	54
7.5.2	Operation	57
7.5.2.1	General	57
7.5.2.2	Operation when the individual subscriber visited SwMI MM invokes restricted migration	57
7.5.2.3	Invocation of RSI	58
7.5.2.4	Support for emergency call restoration	58
7.5.2.5	Receipt of restricted migration approval	58
7.6	Exceptional procedures	58
7.6.1	General	58
7.6.2	Detected by the individual subscriber visited SwMI MM	60
7.6.3	Detected by the individual subscriber home SwMI MM	60
7.7	Interactions	60
7.7.1	Interactions with the authentication service	60
7.7.2	Interactions with the group attachment and the group detachment services	60
8	Removal of Subscriber Information (RSI) service description - stage 1	60
8.1	Service definition	60
8.2	Service description	61
8.3	Service architecture	61
8.4	Normal procedures	62
8.4.1	Invocation	62
8.4.1.1	Invocation criteria	62
8.4.1.2	Invocation of ANF-ISIMM	62
8.4.2	Operation	63
8.5	Exceptional procedures	65
8.6	Interaction with authentication	66
9	De-registration service description - stage 1	66
9.1	Service definition	66
9.2	Service description	66
9.3	Service architecture	66
9.4	Normal procedures	67
9.4.1	Invocation	67
9.4.1.1	Invocation criteria	67
9.4.1.2	Invocation of ANF-ISIMM	67
9.4.2	Operation	68
9.5	Exceptional procedures	69
10	Profile update service description - stage 1	70
10.1	Service definition	70
10.2	Service description	70
10.3	Service architecture	70
10.4	Normal procedures	71
10.4.1	Invocation	71
10.4.1.1	Invocation criteria	71
10.4.1.2	Invocation of ANF-ISIMM	72
10.4.2	Operation	82
10.5	Exceptional operation	92
11	SS-profile update service description - stage 1	93
11.1	Service definition	93
11.2	Service description	93
11.3	Service architecture	94
11.4	Normal procedures	94
11.4.1	Invocation	94

11.4.1.1	Invocation criteria	94
11.4.1.2	Invocation of ANF-ISIMM	95
11.4.2	Operation	95
11.4.2.1	Creation of temporary SS-migration profiles	95
11.4.2.2	Informing home SwMI MM about the temporary SS-migration profiles	96
11.5	Exceptional operation	97
12	Authentication service description - stage 1	98
12.1	Pre-requisite requirements for the authentication service	98
12.2	Service definition	98
12.3	Service description	99
12.4	Service architecture	99
12.5	Normal procedures	99
12.5.1	Invocation	99
12.5.1.1	Invocation criteria	99
12.5.1.2	Invocation of ANF-ISIMM	100
12.5.2	Operation (relevant for case 1)	101
12.5.2.1	Exchange of authentication parameters	101
12.5.2.2	Sending of authentication result	101
12.6	Exceptional procedures	102
12.6.1	General	102
12.6.2	Detected by the individual subscriber visited SwMI MM	103
12.6.3	Detected by the individual subscriber home SwMI MM	103
12.7	Interaction with migration and restricted migration	104
12.7.1	Normal operation	104
12.7.2	Exceptional procedures	104
13	Over The Air Re-keying (OTAR) service description - stage 1	105
13.1	Pre-requisite requirements	105
13.2	Service definition	105
13.3	Service description	105
13.4	Service architecture	106
13.5	Normal procedures	106
13.5.1	Invocation	106
13.5.1.1	Invocation criteria	106
13.5.1.2	Invocation of ANF-ISIMM	107
13.5.1.2.1	Case 1)	107
13.5.1.2.2	Case 2)	107
13.5.1.2.3	Case 3)	107
13.5.1.2.4	Case 4)	108
13.5.2	Operation	108
13.5.2.1	Case 1)	108
13.5.2.2	Case 2)	109
13.5.2.3	Case 3)	110
13.5.2.4	Case 4)	110
13.6	Exceptional procedures	111
13.6.1	General	111
13.6.2	Detected by the individual subscriber visited SwMI MM	112
13.6.3	Detected by the individual subscriber home SwMI MM	112
14	Individual subscriber Database Recovery (IDR) service description - stage 1	113
14.1	Service definition	113
14.2	Service description	113
14.3	Service architecture	114
14.4	Normal procedures	114
14.4.1	Invocation	114
14.4.1.1	Invocation criteria	114
14.4.1.2	Invocation of ANF-ISIMM	115
14.4.2	Operation (relevant for case 1 and 2 unless otherwise stated)	117
14.4.2.1	The individual subscriber visited SwMI MM receives the HMM recovery indication	117
14.4.2.2	The individual subscriber home SwMI MM receives the VMM recovery indication	117
14.4.2.3	The virtual migration or restricted migration	118

14.4.2.4	The virtual RSI.....	118
14.4.2.5	The iteration.....	119
14.4.2.6	The completion of the IDR.....	119
14.4.2.6.1	VMM recovery.....	119
14.4.2.6.2	HMM recovery.....	119
14.5	Exceptional procedures.....	120
15	Group attachment service description - stage 1.....	121
15.1	Service definition.....	121
15.2	Service description.....	121
15.3	Service architecture.....	122
15.4	Normal procedures.....	122
15.4.1	Invocation.....	122
15.4.1.1	Invocation criteria.....	122
15.4.1.2	Invocation of ANF-ISIMM.....	124
15.4.1.2.1	Case 1).....	124
15.4.1.2.2	Cases 2) to 4).....	125
15.4.1.2.3	Case 5).....	126
15.4.1.2.4	Case 6).....	131
15.4.2	Operation.....	132
15.4.2.1	Case 1).....	132
15.4.2.1.1	General.....	132
15.4.2.1.2	Group attachment with pre-defined migration profile(s).....	132
15.4.2.1.3	Group attachment with migration profile exchange.....	135
15.4.2.1.4	SS-migration profile(s) exchange.....	140
15.4.2.2	Cases 2) to 4).....	143
15.4.2.2.1	Updates to G-HDB.....	143
15.4.2.2.2	Sending of group attachment approval.....	143
15.4.2.2.3	Receipt of group attachment approval.....	144
15.4.2.3	Case 5).....	144
15.4.2.3.1	General.....	144
15.4.2.3.2	Group home SwMI MM initiated group attachment with pre-defined migration profile(s).....	144
15.4.2.3.3	Group home SwMI MM initiated group attachment with migration profile exchange.....	146
15.4.2.4	Case 6).....	148
15.4.2.4.1	Additional Group home SwMI MM initiated group attachment.....	148
15.5	Exceptional procedures.....	149
15.5.1	General.....	149
15.5.2	Detected by the group visited SwMI MM.....	150
15.5.3	Detected by the group home SwMI MM.....	151
15.6	Interactions.....	151
16	Group detachment service description (stage 1).....	152
16.1	Service definition.....	152
16.2	Service description.....	153
16.3	Service architecture.....	154
16.4	Normal procedures.....	154
16.4.1	Invocation.....	154
16.4.1.1	General.....	154
16.4.1.2	Invocation of ANF-ISIMM.....	155
16.4.1.2.1	Cases 1) to 3).....	155
16.4.1.2.2	Case 4).....	156
16.4.2	Operation.....	157
16.4.2.1	Cases 1) to 3).....	157
16.4.2.2	Case 4).....	158
16.5	Exceptional procedures.....	159
16.6	Interactions.....	160
17	Group Database Recovery (GDR) service description - stage 1.....	161
17.1	Service definition.....	161
17.2	Service description.....	161
17.3	Service architecture.....	162
17.4	Normal procedures.....	162

17.4.1	Invocation	162
17.4.1.1	Invocation criteria	162
17.4.1.2	Invocation of ANF-ISIMM	163
17.4.2	Operation (applicable for cases 1) and 2) unless otherwise stated)	164
17.4.2.1	Verification of age information	164
17.4.2.2	The group visited SwMI MM receives the G-HDR indication	165
17.4.2.3	The group home SwMI MM receives the G-VDR indication	165
17.4.2.4	The virtual group attachment and detachment	165
17.4.2.5	The iteration	167
17.4.2.6	The completion of the GDR	167
17.4.2.6.1	G-HDR	167
17.4.2.6.2	G-VDR	167
17.5	Exceptional procedures	168
18	Group linking/unlinking service description - stage 1	169
18.1	Service definition	169
18.2	Service description	170
18.3	Service architecture	171
18.4	Normal procedures	171
18.4.1	Invocation	171
18.4.1.1	Invocation criteria	171
18.4.1.2	Invocation of ANF-ISIMM	171
18.4.1.2.1	Case 1) - group linking service - Sending of Linking_req	171
18.4.1.2.2	Case 2) - group unlinking service	172
18.4.1.2.3	Case 3) - remote group unlinking service	172
18.4.2	Operation	173
18.4.2.1	General	173
18.4.2.2	Case 1) - group linking service	173
18.4.2.2.1	First phase of group linking service	173
18.4.2.2.2	Second phase of group linking service	174
18.4.2.3	Case 2) - group unlinking service	175
18.4.2.4	Case 3) - remote group unlinking service	176
18.5	Exceptional procedures	177
18.5.1	General	177
18.5.2	Case 1) - group linking service	177
18.5.3	Case 2) - group unlinking service	178
18.5.4	Case 3) - remote group unlinking service	179
18.6	Interactions	179
19	Linked group attachment service description - stage 1	179
19.1	Service definition	179
19.2	Service description	180
19.3	Service Architecture	180
19.4	Normal Procedure	180
19.4.1	Invocation	180
19.4.1.1	Invocation criteria	180
19.4.1.2	Invocation of ANF-ISIMM	181
19.4.1.2.1	Case 1	181
19.4.1.2.2	Case 2	181
19.4.2	Operation	181
19.5	Exceptional cases	182
19.6	Interactions	182
20	Linked group detachment service description - stage 1	182
20.1	Service definition	182
20.2	Service description	182
20.3	Service architecture	183
20.4	Normal procedure	183
20.4.1	Invocation	183
20.4.1.1	Invocation criteria	183
20.4.1.2	Invocation of ANF-ISIMM	184
20.4.1.2.1	Case 1	184

20.4.1.2.2	Case 2	184
20.4.2	Operation	184
20.5	Exceptional cases	184
20.6	Interactions	185
21	ANF-ISIMM stage 2 specification	185
21.1	General	185
21.2	Functional model.....	185
21.3	Information flow diagrams	185
22	Migration - stage 2 information flow sequences	186
22.1	General	186
22.2	Normal operation.....	186
22.2.1	Migration with pre-defined profile(s)	186
22.2.2	Migration with basic migration profile exchange	187
22.2.3	Migration with basic migration and SS-migration profiles exchange.....	189
22.2.3.1	SS-migration profiles exchanged before final migration approval.....	189
22.2.3.2	SS-migration profiles exchanged after final migration approval	191
22.3	Exceptional operation.....	193
22.3.1	Migration rejection request upon receipt of the Migration_ind	193
22.3.2	Migration rejection request upon receipt of Profile update result and SS-profile update result	194
22.4	FE actions for subscriber migration	196
22.4.1	FE actions of FE1	196
22.4.2	FE actions of FE3	196
23	Restricted migration - stage 2 information flow sequences	197
23.1	General	197
23.2	Normal operation.....	197
23.2.1	Restricted migration requested by individual subscriber visited SwMI MM.....	197
23.2.2	Restricted migration requested by individual subscriber home SwMI upon receipt of MIGRATION_ind from the individual subscriber visited SwMI MM.....	197
23.2.3	Restricted migration requested by individual subscriber home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the individual subscriber visited SwMI MM	197
23.3	Exceptional operation.....	198
23.4	FE actions for restricted migration	198
23.4.1	FE actions of FE1	198
23.4.2	FE actions of FE3	198
24	Removal of Subscriber Information - stage 2 information flow sequences	199
24.1	General	199
24.2	Normal operation.....	199
24.3	Exceptional operation.....	200
24.4	FE actions for subscriber migration	200
24.4.1	FE actions of FE1	200
24.4.2	FE actions of FE4	201
25	De-registration - stage 2 information flow sequences	201
25.1	General	201
25.2	Normal operation.....	201
25.2.1	Individual subscriber visited SwMI MM initiated de-registration.....	201
25.3	Exceptional operation.....	203
25.3.1	Individual subscriber visited SwMI MM initiated de-registration rejected	203
25.4	FE actions.....	203
25.4.1	FE actions of FE1	203
25.4.2	FE actions of FE3	204
26	Profile update - stage 2 information flow sequences.....	204
26.1	General	204
26.2	Normal operation.....	205
26.3	Profile update rejection	206
26.4	FE actions for Profile update	206
26.4.1	FE actions of FE1	206

26.4.2	FE actions of FE3	206
27	SS-profile update - stage 2 information flow sequences	207
27.1	General	207
27.2	Normal operation.....	207
27.3	SS-profile update rejection.....	208
27.4	FE actions for SS-profile update	208
27.4.1	FE actions of FE1	208
27.4.2	FE actions of FE3	208
28	Authentication - stage 2 information flow sequences	209
28.1	General	209
28.2	Normal operation.....	209
28.2.1	Authentication.....	209
28.2.2	Successful subsequent authentication	210
28.3	Authentication invoked in conjunction with migration	211
28.4	Exceptional operation.....	212
28.4.1	Authentication failure in the individual subscriber visited SwMI	212
28.5	FE actions for authentication.....	214
28.5.1	FE actions of FE1	214
28.5.2	FE actions of FE3	215
29	Over The Air Re-keying (OTAR) - stage 2 information flow sequences.....	215
29.1	General	215
29.2	Normal operation.....	215
29.2.1	OTAR SCK generation service.....	215
29.2.2	Individual subscriber visited SwMI MM initiated OTAR SCK delivery service	217
29.2.3	Individual subscriber home SwMI MM initiated OTAR SCK delivery service	218
29.2.4	OTAR SCK generation service, subsequent use of parameters.....	219
29.3	Exceptional operation.....	220
29.3.1	Failed OTAR SCK generation service.....	220
29.3.2	Failed individual subscriber visited SwMI MM initiated OTAR SCK delivery	222
29.3.3	Failed individual subscriber home SwMI MM initiated OTAR SCK delivery.....	223
29.3.4	Failed subsequent use of OTAR SCK generation parameters	224
29.4	FE actions for OTAR	224
29.4.1	FE actions of FE1	224
29.4.2	FE actions of FE3	225
30	Individual subscriber database recovery - stage 2 information flow sequences.....	226
30.1	General	226
30.2	Normal operation.....	226
30.2.1	HMM recovery	226
30.2.2	VMM recovery	229
30.3	Exceptional operation.....	232
30.3.1	Rejection of HMM recovery	232
30.3.2	Rejection of VMM recovery	233
30.4	FE actions.....	233
30.4.1	FE actions of FE1	233
30.4.2	FE actions of FE3	234
30.4.3	FE actions of FE4	234
31	Group attachment - stage 2 information flow sequences	235
31.1	Normal operation.....	235
31.1.1	Group visited SwMI MM initiated group attachment without migration profile exchange.....	235
31.1.2	Group visited SwMI MM initiated first group attachment with migration profile exchange	236
31.1.3	Group home SwMI MM initiated group attachment without migration profile exchange.....	238
31.1.4	Group home SwMI MM initiated group attachment with migration profile exchange.....	238
31.2	Exceptional operation.....	241
31.2.1	Rejection of group visited SwMI MM initiated group attachment without migration profile exchange ..	241
31.2.2	Rejection of profile update in connection to group home SwMI MM initiated group attachment with migration profile exchange	242
31.2.3	Rejection of group home SwMI MM initiated group attachment without migration profile exchange	243
31.2.4	Rejection of group home SwMI MM initiated group attachment with migration profile exchange	244

31.3	FE actions	245
31.3.1	FE actions of FE2	245
31.3.2	FE actions of FE6	245
32	Normal operation for group detachment - stage 2 information flow sequences.....	246
32.1	Normal operation.....	246
32.1.1	Group visited SwMI MM initiated group detachment	246
32.1.2	Group home SwMI MM initiated group detachment.....	247
32.2	Exceptional operation.....	248
32.2.1	Rejection of group visited SwMI MM initiated group detachment	248
32.2.2	Rejection of group home SwMI MM initiated group detachment rejection	249
32.3	FE actions	249
32.3.1	FE actions of FE2	249
32.3.2	FE actions of FE3	250
33	Group database recovery - stage 2 information flow sequences	251
33.1	Normal operation.....	251
33.1.1	G-HDR.....	251
33.1.2	G-VDR.....	253
33.2	Exceptional operation.....	255
33.2.1	Rejection of G-HDR	255
33.2.2	Rejection of G-VDR	256
33.3	FE actions	256
33.3.1	FE actions of FE2	256
33.3.2	FE actions of FE6	257
34	Group linking/unlinking - stage 2 information flow scenarios.....	257
34.1	Normal operation.....	257
34.2	Exceptional operation - group linking rejected by participating SwMI	257
34.3	FE actions	257
34.3.1	FE actions of FE5	257
34.3.2	FE actions of FE6	257
35	Linked group attachment/detachment - stage 2 information flow scenarios.....	258
35.1	Normal operation.....	258
35.1.1	Group linking participating SwMI MM initiated attachment to a linked group	258
35.1.2	Group linking participating SwMI MM initiated detachment from a linked group.....	258
35.2	Exceptional operation - attach linked group rejected by linking controlling SwMI.....	259
35.3	FE actions	260
35.3.1	FE actions of FE2	260
35.3.2	FE actions of FE5	261
36	Definition of stage 2 information flows	261
36.1	General	261
36.2	ATTACH LINKED GROUP	261
36.3	ATTACH LINKED GROUP REJECT	262
36.4	AUTHENTICATION DEMAND	262
36.5	AUTHENTICATION RESPONSE.....	262
36.6	AUTHENTICATION RESULT.....	263
36.7	AUTH REJECT.....	263
36.8	DE-REGISTRATION	263
36.9	DE-REG REJECT	264
36.10	DETACH LINKED GROUP	264
36.11	GROUP ATTACHMENT.....	264
36.12	GROUP ATT REJECT	265
36.13	GROUP DETACHMENT	265
36.14	GROUP DET REJECT	265
36.15	HMM RECOVERY	266
36.16	HMM RECOVERY COMPLETED.....	266
36.17	HMM RECOVERY REJECT	266
36.18	LINKING	267
36.19	LINKING COMMAND	267
36.20	LINKING REJECT	267

36.21	MIGRATION	267
36.22	MIGRATION REJECT	268
36.23	OTAR-KEY DEMAND	268
36.24	OTAR-KEY PROVIDE	268
36.25	OTAR-KEY REJECT	269
36.26	OTAR-KEY RESULT	269
36.27	OTAR-PARAM DEMAND	269
36.28	OTAR-PARAM PROVIDE	269
36.29	OTAR-PARAM REJECT	270
36.30	OTAR-PARAM RESULT	270
36.31	PROFILE REJECT	270
36.32	PROFILE UPDATE	271
36.33	REMOTE UNLINKING	271
36.34	REMOVE REJECT	271
36.35	REMOVE SUBS	272
36.36	SS-PROFILE REJECT	272
36.37	SS-PROFILE UPDATE	272
36.38	UNLINKING	273
36.39	UNLINKING REJECT	273
36.40	VMM RECOVERY	273
36.41	VMM RECOVERY COMPLETED	274
36.42	VMM RECOVERY REJECT	274
36.43	Profiles	274
36.43.1	Basic migration profiles	274
36.43.1.1	Group basic migration profile (original and temporary)	274
36.43.1.2	Individual basic migration profile	276
36.43.2	SS-migration profile (original and temporary)	277
37	ANF-ISIMM encoding requirements - stage 3	278
37.1	Introduction	278
37.2	ANF-ISIMM PDU description tables	278
37.2.1	General	278
37.2.2	ATTACH LINKED GROUP	279
37.2.3	ATTACH LINKED GROUP RESPONSE	279
37.2.4	ATTACH LINKED GROUP REJECT	280
37.2.5	AUTHENTICATION DEMAND	280
37.2.6	AUTHENTICATION RESPONSE	281
37.2.7	AUTHENTICATION RESULT	281
37.2.8	AUTH REJECT	282
37.2.9	DE-REGISTRATION	282
37.2.10	DE-REGISTRATION RESPONSE	283
37.2.11	DE-REG REJECT	283
37.2.12	DETACH LINKED GROUP	283
37.2.13	DETACH LINKED GROUP RESPONSE	284
37.2.14	GROUP ATTACHMENT	284
37.2.15	GROUP ATTACHMENT RESPONSE	285
37.2.16	GROUP ATT REJECT	286
37.2.17	GROUP DETACHMENT	287
37.2.18	GROUP DETACHMENT RESPONSE	287
37.2.19	GROUP DET REJECT	288
37.2.20	HMM RECOVERY	288
37.2.21	HMM RECOVERY COMPLETED	289
37.2.22	HMM RECOVERY REJECT	289
37.2.23	HMM RECOVERY RESPONSE	289
37.2.24	LINKING	290
37.2.25	LINKING COMMAND	290
37.2.26	LINKING COMMAND RESPONSE	290
37.2.27	LINKING REJECT	290
37.2.28	LINKING RESPONSE	290
37.2.29	MIGRATION	291
37.2.30	MIGRATION REJECT	291
37.2.31	MIGRATION REJECT RESPONSE	292

37.2.32	MIGRATION RESPONSE.....	292
37.2.33	OTAR-KEY DEMAND	293
37.2.34	OTAR-KEY PROVIDE.....	293
37.2.35	OTAR-KEY REJECT.....	294
37.2.36	OTAR-KEY RESULT	294
37.2.37	OTAR-PARAM DEMAND	294
37.2.38	OTAR-PARAM PROVIDE.....	295
37.2.39	OTAR-PARAM REJECT.....	295
37.2.40	OTAR-PARAM RESULT	296
37.2.41	PROFILE REJECT	296
37.2.42	PROFILE UPDATE	297
37.2.43	PROFILE UPDATE RESPONSE.....	297
37.2.44	REMOTE UNLINKING.....	298
37.2.45	REMOVE REJECT	298
37.2.46	REMOVE SUBS	298
37.2.47	REMOVE SUBS RESPONSE.....	299
37.2.48	SS-PROFILE REJECT	299
37.2.49	SS-PROFILE UPDATE.....	300
37.2.50	SS-PROFILE UPDATE RESPONSE.....	300
37.2.51	UNLINKING.....	301
37.2.52	UNLINKING REJECT.....	301
37.2.53	UNLINKING RESPONSE	301
37.2.54	VMM RECOVERY	301
37.2.55	VMM RECOVERY COMPLETED	302
37.2.56	VMM RECOVERY REJECT.....	302
37.2.57	VMM RECOVERY RESPONSE.....	302
37.3	PDU information element encoding	303
37.3.1	Advanced link.....	303
37.3.2	Age stamp	303
37.3.3	AI encryption state list.....	304
37.3.4	ANF-ISIMM invoke id	305
37.3.5	Attach linked group rejection cause.....	305
37.3.6	Authentication invocation.....	305
37.3.7	Authentication rejection cause.....	306
37.3.8	Authentication service	306
37.3.9	Authentication type.....	307
37.3.10	Basic migration profile info.....	307
37.3.11	Call restoration support.....	307
37.3.12	Call time-out set-up phase timer (T301).....	308
37.3.13	Call time-out timer (T310).....	308
37.3.14	Circuit mode protected (high) data service.....	309
37.3.15	Circuit mode protected (low) data service	309
37.3.16	Circuit mode unprotected speech + data service.....	310
37.3.17	Default SS-information.....	310
37.3.18	De-registration rejection cause	311
37.3.19	De-registration type	311
37.3.20	Duplex service	311
37.3.21	End-to-end encryption service	312
37.3.22	First/Subsequent Group attachment.....	312
37.3.23	Following conditional element(s) present.....	312
37.3.24	Forced removal	313
37.3.26	Group attachment/detachment	313
37.3.26	Group attachment rejection cause.....	313
37.3.27	Group basic migration profile (original and temporary).....	314
37.3.28	Group detachment rejection cause	315
37.3.29	Group information	315
37.3.30	Group information in subscriber profile	315
37.3.31	Group priority	316
37.3.32	GSSI.....	316
37.3.33	Home/Visited SwMI MM initiated.....	316
37.3.34	Individual basic migration profile (original and temporary).....	317

37.3.35	Interleaving depth	318
37.3.36	IP service	319
37.3.37	ISSI	319
37.3.38	Last group detachment.....	319
37.3.39	Linking rejection cause	319
37.3.40	Maximum number of timeslots	320
37.3.41	Migration rejection cause.....	320
37.3.42	Migration type	321
37.3.43	MNI	321
37.3.44	Not supported SS	321
37.3.45	Number of not supported SSs	321
37.3.46	Number of SS-information	321
37.3.47	Original/Subsequent use of param	322
37.3.48	OTAR SCK delivery service	322
37.3.49	OTAR SCK generation service.....	322
37.3.50	OTAR SCK key rejection cause	323
37.3.51	OTAR SCK param rejection cause	323
37.3.52	Other linked group	324
37.3.53	PDU type	324
37.3.54	Pre-defined profile set reference(s).....	325
37.3.55	Profile exchange support	326
37.3.56	Profile rejection cause.....	326
37.3.57	Profile type.....	326
37.3.58	Point-to-multipoint acknowledged service	326
37.3.59	Point-to-multipoint broadcast service	327
37.3.60	Point-to-multipoint service	327
37.3.61	Point-to-point service.....	328
37.3.62	Profile status	328
37.3.63	Proprietary	329
37.3.64	Recovery	329
37.3.65	Recovery rejection cause	329
37.3.66	Recovery type	329
37.3.67	Restricted migration support.....	330
37.3.68	RSI rejection cause	330
37.3.69	SDS profile	330
37.3.70	Speech service	331
37.3.71	SS-information.....	331
37.3.72	SS-information response.....	331
37.3.73	SS-migration profile (original).....	332
37.3.74	SS-migration profile response (temporary).....	332
37.3.75	SS-profile response status.....	332
37.3.76	SS-profile update indicator	333
37.3.77	SS-response status	333
37.3.78	SS-status	333
37.3.79	SS-type.....	333
37.3.80	Subscriber information	334
37.3.81	Subscriber information in group profile.....	334
37.3.82	Subscriber status	334
37.3.83	Type 3 element identifier	334
37.3.84	Unlinking rejection cause	335
37.3.85	Validity time	335
37.3.86	Validity time type	335
38	ANF-ISIMM procedures - stage 3.....	336
38.1	General	336
38.2	Generic procedures.....	336
38.2.1	General.....	336
38.2.2	Invoking SwMI.....	336
38.2.3	Receiving SwMI	336
38.2.4	Clearing of ISI GFP transport connection.....	336
38.2.5	Convert primitive to PDU.....	336
38.2.6	Convert PDU to primitive.....	336