



**Methods for Testing and Specification (MTS);
The Testing and Test Control Notation version 3;
Part 9: Using XML schema with TTCN-3**

*iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard available on iTeh standards platform
<https://standards.iteh.ai/catalog/standards/sist/4d0a-bb3-cbeca6495b/etsi-es-201-873-9-v4-8-1-2017-03>*

ReferenceRES/MTS-201873-9 T3XSD ed481

Keywordslanguage, testing, TTCN-3

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	9
3 Definitions and abbreviations.....	10
3.1 Definitions.....	10
3.2 Abbreviations	10
4 Introduction	11
5 Mapping XML Schemas	11
5.0 Approach	11
5.1 Namespaces and document references	13
5.1.1 Namespaces	13
5.1.2 Includes.....	13
5.1.3 Imports.....	14
5.1.4 Attributes of the XSD schema element.....	15
5.1.5 The control namespace	16
5.2 Name conversion.....	16
5.2.1 General.....	16
5.2.2 Name conversion rules.....	17
5.2.3 Order of the mapping.....	22
5.3 Mapping of XSD schema components.....	22
5.4 Unsupported features.....	23
5.5 Conformance and compatibility	23
6 Built-in data types	23
6.0 General	23
6.1 Mapping of facets.....	24
6.1.0 General.....	24
6.1.1 Length.....	24
6.1.2 MinLength	25
6.1.3 MaxLength.....	25
6.1.4 Pattern	26
6.1.5 Enumeration.....	27
6.1.6 WhiteSpace	29
6.1.7 MinInclusive	29
6.1.8 MaxInclusive	31
6.1.9 MinExclusive.....	32
6.1.10 MaxExclusive	33
6.1.11 Total digits	35
6.1.12 Fraction digits	35
6.1.13 Not specifically mapped facets	36
6.2 String types.....	36
6.2.0 General.....	36
6.2.1 String	37
6.2.2 Normalized string	37
6.2.3 Token	37
6.2.4 Name.....	37
6.2.5 NMTOKEN	37
6.2.6 NCName	38
6.2.7 ID.....	38
6.2.8 IDREF.....	38

6.2.9	ENTITY	38
6.2.10	Hexadecimal binary	38
6.2.11	Base 64 binary	38
6.2.12	Any URI	39
6.2.13	Language	39
6.2.14	NOTATION.....	39
6.3	Integer types	39
6.3.0	General.....	39
6.3.1	Integer	39
6.3.2	Positive integer	39
6.3.3	Non-positive integer	40
6.3.4	Negative integer.....	40
6.3.5	Non-negative integer.....	40
6.3.6	Long.....	40
6.3.7	Unsigned long	40
6.3.8	Int.....	40
6.3.9	Unsigned int.....	40
6.3.10	Short.....	41
6.3.11	Unsigned Short	41
6.3.12	Byte.....	41
6.3.13	Unsigned byte	41
6.4	Float types	41
6.4.0	General.....	41
6.4.1	Decimal.....	41
6.4.2	Float	42
6.4.3	Double	42
6.5	Time types	42
6.5.0	General.....	42
6.5.1	Duration	43
6.5.2	Date and time	43
6.5.3	Time.....	43
6.5.4	Date.....	43
6.5.5	Gregorian year and month	43
6.5.6	Gregorian year	43
6.5.7	Gregorian month and day	44
6.5.8	Gregorian day	44
6.5.9	Gregorian month.....	44
6.6	Sequence types	44
6.6.0	General.....	44
6.6.1	NMTOKENS	44
6.6.2	IDREFS	44
6.6.3	ENTITIES.....	44
6.6.4	QName.....	45
6.7	Boolean type.....	45
6.8	AnyType and anySimpleType types.....	45
7	Mapping XSD components	50
7.0	General	50
7.1	Attributes of XSD component declarations.....	51
7.1.0	General.....	51
7.1.1	Id.....	51
7.1.2	Ref	51
7.1.3	Name.....	52
7.1.4	MinOccurs and maxOccurs.....	52
7.1.5	Default and Fixed	57
7.1.6	Form.....	57
7.1.7	Type.....	58
7.1.8	Mixed.....	58
7.1.9	Abstract.....	58
7.1.10	Block and blockDefault	59
7.1.11	Nillable	59
7.1.12	Use.....	61

7.1.13	Substitution group.....	61
7.1.14	Final	61
7.1.15	Process contents.....	61
7.2	Schema component.....	62
7.3	Element component.....	62
7.4	Attribute and attribute group definitions	63
7.4.1	Attribute element definitions	63
7.4.2	Attribute group definitions.....	64
7.5	SimpleType components	64
7.5.0	General.....	64
7.5.1	Derivation by restriction	64
7.5.2	Derivation by list	65
7.5.3	Derivation by union	67
7.6	ComplexType components.....	71
7.6.0	General.....	71
7.6.1	ComplexType containing simple content	71
7.6.1.0	General	71
7.6.1.1	Extending simple content	71
7.6.1.2	Restricting simple content.....	73
7.6.2	ComplexType containing complex content	74
7.6.2.0	General	74
7.6.2.1	Complex content derived by extension	75
7.6.2.2	Complex content derived by restriction	80
7.6.3	Referencing group components	82
7.6.4	All content	85
7.6.5	Choice content	87
7.6.5.0	General	87
7.6.5.1	Choice with nested elements	87
7.6.5.2	Choice with nested group	87
7.6.5.3	Choice with nested choice.....	88
7.6.5.4	Choice with nested sequence.....	89
7.6.5.5	Choice with nested any	90
7.6.6	Sequence content	90
7.6.6.0	General	90
7.6.6.1	Sequence with nested element content.....	90
7.6.6.2	Sequence with nested group content.....	91
7.6.6.3	Sequence with nested choice content	91
7.6.6.4	Sequence with nested sequence content.....	92
7.6.6.5	Sequence with nested any content.....	92
7.6.6.6	Effect of the <i>minOccurs</i> and <i>maxOccurs</i> attributes on the mapping	93
7.6.7	Attribute definitions, attribute and attributeGroup references	95
7.6.8	Mixed content	97
7.7	Any and anyAttribute	100
7.7.0	General.....	100
7.7.1	The any element.....	100
7.7.2	The anyAttribute element	104
7.8	Annotation.....	109
7.9	Group components	109
7.10	Identity-constraint definition schema components.....	110
8	Substitutions	110
8.0	General	110
8.1	Element substitution.....	111
8.1.1	Head elements of substitution groups	111
8.1.2	Substitution group members	116
8.2	Type substitution	116
Annex A (normative):	TTCN-3 module XSD	123
Annex B (normative):	Encoding instructions.....	127
B.0	General	127

B.1	General	127
B.2	Basic XML encode and variant attribute rules	128
B.2.1	The XML encode attribute	128
B.2.2	Variant Attribute Overwriting Rules	128
B.3	Encoding instructions	129
B.3.1	XSD data type identification	129
B.3.2	Any element	129
B.3.3	Any attributes	130
B.3.4	Attribute	131
B.3.5	AttributeFormQualified	131
B.3.6	Control namespace identification	131
B.3.7	Default for empty	132
B.3.8	Element	132
B.3.9	ElementFormQualified	132
B.3.10	Embed values	133
B.3.11	Form	133
B.3.12	List	133
B.3.13	Name	134
B.3.14	Namespace identification	134
B.3.15	Nillable elements	135
B.3.16	Use union	135
B.3.17	Text	136
B.3.18	Use number	136
B.3.19	Use order	137
B.3.20	Whitespace control	137
B.3.21	Untagged elements	137
B.3.22	Abstract	138
B.3.23	Block	139
B.3.24	Use type	139
B.3.25	Process the content of any elements and attributes	140
B.3.26	Transparent	140
B.3.27	No Type	141
B.3.28	Number of fraction digits	141
B.3.29	XML header control	142
Annex C (informative):	Examples	143
C.0	General	143
C.1	Example 1	143
C.2	Example 2	145
C.3	Example 3	146
Annex D (informative):	Deprecated features	150
D.1	Using the anyElement encoding instruction to record of fields	150
D.2	Using the XML language identifier string	150
D.3	Id	151
Annex E (informative):	Bibliography	152
History		153

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This final draft ETSI Standard (ES) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS), and is now submitted for the ETSI standards Membership Approval Procedure.

The present document is part 9 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document defines the mapping rules for W3C[®] XML Schema (as defined in [7] to [9]) to TTCN-3 as defined in ETSI ES 201 873-1 [1] to enable testing of XML-based systems, interfaces and protocols.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI ES 201 873-1: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 1: TTCN-3 Core Language".
- [2] ETSI ES 201 873-7: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 7: Using ASN.1 with TTCN-3".
- [3] Recommendation ITU-T X.680: "Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation".
- [4] Recommendation ITU-T X.694: "Information technology - ASN.1 encoding rules: Mapping W3C XML schema definitions into ASN.1".
- [5] World Wide Web Consortium W3C Recommendation: "Extensible Markup Language (XML) 1.1".

NOTE: Available at <http://www.w3.org/TR/xml11>.

- [6] World Wide Web Consortium W3C Recommendation (2006): "Namespaces in XML 1.0".

NOTE: Available at <http://www.w3.org/TR/REC-xml-names/>.

- [7] World Wide Web Consortium W3C Recommendation (2004): "XML Schema Part 0: Primer".

NOTE: Available at <http://www.w3.org/TR/xmlschema-0>.

- [8] World Wide Web Consortium W3C Recommendation (2004): "XML Schema Part 1: Structures".

NOTE: Available at <http://www.w3.org/TR/xmlschema-1>.

- [9] World Wide Web Consortium W3C Recommendation (2004): "XML Schema Part 2: Datatypes".

NOTE: Available at <http://www.w3.org/TR/xmlschema-2>.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1] World Wide Web Consortium W3C Recommendation: "SOAP version 1.2, Part 1: Messaging Framework".

NOTE: Available at <http://www.w3.org/TR/soap12>.

[i.2] ISO 8601 (2004): "Data elements and interchange formats - Information interchange - Representation of dates and times".

[i.3] Void.

[i.4] ISO/IEC 10646 (2012): "Information technology - Universal Coded Character Set (UCS)".

[i.5] ETSI ES 202 781: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Configuration and Deployment Support".

[i.6] ETSI ES 202 782: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: TTCN-3 Performance and Real Time Testing".

[i.7] ETSI ES 202 784: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Advanced Parameterization".

[i.8] ETSI ES 202 785: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Behaviour Types".

[i.9] ETSI ES 202 786: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Support of interfaces with continuous signals".

[i.10] ETSI ES 202 789: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; TTCN-3 Language Extensions: Extended TRI".

[i.11] ETSI ES 201 873-7: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 7: Using ASN.1 with TTCN-3".

[i.12] ETSI ES 201 873-8: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 8: The IDL to TTCN-3 Mapping".

[i.13] ETSI ES 201 873-11: "Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 11: Using JSON with TTCN-3".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in ETSI ES 201 873-1 [1], Recommendation ITU-T X.694 [4] and the following apply:

alphabetical order: way of sorting the XSD names based on the code positions of their characters according to ISO/IEC 10646 [i.4]

NOTE: During this sorting the group, plane, row and cell octets is considered, in this order. Names, starting with a character with a smaller code position take precedence. Among the names with identical first character, names containing no more characters take precedence over all other names. Otherwise, names with the second character of smaller code position take precedence, etc. This algorithm is to be continued recursively until all names are sorted into a sequential order.

schema component: generic XSD term for the building blocks that comprise the abstract data model of the schema

NOTE: The primary components, which may (type definitions) or obliged to (element and attribute declarations) have names are as follows: simple type definitions, complex type definitions, attribute declarations and element declarations. The secondary components, which are obliged to have names, are as follows: attribute group definitions, identity-constraint definitions, model group definitions and notation declarations. Finally, the "helper" components provide small parts of other components; they are not independent of their context: annotations, model groups, particles, wildcards and attribute uses.

schema document: XML document containing a collection of schema components, assembled in a *schema* element information item

NOTE: The target namespace of the schema document may be defined (specified by the *targetNamespace* attribute of the *schema* element) or may be absent (identified by a missing *targetNamespace* attribute of the *schema* element). The latter case is handled in the present document as a particular case of the target namespace being defined.

target TTCN-3 module: TTCN-3 module, generated during the conversion, to which the TTCN-3 definition produced by the translation of a given XSD declaration or definition is added

XML Schema: set of schema documents forming a complete specification (i.e. all definitions and references are completely defined)

NOTE: The set may be composed of one or more schema documents, and in the latter case identifying one or more target namespaces (including absence of the target namespace) and more than one schema documents of the set may have the same target namespace (including absence of the target namespace).

xsi: attributes: XML attribute stipulating the content of schema-instances (schema-valid XML documents)

NOTE 1: XSD defines several attributes for direct use in any XML documents.

NOTE 2: These attributes are in the namespace <http://www.w3.org/2001/XMLSchema-instance>. By convention these XML attributes are referred to by using the prefix "xsi:", though in practice, any prefix can be used.

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ASN.1	Abstract Syntax Notation One
DTD	Document Type Description
SOAP	Simple Object Access Protocol
SUT	System Under Test
TTCN-3	Testing and Test Control Notation version 3
URI	Uniform Resource Identifier

UTF-8	Unicode Transformation Format-8
W3C [®]	World Wide Web Consortium
XML	eXtensible Markup Language
XSD	XML Schema Definition

4 Introduction

An increasing number of distributed applications use the XML format to exchange data for various purposes like data bases queries or updates or event telecommunications operations such as provisioning. All of these data exchanges follow very precise rules for data format description in the form of Document Type Description (DTD) [5] and [6] or more recently the proposed XML Schemas [7], [5] and [9]. There are even some XML based communication protocols like SOAP [i.1] that are based on XML Schemas. Like any other communication-based systems, components and protocols, XML based systems, components and protocols are candidates for testing using TTCN-3 [1]. Consequently, there is a need for establishing a mapping between XML data description techniques like DTD or Schemas to TTCN-3 standard data types.

The core language of TTCN-3 is defined in ETSI ES 201 873-1 [1] and provides a full text-based syntax, static semantics and operational semantics as well as a definition for the use of the language with ASN.1 in ETSI ES 201 873-7 [i.11]. The XML mapping provides a definition for the use of the core language with XML Schema structures and types, enabling integration of XML data with the language as shown in figure 1.




Figure 1: User's view of the core language and the various presentation formats

For compatibility reasons, it was the purpose of the present document that the TTCN-3 code obtained from the XML Schema using the explicit mapping will be the same as the TTCN-3 code obtained from first converting the XML Schema using Recommendation ITU-T X.694 [4] into ASN.1 [3] and then converting the resulting ASN.1 code into TTCN-3 according to ETSI ES 201 873-7 [i.11]. However, due to the specifics of testing, in a few cases the present document will produce a superset or different constructs of what Recommendation ITU-T X.694 [4] would produce. For example, according to Recommendation ITU-T X.694 [4], abstract elements are omitted when converting the head element of a substitution group, while the present document includes also the abstract elements into the resulted **union** type, thus allowing provoking the SUT with incorrect data.

5 Mapping XML Schemas

5.0 Approach

There are two approaches to the integration of XML Schema and TTCN-3, which will be referred to as implicit and explicit mapping. The implicit mapping makes use of the import mechanism of TTCN-3, denoted by the keywords *language* and *import*. It facilitates the immediate use of data specified in other languages. Therefore, the definition of a specific data interface for each of these languages is required. The explicit mapping translates XML Schema definitions directly into appropriate TTCN-3 language artefacts.

In case of an implicit mapping an internal representation shall be produced from the XML Schema, which representation shall retain all the structural and encoding information. This internal representation is typically not accessible by the user. To make the internal representations related to a given target namespace referenceable in a TTCN-3 module, the module shall explicitly import the target namespace, using its TTCN-3 name equivalent resulting from applying clause 5.2.2 to the namespace. The TTCN-3 import statement shall use the language identifier string specified below. TTCN-3 data types described in clause 6 (equivalents to built-in XSD types), in case of an implicit conversion, are internal to the tool and can be referenced in TTCN-3 modules importing any target namespaces of an XSD document explicitly. These types can be also referenced in TTCN-3 modules that explicitly import the XSD module (see annex A). In this case, the import clause refers to the tool's internal representation of the XSD data types and not to an existing module. When importing from an XSD Schema using implicit mapping, the following language identifier string shall be used:

- "XSD".

For explicit mapping, the information present in the XML Schema shall be mapped into accessible TTCN-3 code and - the XML structural information which does not have its correspondent in TTCN-3 code - into accessible encoding instructions. In case of an explicit conversion the TTCN-3 data types described in clause 6 (equivalents to built-in XSD types) are not visible in TTCN-3 by default, the user shall import the XSD module (see annex A) explicitly, in addition to the TTCN-3 modules resulted from the conversion. When importing TTCN-3 modules generated by explicit conversion, the use of the "XSD" language clause is optional, but if used, the imported TTCN-3 module shall be appended with one of the XML encode attributes, specified in clause B.2.

The mapping shall start on a set of valid XSD *schema*-s and shall result in a set of valid TTCN-3 modules.

All XSD definitions are **public** by default (see clause 8.2.3 of ETSI ES 201 873-1 [1]).

The examples of the present document are written in the assumption of explicit mapping, although the difference is mainly in accessibility and visibility of generated TTCN-3 code and encoding instruction set.

The present document is structured in three distinct parts:

- Clause 6 "Built-in data types" defines the TTCN-3 mapping for all basic XSD data types like strings (see clause 6.2), integers (see clause 6.3), floats (see clause 6.4), etc. and facets (see clause 6.1) that allow for a simple modification of types by restriction of their properties (e.g. restricting the length of a string or the range of an integer).
- Clause 7 "Mapping XSD components" covers the translation of more complex structures that are formed using the components shown in table 1 and a set of XSD attributes (see clause 7.1) which allow for modification of constraints of the resulting types.
- Clause 8 "Substitution" covers the translation of more XSD elements and types that may be substituted for other XSD elements or types respectively in instance documents.

Table 1: Overview of XSD constructs

Element	Defines tags that can appear in a conforming XML document.
attribute	Defines attributes for element tags in a conforming XML document.
simpleType	Defines the simplest types. They may be a built-in type, a list or choice of built-in types and they are not allowed to have attributes.
complexType	Defines types that are allowed to be composed, e.g. have attributes and an internal structure.
named model group	Defines a named group of elements.
attribute group	Defines a group of attributes that can be used as a whole in definitions of complexTypes.
identity constraint	Defines that a component has to exhibit certain properties in regard to uniqueness and referencing.

5.1 Namespaces and document references

5.1.1 Namespaces

A single XML Schema may be composed of a single or several *schema* element information items, and shall be translated to one or more TTCN-3 modules, corresponding to *schema* components that have the same target namespace, including no target namespace. For XSD *schemas* with the same target namespace (including absence of the target namespace) exactly one TTCN-3 module shall be generated.

The names of the TTCN-3 modules generated based on this clause shall be the result of applying the name transformation rules in clause 5.2.2 to the related target namespace, if it exists, or to the predefined name "NoTargetNamespace".

NOTE 1: More than one *schema* element information items in an XML Schema may have the same target namespace, including the case of no target namespace.

The information about the target namespaces and prefixes from the *targetNamespace* and *xmlns* attributes of the corresponding *schema* elements, if exist, shall be preserved in the encoding instruction "namespace as..." attached to the TTCN-3 module. If the target namespace is absent, no "namespace as ..." encoding instruction shall be attached to the TTCN-3 module. All declarations in the module shall inherit the target namespace of the module (including absence of the target namespace).

NOTE 2: If different *schema* element information items using the same target namespace associates different prefixes to that namespace, it is a tool implementation option, which prefix is preserved in the "namespace as..." encoding instruction.

EXAMPLE: Schemas with the same namespace:

```
<?xml version="1.0" encoding="UTF-8"?>
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:ns1="http://www.example.org"
  targetNamespace="http://www.example.org">
  <!-- makes no difference if this schema is including the next one -->
  :
</xsd:schema>

<?xml version="1.0" encoding="UTF-8"?>
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:ns2="http://www.example.org"
  targetNamespace="http://www.example.org">
  <!-- makes no difference if this schema is including the previous one -->
  :
</xsd:schema>
```

Will result e.g. in the following TTCN-3 module:

```
module http_www_example_org {
  : // the content of the module is coming from both schemas
}
with {
  encode "XML";
  variant "namespace as 'http://www.example.org' prefix 'ns1'";
  // the prefix in the encoding instruction could also be 'ns2', this is a tool's option.
}
```

5.1.2 Includes

XSD *include* element information items shall be ignored if the included *schema* element has the same target namespace as the including one (implying the absence of the target namespace). If the included *schema* element has no target namespace but the including *schema* has (i.e. it is not absent), all definitions of the included *schema* shall be mapped twice, i.e. the resulted TTCN-3 definitions shall be inserted to the TTCN-3 module generated for the *schema* element(s) with no target namespace as well as to the module generated for the *schema* element(s) with the target namespace of the including *schema*.