



Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 6: TTCN-3 Control Interface (TCI)

STANDARD PREVIEW
(standards.iteh.ai)
Full standard/standards/etsi/es/201-873-6-v4.9.1-2017-05
<https://standards.iteh.ai/catalog/standards/etsi/es/201-873-6-v4.9.1-2017-05>
4417-8c78-724d92f404d0/etsi-es-201-873-6-v4.9.1-2017-05

Reference

RES/MTS-201873-6 T3TCI ed491

Keywords

control, interface, methodology, TCI, testing,
TTCN-3

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSI/DeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	16
Foreword.....	16
Modal verbs terminology.....	16
1 Scope	17
2 References	17
2.1 Normative references	17
2.2 Informative references.....	18
3 Definitions and abbreviations.....	18
3.1 Definitions.....	18
3.2 Abbreviations	19
4 Introduction	20
5 Compliance.....	20
6 General structure of a TTCN-3 test system.....	20
6.1 Entities in a TTCN-3 test system.....	20
6.1.0 Types of entities.....	20
6.1.1 Test Management and Control (TMC).....	22
6.1.1.0 Test Management and Control Entities	22
6.1.1.1 Test Management (TM)	22
6.1.1.2 Coding and Decoding (CD)	22
6.1.1.3 Component Handling (CH).....	22
6.1.1.4 Test Logging (TL).....	24
6.1.2 TTCN-3 Executable (TE)	24
6.1.3 SUT Adaptor (SA).....	24
6.1.4 Platform Adaptor (PA).....	24
6.2 Execution requirements for a TTCN-3 test system.....	24
7 TTCN-3 control interface and operations.....	24
7.1 Overview of the TCI.....	24
7.1.0 TCI role in a TTCN-3 test system.....	24
7.1.1 Correlation between TTCN-3 and TCI operation invocations.....	25
7.1.1.0 Mapping of TTCN-3 operations to TCI operations.....	25
7.1.1.1 TTCN-3 operations with TCI operation equivalent	25
7.1.1.2 TTCN-3 operations with TCI operation pair equivalent	26
7.1.1.3 TTCN-3 operations without direct TCI operation equivalent	27
7.1.1.3.0 Mapping of TTCN-3 operations to series of TCI operations.....	27
7.1.1.3.1 Test case stop operation.....	27
7.2 TCI data.....	27
7.2.0 Abstract data types.....	27
7.2.1 General abstract data types	27
7.2.1.0 Use of general abstract data types	27
7.2.1.1 Management.....	27
7.2.1.2 Communication	28
7.2.2 Abstract TTCN-3 data types and values	29
7.2.2.0 Definition and scope of use.....	29
7.2.2.1 Abstract TTCN-3 data types	29
7.2.2.2 Abstract TTCN-3 values	31
7.2.2.2.0 Basic rules	31
7.2.2.2.1 The abstract data type Value	32
7.2.2.2.2 The abstract data type IntegerValue	34
7.2.2.2.3 The abstract data type FloatValue	35
7.2.2.2.4 The abstract data type BooleanValue	35
7.2.2.2.5 The abstract data type CharstringValue	35
7.2.2.2.6 The abstract data type UniversalCharstringValue.....	35

7.2.2.2.7	The abstract data type BitstringValue.....	36
7.2.2.2.8	The abstract data type OctetstringValue.....	37
7.2.2.2.9	The abstract data type HexstringValue.....	38
7.2.2.2.10	The abstract data type RecordValue.....	39
7.2.2.2.11	The abstract data type RecordOfValue.....	39
7.2.2.2.12	The abstract data type UnionValue.....	41
7.2.2.2.13	The abstract data type EnumeratedValue.....	41
7.2.2.2.14	The abstract data type VerdictValue.....	41
7.2.2.2.15	The abstract data type AddressValue.....	42
7.2.2.3	Abstract TTCN-3 matching mechanisms.....	42
7.2.2.3.1	The abstract data type MatchingMechanism.....	42
7.2.2.3.2	The abstract data type MatchingList.....	42
7.2.2.3.3	The abstract data type ValueRange.....	43
7.2.2.3.4	The abstract data type CharacterPattern.....	43
7.2.2.3.5	The abstract data type MatchDecodedContent.....	44
7.2.2.4	Data types for complex TTCN-3 properties.....	44
7.2.2.4.0	Scope of use of TTCN-3 properties.....	44
7.2.2.4.1	The abstract data type LengthRestriction.....	44
7.2.2.4.2	The abstract data type Permutation.....	44
7.2.2.4.3	The abstract data type RangeBoundary.....	45
7.2.3	Abstract logging types.....	45
7.2.3.1	The abstract data type TciValueTemplate.....	45
7.2.3.2	The abstract data type TciNonValueTemplate.....	45
7.2.3.3	The Value List and Mismatch Types.....	46
7.2.3.4	The Status Types.....	46
7.3	TCI operations.....	47
7.3.0	The TCI interfaces.....	47
7.3.1	The TCI-TM interface.....	48
7.3.1.0	Scope of use.....	48
7.3.1.1	TCI-TM required.....	48
7.3.1.1.0	Scope of use.....	48
7.3.1.1.1	tciRootModule.....	48
7.3.1.1.2	tciGetImportedModules.....	49
7.3.1.1.3	tciGetModuleParameters.....	49
7.3.1.1.4	tciGetTestCases.....	49
7.3.1.1.5	tciGetTestCaseParameters.....	49
7.3.1.1.6	tciGetTestCaseTSI.....	49
7.3.1.1.7	tciStartTestCase.....	50
7.3.1.1.8	tciStopTestCase.....	50
7.3.1.1.9	tciStartControl.....	50
7.3.1.1.10	tciStopControl.....	50
7.3.1.2	TCI-TM provided.....	51
7.3.1.2.0	Scope of use.....	51
7.3.1.2.1	tciTestCaseStarted.....	51
7.3.1.2.2	tciTestCaseTerminated.....	51
7.3.1.2.3	tciControlTerminated.....	51
7.3.1.2.4	tciGetModulePar.....	52
7.3.1.2.5	tciLog.....	52
7.3.1.2.6	tciError.....	52
7.3.2	The TCI-CD interface.....	52
7.3.2.0	Scope of use.....	52
7.3.2.1	TCI-CD required.....	53
7.3.2.1.0	Scope of use.....	53
7.3.2.1.1	getTypeForName.....	53
7.3.2.1.2	getInteger.....	54
7.3.2.1.3	getFloat.....	54
7.3.2.1.4	getBoolean.....	54
7.3.2.1.5	Void.....	54
7.3.2.1.6	getCharstring.....	54
7.3.2.1.7	getUniversalCharstring.....	54

7.3.2.1.8	getHexString	54
7.3.2.1.9	getBitstring	54
7.3.2.1.10	getOctetstring	55
7.3.2.1.11	getVerdict	55
7.3.2.1.12	tciErrorReq	55
7.3.2.2	TCI-CD provided	55
7.3.2.2.0	Scope of use.....	55
7.3.2.2.1	decode.....	55
7.3.2.2.2	encode.....	55
7.3.2.2.3	decodeValue	56
7.3.2.2.4	encodeValue	56
7.3.3	The TCI-CH interface	56
7.3.3.0	Scope of use	56
7.3.3.1	TCI-CH required	57
7.3.3.1.0	Scope of use.....	57
7.3.3.1.1	tciEnqueueMsgConnected	58
7.3.3.1.2	tciEnqueueCallConnected	58
7.3.3.1.3	tciEnqueueReplyConnected.....	58
7.3.3.1.4	tciEnqueueRaiseConnected	59
7.3.3.1.5	tciCreateTestComponent	59
7.3.3.1.6	tciStartTestComponent	59
7.3.3.1.7	tciStopTestComponent	60
7.3.3.1.8	tciConnect.....	60
7.3.3.1.9	tciDisconnect	60
7.3.3.1.10	tciMap.....	60
7.3.3.1.11	tciMapParam	60
7.3.3.1.12	tciUnmap	61
7.3.3.1.13	tciUnmapParam	61
7.3.3.1.14	tciTestComponentTerminated	61
7.3.3.1.15	tciTestComponentRunning	61
7.3.3.1.16	tciTestComponentDone	61
7.3.3.1.17	tciGetMTC.....	62
7.3.3.1.18	tciExecuteTestCase.....	62
7.3.3.1.19	tciReset	62
7.3.3.1.20	tciKillTestComponent	62
7.3.3.1.21	tciTestComponentAlive.....	63
7.3.3.1.22	tciTestComponentKilled	63
7.3.3.2	TCI-CH provided	63
7.3.3.2.0	Scope of use.....	63
7.3.3.2.1	tciSendConnected	63
7.3.3.2.2	tciSendConnectedBC.....	63
7.3.3.2.3	tciSendConnectedMC.....	64
7.3.3.2.4	tciCallConnected	64
7.3.3.2.5	tciCallConnectedBC	64
7.3.3.2.6	tciCallConnectedMC	65
7.3.3.2.7	tciReplyConnected	65
7.3.3.2.8	tciReplyConnectedBC	66
7.3.3.2.9	tciReplyConnectedMC	66
7.3.3.2.10	tciRaiseConnected	67
7.3.3.2.11	tciRaiseConnectedBC.....	67
7.3.3.2.12	tciRaiseConnectedMC.....	67
7.3.3.2.13	tciCreateTestComponentReq.....	68
7.3.3.2.14	tciStartTestComponentReq.....	68
7.3.3.2.15	tciStopTestComponentReq.....	68
7.3.3.2.16	tciConnectReq	68
7.3.3.2.17	tciDisconnectReq.....	69
7.3.3.2.18	tciMapReq	69
7.3.3.2.19	tciMapParamReq	69
7.3.3.2.20	tciUnmapReq	69
7.3.3.2.21	tciUnmapParamReq.....	70
7.3.3.2.22	tciTestComponentTerminatedReq.....	70
7.3.3.2.23	tciTestComponentRunningReq	70

7.3.3.2.24	tciTestComponentDoneReq.....	70
7.3.3.2.25	tciGetMTCReq.....	70
7.3.3.2.26	tciExecuteTestCaseReq.....	71
7.3.3.2.27	tciResetReq.....	71
7.3.3.2.28	tciKillTestComponentReq.....	71
7.3.3.2.29	tciTestComponentAliveReq.....	71
7.3.3.2.30	tciTestComponentKilledReq.....	71
7.3.4	The TCI-TL interface.....	72
7.3.4.0	Scope of use.....	72
7.3.4.1	TCI-TL provided.....	72
7.3.4.1.0	Scope of use.....	72
7.3.4.1.1	tliTcExecute.....	72
7.3.4.1.2	tliTcStart.....	73
7.3.4.1.3	tliTcStop.....	73
7.3.4.1.4	tliTcStarted.....	73
7.3.4.1.5	tliTcTerminated.....	74
7.3.4.1.6	tliCtrlStart.....	74
7.3.4.1.7	tliCtrlStop.....	74
7.3.4.1.8	tliCtrlTerminated.....	75
7.3.4.1.9	tliMSend_m.....	75
7.3.4.1.10	tliMSend_m_BC.....	76
7.3.4.1.11	tliMSend_m_MC.....	76
7.3.4.1.12	tliMSend_c.....	77
7.3.4.1.13	tliMSend_c_BC.....	77
7.3.4.1.14	tliMSend_c_MC.....	77
7.3.4.1.15	tliMDetected_m.....	78
7.3.4.1.16	tliMDetected_c.....	78
7.3.4.1.17	tliMMismatch_m.....	78
7.3.4.1.18	tliMMismatch_c.....	79
7.3.4.1.19	tliMReceive_m.....	79
7.3.4.1.20	tliMReceive_c.....	80
7.3.4.1.21	tliPrCall_m.....	80
7.3.4.1.22	tliPrCall_m_BC.....	81
7.3.4.1.23	tliPrCall_m_MC.....	81
7.3.4.1.24	tliPrCall_c.....	82
7.3.4.1.25	tliPrCall_c_BC.....	82
7.3.4.1.26	tliPrCall_c_MC.....	82
7.3.4.1.27	tliPrGetCallDetected_m.....	83
7.3.4.1.28	tliPrGetCallDetected_c.....	83
7.3.4.1.29	tliPrGetCallMismatch_m.....	84
7.3.4.1.30	tliPrGetCallMismatch_c.....	84
7.3.4.1.31	tliPrGetCall_m.....	85
7.3.4.1.32	tliPrGetCall_c.....	85
7.3.4.1.33	tliPrReply_m.....	86
7.3.4.1.34	tliPrReply_m_BC.....	86
7.3.4.1.35	tliPrReply_m_MC.....	87
7.3.4.1.36	tliPrReply_c.....	87
7.3.4.1.37	tliPrReply_c_BC.....	88
7.3.4.1.38	tliPrReply_c_MC.....	88
7.3.4.1.39	tliPrGetReplyDetected_m.....	89
7.3.4.1.40	tliPrGetReplyDetected_c.....	89
7.3.4.1.41	tliPrGetReplyMismatch_m.....	90
7.3.4.1.42	tliPrGetReplyMismatch_c.....	90
7.3.4.1.43	tliPrGetReply_m.....	91
7.3.4.1.44	tliPrGetReply_c.....	91
7.3.4.1.45	tliPrRaise_m.....	92
7.3.4.1.46	tliPrRaise_m_BC.....	92
7.3.4.1.47	tliPrRaise_m_MC.....	93
7.3.4.1.48	tliPrRaise_c.....	93
7.3.4.1.49	tliPrRaise_c_BC.....	94
7.3.4.1.50	tliPrRaise_c_MC.....	94
7.3.4.1.51	tliPrCatchDetected_m.....	95

7.3.4.1.52	tliPrCatchDetected_c	95
7.3.4.1.53	tliPrCatchMismatch_m	96
7.3.4.1.54	tliPrCatchMismatch_c	96
7.3.4.1.55	tliPrCatch_m	97
7.3.4.1.56	tliPrCatch_c	97
7.3.4.1.57	tliPrCatchTimeoutDetected	98
7.3.4.1.58	tliPrCatchTimeout	98
7.3.4.1.59	tliCCreate	98
7.3.4.1.60	tliCStart	99
7.3.4.1.61	tliCRunning	99
7.3.4.1.62	tliCAlive	99
7.3.4.1.63	tliCStop	100
7.3.4.1.64	tliCKill	100
7.3.4.1.65	tliCDoneMismatch	100
7.3.4.1.66	tliCDone	101
7.3.4.1.67	tliCKilledMismatch	101
7.3.4.1.68	tliCKilled	101
7.3.4.1.69	tliCTerminated	102
7.3.4.1.70	tliPConnect	102
7.3.4.1.71	tliPDisconnect	102
7.3.4.1.72	tliPMap	103
7.3.4.1.73	tliPMapParam	103
7.3.4.1.74	tliPUnmap	103
7.3.4.1.75	tliPUnmapParam	104
7.3.4.1.76	tliPClear	104
7.3.4.1.77	tliPStart	104
7.3.4.1.78	tliPStop	105
7.3.4.1.79	tliPHalt	105
7.3.4.1.80	tliEncode	105
7.3.4.1.81	tliDecode	106
7.3.4.1.82	tliTTimeoutDetected	106
7.3.4.1.83	tliTTimeoutMismatch	106
7.3.4.1.84	tliTTimeout	107
7.3.4.1.85	tliTStart	107
7.3.4.1.86	tliTStop	107
7.3.4.1.87	tliTRead	108
7.3.4.1.88	tliTRunning	108
7.3.4.1.89	tliSEnter	108
7.3.4.1.90	tliSLeave	109
7.3.4.1.91	tliVar	109
7.3.4.1.92	tliModulePar	109
7.3.4.1.93	tliGetVerdict	110
7.3.4.1.94	tliSetVerdict	110
7.3.4.1.95	tliLog	110
7.3.4.1.96	tliAEnter	111
7.3.4.1.97	tliALeave	111
7.3.4.1.98	tliANomatch	111
7.3.4.1.99	tliARepeat	111
7.3.4.1.100	tliADefaults	112
7.3.4.1.101	tliAActivate	112
7.3.4.1.102	tliADeactivate	112
7.3.4.1.103	tliAWait	113
7.3.4.1.104	tliAction	113
7.3.4.1.105	tliMatch	113
7.3.4.1.106	tliMatchMismatch	113
7.3.4.1.107	tliInfo	114
7.3.4.1.108	tliMChecked_m	114
7.3.4.1.109	tliMChecked_c	114
7.3.4.1.110	tliPrGetCallChecked_m	115
7.3.4.1.111	tliPrGetCallChecked_c	115
7.3.4.1.112	tliPrGetReplyChecked_m	116
7.3.4.1.113	tliPrGetReplyChecked_c	116

7.3.4.1.114	tliPrCatchChecked_m.....	117
7.3.4.1.115	tliPrCatchChecked_c	117
7.3.4.1.116	tliCheckedAny_m.....	118
7.3.4.1.117	tliCheckedAny_c	118
7.3.4.1.118	tliCheckAnyMismatch_m.....	118
7.3.4.1.119	tliCheckAnyMismatch_c	119
7.3.4.1.120	tliRnd	119
7.3.4.1.121	tliEvaluate.....	119
8	Java™ language mapping.....	120
8.1	Introduction	120
8.2	Names and scopes	120
8.2.1	Names	120
8.2.2	Scopes	120
8.3	Type mapping.....	120
8.3.1	Basic type mapping.....	120
8.3.2	Structured type mapping	121
8.3.2.0	General principles	121
8.3.2.1	TciParameterType	121
8.3.2.2	TciParameterPassingModeType.....	122
8.3.2.3	TciParameterListType	122
8.3.2.4	TciTypeClassType	122
8.3.2.5	TciTestComponentKindType	123
8.3.2.6	TciBehaviourIdType	123
8.3.2.7	TciTestCaseIdType	123
8.3.2.8	TciModuleIdType	123
8.3.2.9	TciModuleParameterIdType	123
8.3.2.10	TciModuleParameterListType	124
8.3.2.11	TciModuleParameterType.....	124
8.3.2.12	TciParameterTypeListType.....	124
8.3.2.13	TciParameterTypeType.....	125
8.3.2.14	TciModuleIdListType	125
8.3.2.15	TciTestCaseIdListType.....	125
8.3.2.16	TciDecodingResult.....	126
8.3.2.17	TciMatchingTypeType.....	126
8.3.2.18	LengthRestriction.....	126
8.3.2.19	Permutation	127
8.3.2.20	RangeBoundary.....	127
8.3.3	Abstract type mapping.....	128
8.3.3.0	General principles	128
8.3.3.1	Type	128
8.3.4	Abstract value mapping	129
8.3.4.0	General principles	129
8.3.4.1	Value	129
8.3.4.2	IntegerValue	130
8.3.4.3	FloatValue	131
8.3.4.4	BooleanValue	131
8.3.4.5	CharstringValue	131
8.3.4.6	BitstringValue	132
8.3.4.7	OctetstringValue	133
8.3.4.8	UniversalCharstringValue	134
8.3.4.9	HexstringValue	134
8.3.4.10	RecordValue.....	135
8.3.4.11	RecordOfValue	135
8.3.4.12	UnionValue	137
8.3.4.13	EnumeratedValue.....	137
8.3.4.14	VerdictValue	138
8.3.4.15	AddressValue	138
8.3.5	Abstract template mapping	138
8.3.5.0	General principles	138
8.3.5.1	MatchingMechanism.....	138
8.3.5.2	MatchingList	139

8.3.5.3	ValueRange	139
8.3.5.4	CharacterPattern	139
8.3.5.5	MatchDecodedContent	140
8.3.6	Abstract logging types mapping	140
8.3.6.0	General principles	140
8.3.6.1	TciValueTemplate	140
8.3.6.2	TciNonValueTemplate	140
8.3.6.3	TciValueList	141
8.3.6.4	TciValueDifference	141
8.3.6.5	TciValueDifferenceList	141
8.3.6.6	ComponentStatus	142
8.3.6.7	TimerStatus	142
8.3.6.8	TciStatus	142
8.4	Constants	142
8.5	Mapping of interfaces	144
8.5.0	Calling rules	144
8.5.1	The TCI-TM interface	144
8.5.1.1	TCI-TM provided	144
8.5.1.2	TCI-TM required	145
8.5.2	The TCI-CD interface	145
8.5.2.1	TCI-CD provided	145
8.5.2.2	TCI-CD required	145
8.5.3	The TCI-CH interface	145
8.5.3.1	TCI-CH provided	145
8.5.3.2	TCI-CH required	147
8.5.4	The TCI-TL interface	148
8.5.4.1	TCI-TL provided	148
8.6	Optional parameters	152
8.7	TCI initialization	152
8.8	Error handling	152
9	ANSI C language mapping	153
9.1	Introduction	153
9.2	Value interfaces	153
9.3	Logging interface	158
9.4	Operation interfaces	159
9.4.1	The TCI-TM interface	159
9.4.1.1	TCI-TM provided	159
9.4.1.2	TCI-TM required	159
9.4.2	The TCI-CD interface	159
9.4.2.1	TCI-CD provided	159
9.4.2.2	TCI-CD required	160
9.4.3	The TCI-CH interface	160
9.4.3.1	TCI-CH provided	160
9.4.3.2	TCI-CH required	161
9.4.4	The TCI-TL interface	161
9.4.4.1	TCI-TL provided	161
9.5	Data	166
9.6	Miscellaneous	168
9.7	Optional parameters	168
10	C++ language mapping	169
10.1	Introduction	169
10.2	Names and scopes	169
10.3	Memory management	169
10.4	Error handling	169
10.5	Type mapping	169
10.5.0	Basic concepts	169
10.5.1	Encapsulated C++ types	169
10.5.2	General abstract data types	170
10.5.2.1	TciBehaviourId	170
10.5.2.2	TciModuleId	170

10.5.2.3	TciModuleParameterId	170
10.5.2.4	TciTestCaseId	171
10.5.2.5	TciModuleIdList	171
10.5.2.6	TciModuleParameter	172
10.5.2.7	TciModuleParameterList	172
10.5.2.8	TciParameterPassingMode	173
10.5.2.9	TciParameter	173
10.5.2.10	TciParameterList	173
10.5.2.11	TciParameterType	174
10.5.2.12	TciParameterTypeList	174
10.5.2.13	TciTestComponentKind	175
10.5.2.14	TciTypeClass	175
10.5.2.15	TciTestCaseIdList	176
10.5.2.16	TciMatchingTypeType	176
10.5.2.17	LengthRestriction	176
10.5.2.18	Permutation	177
10.5.2.19	RangeBoundary	178
10.5.3	Abstract TTCN-3 data types and values	178
10.5.3.1	TciType	178
10.5.3.2	TciValue	179
10.5.3.3	IntegerValue	181
10.5.3.4	FloatValue	181
10.5.3.5	BooleanValue	181
10.5.3.6	CharstringValue	182
10.5.3.7	UniversalCharstringValue	182
10.5.3.8	BitstringValue	183
10.5.3.9	OctetstringValue	184
10.5.3.10	HexstringValue	184
10.5.3.11	RecordValue	185
10.5.3.12	RecordOfValue	186
10.5.3.13	UnionValue	187
10.5.3.14	EnumeratedValue	187
10.5.3.15	VerdictValue	188
10.5.3.16	VerdictValueEnum	188
10.5.3.17	AddressValue	188
10.5.3.18	MatchingMechanism	189
10.5.3.19	MatchingList	189
10.5.3.20	ValueRange	190
10.5.3.21	CharacterPattern	190
10.5.3.22	MatchDecodedContent	191
10.5.4	Abstract logging types	191
10.5.4.1	TciValueTemplate	191
10.5.4.2	TciNonValueTemplate	192
10.5.4.3	TciValueList	192
10.5.4.4	TciValueDifference	193
10.5.4.5	TciValueDifferenceList	193
10.5.4.6	ComponentStatus	194
10.5.4.7	TimerStatus	194
10.5.4.8	TciStatus	194
10.6	Operations mapping	194
10.6.1	TCI-TM	194
10.6.1.1	TciTmRequired	194
10.6.1.2	TciTmProvided	195
10.6.2	TCI-CD	195
10.6.2.1	TciCdRequired	195
10.6.2.2	TciCdProvided	196
10.6.3	TCI-CH	196
10.6.3.1	TciChRequired	196
10.6.3.2	TciChProvided	197
10.6.4	TCI-TL	199
10.6.4.1	TciTIProvided	199

11	W3C XML mapping.....	207
11.1	Introduction.....	207
11.2	Scopes.....	207
11.3	Type mapping.....	208
11.3.1	Mapping of simple types.....	208
11.3.1.1	TBoolean.....	208
11.3.1.2	TString.....	208
11.3.1.3	TInteger.....	208
11.3.1.4	TriTimerDurationType.....	208
11.3.1.5	TciParameterPassingModeType.....	208
11.3.1.6	TriStatusType.....	208
11.3.1.7	TciStatusType.....	208
11.3.1.8	ComponentStatusType.....	208
11.3.1.9	TimerStatusType.....	208
11.3.1.10	PortStatusType.....	209
11.3.2	Complex type mapping.....	209
11.3.2.1	TriPortIdType.....	209
11.3.2.2	TriComponentIdType.....	209
11.3.2.3	TriComponentIdListType.....	209
11.3.2.4	Port.....	210
11.3.2.5	Id.....	210
11.3.2.6	TriMessageType.....	210
11.3.2.7	TriParameterType.....	211
11.3.2.8	TriParameterListType.....	211
11.3.2.9	TriAddressType.....	211
11.3.2.10	TriAddressListType.....	212
11.3.2.11	TriExceptionType.....	212
11.3.2.12	TriSignatureIdType.....	212
11.3.2.13	TriTimerIdType.....	213
11.3.2.14	TriTimerDurationType.....	213
11.3.2.15	QualifiedName.....	213
11.3.2.16	TciBehaviourIdType.....	213
11.3.2.17	TciTestCaseIdType.....	214
11.3.2.18	TciParameterType.....	214
11.3.2.19	TciParameterListType.....	214
11.3.2.20	TriPortIdListType.....	215
11.3.3	Abstract value mapping.....	215
11.3.3.1	Value.....	215
11.3.3.2	IntegerValue.....	216
11.3.3.3	FloatValue.....	217
11.3.3.4	BooleanValue.....	217
11.3.3.5	Void.....	218
11.3.3.6	VerdictValue.....	218
11.3.3.7	BitstringValue.....	218
11.3.3.8	HexstringValue.....	219
11.3.3.9	OctetstringValue.....	219
11.3.3.10	CharstringValue.....	220
11.3.3.11	UniversalCharstringValue.....	220
11.3.3.12	RecordValue.....	221
11.3.3.13	RecordOfValue.....	222
11.3.3.14	ArrayValue.....	224
11.3.3.15	SetValue.....	225
11.3.3.16	SetOfValue.....	227
11.3.3.17	EnumeratedValue.....	228
11.3.3.18	UnionValue.....	229
11.3.3.19	AnytypeValue.....	230
11.3.3.20	AddressValue.....	231
11.3.3.21	ComponentValue.....	232
11.3.3.22	PortValue.....	233
11.3.3.23	DefaultValue.....	233
11.3.3.24	TimerValue.....	234
11.3.4	Abstract logging types mapping.....	234

11.3.4.1	TciValueTemplate	234
11.3.4.2	TciNonValueTemplate	235
11.3.4.3	TciValueList	236
11.3.4.4	TciValueDifference	236
11.3.4.5	TciValueDifferenceList	236
11.4	Mapping of the operations on the logging interface	237
11.4.0	Mapping rules	237
11.4.1	Event	237
11.4.2	The TCI-TL interface	237
11.4.2.1	TCI-TL provided	237
12	C# mapping	259
12.1	Introduction	259
12.2	Names and scopes	259
12.2.1	Names	259
12.2.2	Scopes	259
12.3	Null value mapping	259
12.4	Type mapping	259
12.4.1	Basic type mapping	259
12.4.1.0	Mapped types	259
12.4.1.1	TciVerdict	260
12.4.2	Structured type mapping	260
12.4.2.0	Mapping rules	260
12.4.2.1	TciParameterPassingModeType	260
12.4.2.2	TciParameterType	261
12.4.2.3	TciParameterListType	261
12.4.2.4	TciTypeClassType	261
12.4.2.5	TciTestComponentKindType	262
12.4.2.6	TciBehaviourIdType	262
12.4.2.7	TciTestCaseIdType	262
12.4.2.8	TciTestCaseIdListType	262
12.4.2.9	TciModuleIdType	263
12.4.2.10	TciModuleIdListType	263
12.4.2.11	TciModuleParameterIdType	263
12.4.2.12	TciModuleParameterType	263
12.4.2.13	TciModuleParameterListType	263
12.4.2.14	TciParameterTypeType	264
12.4.2.15	TciParameterTypeListType	264
12.4.2.16	TciMatchingTypeType	265
12.4.2.17	LengthRestriction	265
12.4.2.18	Permutation	265
12.4.2.19	RangeBoundary	265
12.4.3	Abstract type mapping	266
12.4.3.0	Mapping rules	266
12.4.3.1	Type	266
12.4.4	Abstract value mapping	267
12.4.4.0	Mapping rules	267
12.4.4.1	Value	267
12.4.4.2	IntegerValue	269
12.4.4.3	FloatValue	269
12.4.4.4	BooleanValue	269
12.4.4.5	CharstringValue	269
12.4.4.6	BitstringValue	270
12.4.4.7	OctetstringValue	271
12.4.4.8	UniversalCharstringValue	271
12.4.4.9	HexstringValue	272
12.4.4.10	RecordValue	272
12.4.4.11	RecordOfValue	273
12.4.4.12	UnionValue	274
12.4.4.13	EnumeratedValue	275
12.4.4.14	VerdictValue	275
12.4.4.15	AddressValue	275

12.4.5	Abstract template mapping	275
12.4.5.0	Mapping rules	275
12.4.5.1	MatchingMechanism.....	275
12.4.5.2	MatchingList	276
12.4.5.3	ValueRange	276
12.4.5.4	CharacterPattern.....	276
12.4.5.5	MatchDecodedContent.....	277
12.4.6	Abstract logging types mapping	277
12.4.6.0	Mapping rules	277
12.4.6.1	TciValueTemplate.....	277
12.4.6.2	TciNonValueTemplate.....	277
12.4.6.3	TciValueList.....	278
12.4.6.4	TciValueDifference.....	278
12.4.6.5	TciValueDifferenceList.....	278
12.4.6.6	TciStatusType	279
12.4.6.7	ComponentStatusType.....	279
12.4.6.8	TimerStatusType	279
12.5	Mapping of interfaces.....	279
12.5.0	Calling rules.....	279
12.5.1	TCI-TM interface.....	280
12.5.1.1	TCI-TM provided.....	280
12.5.1.2	TCI-TM required.....	280
12.5.2	TCI-CD interface	280
12.5.2.1	TCI-CD provided	280
12.5.2.2	TCI-CD required	281
12.5.3	TCI-CH interface	281
12.5.3.1	TCI-CH provided.....	281
12.5.3.2	TCI-CH required.....	282
12.5.4	TCI-TL interface.....	283
12.5.4.1	TCI-TL provided.....	283
12.6	Optional parameters	289
12.7	Error Handling.....	289
Annex A (normative):	IDL Specification of TCI.....	290
Annex B (normative):	XML Mapping for TCI TL Provided.....	308
B.0	Introduction	308
B.1	TCI-TL XML Schema for Simple Types.....	308
B.2	TCI-TL XML Schema for Types	309
B.3	TCI-TL XML Schema for Values	311
B.4	TCI-TL XML Schema for Templates	318
B.5	TCI-TL XML Schema for Events	325
B.6	TCI-TL XML Schema for a Log.....	347
Annex C (informative):	Use scenarios	350
C.0	Introduction	350
C.1	Initialization, collecting information, logging.....	350
C.1.1	Use scenario: initialization	350
C.1.1.0	Scenario description.....	350
C.1.1.1	Sequence diagram.....	351
C.1.1.2	TTCN-3 fragment	351
C.1.2	Use scenario: requesting module parameters	351
C.1.2.0	Scenario description.....	351
C.1.2.1	Sequence diagram.....	352
C.1.2.2	TTCN-3 fragment	352
C.1.3	Use scenario: logging.....	352