

INTERNATIONAL STANDARD

ISO 657-1

First edition
1989-08-01

Hot-rolled steel sections —

Part 1 :
Equal-leg angles — Dimensions

iTeh STANDARD PREVIEW

*Profils en acier laminés à chaud —
(standards.iteh.ai)
Partie 1 : Cornières à ailes égales — Dimensions*

ISO 657-1:1989

<https://standards.iteh.ai/catalog/standards/sist/e264399e-787f-4043-8a91-733d064b2137/iso-657-1-1989>



Reference number
ISO 657-1 : 1989 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 657-1 was prepared by Technical Committee ISO/TC 17, *Steel*.

It cancels and replaces ISO Recommendation R 657-1 : 1968, of which it constitutes a technical revision.

ISO 657 consists of the following parts, under the general title *Hot-rolled steel sections*:

- Part 1: Equal-leg angles — Dimensions
- Part 2: Unequal-leg angles — Dimensions
- Part 5: Equal-leg angles and unequal-leg angles — Tolerances for metric and inch series
- Part 6: Parallel flange sections (metric series) — Dimensions
- Part 10: Parallel flange sections — Tolerances
- Part 11: Sloping flange channel sections (metric series) — Dimensions and sectional properties
- Part 13: Tolerances on sloping flange beam, column and channel sections
- Part 15: Sloping flange beam sections (metric series) — Dimensions and sectional properties
- Part 16: Sloping flange column sections (metric series) — Dimensions and sectional properties
- Part 18: L sections for shipbuilding (metric series) — Dimensions, sectional properties and tolerances
- Part 19: Bulb flats (metric series) — Dimensions, sectional properties and tolerances
- Part 20: Parallel flange channel sections — Dimensions
- Part 21: T-sections with equal depth and flange width — Dimensions

© ISO 1989

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization

Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Hot-rolled steel sections —

Part 1 : Equal-leg angles — Dimensions

iTeh STANDARD PREVIEW (standards.iteh.ai)

1 Scope

This part of ISO 657 specifies dimensions of hot-rolled equal-leg angles.

2 Normative reference

The following standard contains provisions which, through reference in this text, constitute provisions of this part of ISO 657. At the time of publication, the edition indicated was valid. All standards are subject to revision, and parties to agreements based on this part of ISO 657 are encouraged to investigate the possibility of applying the most recent edition of the standard indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 657-5 : 1976, *Hot-rolled steel sections — Part 5 : Equal-leg angles and unequal-leg angles — Tolerances for metric and inch series.*

3 Dimensions

3.1 The dimensions of equal-leg angles are given in table 1. Preferred dimensions are given in bold type.

3.2 The root radii given in table 1 are for information only.

3.3 The toe radius has not been specified and may, if considered necessary, be determined independently for national standards.

4 Sectional properties

The mass, sectional area and sectional properties of equal-leg angles are given for information in table 1. They have been calculated assuming a toe radius equal to half the root radius.

5 Dimensional tolerances

Tolerances on the dimensions specified in table 1 are covered in ISO 657-5.




Table 1 — Dimensions and sectional properties of hot-rolled equal-leg angles

Designation	Mass kg/m	Sectional area cm ²	Dimensions			Distances of centre of gravity				Sectional properties about axes X-X = Y-Y				Sectional properties about axes U-U				V-V		
			A mm	t mm	r _{root} mm	c _x = c _y cm	c _u cm	c _v cm	I _x = I _y cm ⁴	r _x = r _y cm	Z _x = Z _y cm ³	I _u cm ⁴	r _u cm	I _v cm ⁴	r _v cm	Z _v cm ³				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)				
20 × 20 × 3	0,882	1,12	20	3	3,5	0,598	1,41	0,846	0,392	0,590	0,279	0,618	0,742	0,165	0,383	0,195				
25 × 25 × 3	1,12	1,42	25	3	3,5	0,723	1,77	1,02	0,803	0,751	0,452	1,27	0,945	0,334	0,484	0,326				
25 × 25 × 4	1,45	1,85	25	4	3,5	0,762	1,77	1,08	1,02	0,741	0,586	1,61	0,931	0,430	0,482	0,399				
30 × 30 × 3	1,36	1,74	30	3	5	0,835	2,12	1,18	1,40	0,899	0,649	2,22	1,13	0,585	0,581	0,496				
30 × 30 × 4	1,78	2,27	30	4	5	0,878	2,12	1,24	1,80	0,892	0,850	2,85	1,12	0,754	0,577	0,607				
35 × 35 × 4	2,09	2,67	35	4	5	1,00	2,47	1,42	2,95	1,05	1,18	4,68	1,32	1,23	0,678	0,865				
35 × 35 × 5	2,57	3,28	35	5	5	1,04	2,47	1,48	3,56	1,04	1,45	5,64	1,31	1,49	0,675	1,01				
40 × 40 × 3	1,84	2,35	40	3	6	1,07	2,83	1,52	3,45	1,21	1,18	5,45	1,52	1,44	0,783	0,949				
40 × 40 × 4	2,42	3,08	40	4	6	1,12	2,83	1,58	4,47	1,21	1,55	7,09	1,52	1,86	0,777	1,17				
40 × 40 × 5	2,97	3,79	40	5	6	1,16	2,83	1,64	5,43	1,20	1,91	8,60	1,51	2,26	0,773	1,38				

Table 1 — Dimensions and sectional properties of hot-rolled equal-leg angles (concluded)

Designation	Mass kg/m	Sectional area cm ²	Dimensions		Distances of centre of gravity			Sectional properties about axes								
			A mm	t mm	r _{root} mm	c _x = c _y cm	c _u cm	c _v cm	X-X = Y-Y			U-U			V-V	
									I _x = I _y cm ⁴	r _x = r _y cm	Z _x = Z _y cm ³	I _u cm ⁴	r _u cm	I _v cm ⁴	r _v cm	Z _v cm ³
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
200 × 200 × 16	48,5	61,8	200	16	18	5,52	14,1	7,81	2 340	6,16	162	3 720	7,76	960	3,94	123
200 × 200 × 20	59,9	76,3	200	20	18	5,68	14,1	8,04	2 850	6,11	199	4 530	7,70	1 170	3,92	146
200 × 200 × 24	71,1	90,6	200	24	18	5,84	14,1	8,26	3 330	6,06	235	5 280	7,64	1 380	3,90	167
250 × 250 × 28	104	133	250	28	18	7,24	17,7	10,2	7 700	7,62	433	12 200	9,61	3 170	4,89	309
250 × 250 × 35	128	163	250	35	18	7,50	17,7	10,6	9 260	7,54	529	14 700	9,48	3 860	4,87	364

NOTES

1 Member countries may choose, to be included in their national standards, the sizes which are required to meet their demand. For the angles so chosen, only thicknesses which can be rolled in their mills to meet the demand of the users may be selected from the list of thicknesses corresponding to equal angles in table 1.

2 The sectional area has been calculated using the formula

$$S = [t(2A - t) + 0,2146(r_{root}^2 - 2r_{toe}^2)] \times \frac{1}{100}$$

where

S is the sectional area, in square centimetres;

t is the thickness, in millimetres;

r_{root} is the root radius, in millimetres;

r_{toe} is the toe radius, in millimetres;

A is the leg length, in millimetres.

3 Mass is calculated on the basis of density of steel of 7,85 kg/dm³.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

This page intentionally left blank

ISO 657-1:1989

<https://standards.iteh.ai/catalog/standards/sist/e264399e-787f-4043-8a91-733d064b2137/iso-657-1-1989>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 657-1:1989

<https://standards.iteh.ai/catalog/standards/sist/e264399e-787f-4043-8a91-733d064b2137/iso-657-1-1989>

UDC 669.14-122.4-423.2

Descriptors : steel products, hot rolled products, metal sections, angle irons, dimensions.

Price based on 4 pages
