



SLOVENSKI STANDARD
SIST ETS 300 012-7 E2:2003
01-december-2003

**Integrated Services Digital Network (ISDN) – Basic User Network Interface (UNI) –
Part 7: Abstract Test Suite specification (ATS) for interface IB**

Integrated Services Digital Network (ISDN); Basic User-Network Interface (UNI); Part 7:
Abstract Test Suite (ATS) specification for interface IB

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **ETS 300 012-7 Edition 2**
SIST ETS 300 012-7 E2:2003
<https://standards.iteh.ai/catalog/standards/sist/e16e310d-db7d-4630-9296-397037173d79/sist-ets-300-012-7-e2-2003>

ICS:

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

SIST ETS 300 012-7 E2:2003

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ETS 300 012-7 E2:2003

<https://standards.iteh.ai/catalog/standards/sist/e16e310d-db7d-4630-9296-397037173d79/sist-ets-300-012-7-e2-2003>



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 012-7

October 1998

Second Edition

Source: TM

Reference: RE/TM-03038-7

ICS: 33.020

Key words: ATS, basic, ISDN, layer 1, testing, transmission, UNI

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Integrated Services Digital Network (ISDN);
Basic User Network Interface (UNI);
Part 7: Abstract Test Suite specification (ATS) for interface I_B

SIST ETS 300 012-7 E2:2003
Source: https://standards.iteh.ai/catalog/standards/sist-ets-300-012-7-e2-2003/397037173d79/sist-ets-300-012-7-e2-2003

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

Internet: secretariat@etsi.fr - <http://www.etsi.fr> - <http://www.etsi.org>

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998. All rights reserved.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 012-7 E2:2003](https://standards.iteh.ai/catalog/standards/sist/e16e310d-db7d-4630-9296-397037173d79/sist-ets-300-012-7-e2-2003)

<https://standards.iteh.ai/catalog/standards/sist/e16e310d-db7d-4630-9296-397037173d79/sist-ets-300-012-7-e2-2003>

Contents

Foreword	5
1 Scope	7
2 Normative references	7
3 Definitions and abbreviations	8
3.1 Definitions	8
3.2 Abbreviations	8
4 Abstract Test Method (ATM)	8
4.1 Particularities of the physical layer	9
5 Untestable test purposes	9
6 ATS conventions	9
6.1 General design issues	9
6.1.1 Declarations part	10
6.1.1.1 Type definitions	10
6.1.1.1.1 Simple type definitions	10
6.1.1.1.2 Structured type definitions	10
6.1.1.1.3 Abstract Service Primitive (ASP) type definitions	10
6.1.1.1.4 PDU type definitions	11
6.1.1.2 Test suite constants	11
6.1.1.3 Test suite parameters	11
6.1.1.4 Variables	11
6.1.1.4.1 Test suite variables	11
6.1.1.4.2 Test case variables	11
6.1.1.5 Test suite operation definitions	11
6.1.1.6 Alias definitions	11
6.1.2 Constraint part	12
6.1.2.1 Structured type constraint declaration	12
6.1.2.2 ASN.1 type constraint declaration	12
6.1.2.3 ASP type constraint declaration	12
6.1.2.3.1 ASN.1 ASP type constraint declaration	12
6.1.2.3.2 TTCN ASP type constraint declaration	12
6.1.2.4 PDU type constraint declaration	12
6.1.2.4.1 ASN.1 PDU type constraint declaration	12
6.1.2.4.2 TTCN PDU type constraint declaration	12
6.1.2.5 Chaining of constraints	12
6.1.2.5.1 Static chaining	12
6.1.2.5.2 Dynamic chaining	12
6.1.2.6 Derived constraint	12
6.1.2.7 Parameterized constraints	12
6.1.2.8 Value assignment	13
6.1.2.8.1 Specific values	13
6.1.2.8.2 Matching values	13
6.1.3 Dynamic part	13
6.1.3.1 Test cases	13
6.1.3.2 Test steps	13
6.1.3.3 Defaults	13
7 ATS to Test Purpose (TP) map	13

8	Protocol Conformance Test Report (PCTR) conformance.....	13
9	ATS conformance.....	14
	Annex A (normative): Protocol Conformance Test Report (PCTR) proforma	15
A.1	Identification summary.....	15
A.1.1	Protocol conformance test report.....	15
A.1.2	IUT identification.....	15
A.1.3	Testing environment.....	15
A.1.4	Limits and reservations	16
A.1.5	Comments.....	16
A.2	IUT conformance status	16
A.3	Static conformance summary	16
A.4	Dynamic conformance summary	17
A.5	Static conformance review report.....	17
A.6	Test campaign report.....	18
A.7	Observations.....	19
	Annex B (normative): Abstract Test Suite (ATS)	20
B.1	The TTCN Graphical form (TTCN.GR) for basic access	20
B.2	The TTCN Machine Processable form (TTCN.MP) for basic access	20
	Annex C (informative): General structure of ATS.....	21
History	https://standards.iteh.ai/catalog/standards/sist/e16e310d-db7d-4630-9296-397037173d79/sist-ets-300-012-7-e2-2003	22

ITC STANDARD PREVIEW
 (standards.iteh.ai)

SIST ETS 300 012-7 E2:2003

Foreword

This second edition European Telecommunication Standard (ETS) has been produced by the ETSI Technical Committee Transmission and Multiplexing (TM).

This ETS concerns the basic User Network Interface (UNI) for the Integrated Services Digital Network (ISDN) and consists of 7 parts as follows:

- Part 1: "Layer 1 specification";
- Part 2: "Implementation Conformance Statement (ICS) and Implementation eXtra Information for Testing (IXIT) specification for interface I_A";
- Part 3: "Implementation Conformance Statement (ICS) and Implementation eXtra Information for Testing (IXIT) specification for interface I_B";
- Part 4: "Conformance test specification for interface I_A";
- Part 5: "Conformance test specification for interface I_B";
- Part 6: "Abstract Test Suite (ATS) specification for interface I_A";
- Part 7: "Abstract Test Suite (ATS) specification for interface I_B";**

and is based on ITU-T Recommendation I.430 [12].

Transposition dates	
Date of adoption of this ETS:	18 September 1998
Date of latest announcement of this ETS (doa):	31 January 1999
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 July 1999
Date of withdrawal of any conflicting National Standard (dow):	31 July 1999

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ETS 300 012-7 E2:2003

<https://standards.iteh.ai/catalog/standards/sist/e16e310d-db7d-4630-9296-397037173d79/sist-ets-300-012-7-e2-2003>

1 Scope

This part 7 of ETS 300 012 specifies the Abstract Test Suite (ATS) for the user side of the T reference point or coincident S and T reference point (as defined in CCITT Recommendation I.411 [9]) of implementations conforming to ETS 300 012-1 [1] for the pan-European Integrated Services Digital Network (ISDN).

A further part of this ETS specifies the Test Suite Structure and Test Purposes (TSS&TP) related to this ATS.

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 012-1 (1996): "Integrated Services Digital Network (ISDN); Basic User Network Interface (UNI); Part 1: Layer 1 specification".
- [2] ETS 300 012-2 (1996): "Integrated Services Digital Network (ISDN); Basic User Network Interface (UNI); Part 2: Implementation Conformance Statement (ICS) and Implementation eXtra Information for Testing (IXIT) specification for interface I_A".
- [3] ETS 300 012-3 (1996): "Integrated Services Digital Network (ISDN); Basic User Network Interface (UNI); Part 3: Implementation Conformance Statement (ICS) and Implementation eXtra Information for Testing (IXIT) specification for interface I_B".
- [4] ISO/IEC 9646-1 (1994): "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 1: General concepts".
<https://standards.iteh.ai/catalog/standards/sist/e16e310d-d67d-4630-9296-3970371173d79/sist-ets-300-012-7-e2-2003>
- [5] ISO/IEC 9646-2 (1994): "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 2: Abstract test suite specification".
- [6] ISO/IEC 9646-3 (1992): "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 3: The Tree and Tabular Combined Notation (TTCN)".
- [7] ISO/IEC 9646-4 (1994): "Information technology; Open Systems Interconnection; Conformance testing methodology and framework; Part 4: Test realization".
- [8] ISO/IEC 9646-5 (1994): "Information technology; Open Systems Interconnection; Conformance Testing Methodology and Framework; Part 5: Requirements on test laboratories and clients for the conformance assessment process".
- [9] ITU-T Recommendation I.411 (1993): "ISDN user-network interfaces; references configurations".
- [10] ITU-T Recommendation I.112 (1993): "Vocabulary of terms for ISDNs".
- [11] CCITT Recommendation E.164 (1991): "Numbering plan for the ISDN era".
- [12] ITU-T Recommendation I.430 (1995): "Basic user-network interface; Layer 1 specification".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of this ETS, the following definitions apply:

Implementation Under Test (IUT): See ISO/IEC 9646-1 [4].

System Under Test (SUT): See ISO/IEC 9646-1 [4].

Abstract Test Suite (ATS): See ISO/IEC 9646-1 [4].

Protocol Implementation Conformance Statement (PICS): See ISO/IEC 9646-1 [4].

PICS proforma: See ISO/IEC 9646-1 [4].

Lower Tester (LT): See ISO/IEC 9646-1 [4].

Upper Tester (UT): See ISO/IEC 9646-1 [4].

Point of Control and Observation (PCO): See ISO/IEC 9646-1 [4].

3.2 Abbreviations

For the purposes of this ETS, the following abbreviations apply, in addition to those given in ETS 300 012-1 [1]:

ASP	Abstract Service Primitive
ATM	Abstract Test Method
ATS	Abstract Test Suite
ExTS	Executable Test Suite
ISO	International Organization for Standardization
IUT	Implementation Under Test
LT	Lower Tester
MOT	Means Of Testing
PCO	Point of Control and Observation
PCTR	Protocol Conformance Test Report
PDU	Protocol Data Unit
PICS	Protocol Implementation Conformance Statement
SCTR	System Conformance Test Report
SUT	System Under Test
TCP	Test Co-ordination Procedures
TP	Test Purpose
TSS&TP	Test Suite Structure and Test Purposes
TTCN	Tree and Tabular Combined Notation

4 Abstract Test Method (ATM)

The remote test method is applied for this ATS. The boundary between layer 1 and layer 2 is supposed to be inaccessible. This means that the correct interaction between the Implementation Under Test (IUT) and its upper layer on the one hand, and the management entity on the other hand, is not directly testable. The Points of Control and Observation (PCOs) reside at the service access point between the physical connection and "layer1". These PCOs are named "L" (for Lower), Ld for D-channel, Lp for power status. The L PCOs are used to control and observe the behaviour of the IUT and test case verdicts are assigned depending on the behaviour observed at these PCOs.




Figure 1: Remote test method

Actions by the IUT are caused by either of the following events:

- with layer 1 Protocol Data Units (PDUs) delivered to the IUT via the physical connection;
- with external actions on the IUT. These events are described with Tree and Tabular Combined Notation (TTCN) "implicit send events" whose practical execution is strictly related to the IUT features.

Only PDUs received from the IUT via the physical connection are directly accessible to the tester. By means of the PDUs received the following is tested for conformance:

- correct response of the IUT to a stimulus from the tester;
- correct timer duration of the implement timers;
- state transition.

iTech STANDARD PREVIEW
(standards.iteh.ai)
SIST ETS 300 012-7 E2:2003
<https://standards.iteh.ai/catalog/standards/sist/e16e310d-db7d-4630-9296-397037173479/sist-300-012-7-e2-2003>

Both "normal" and provocative testing are considered according to the tester behaviour.

4.1 Particularities of the physical layer

In upper layers, the tester and the IUT do not always send something, but in physical layer to send nothing means to send Info 0. Then we shall consider in the dynamic part that when the tester action is not specified, that means that it is still sending the last specified Info.

It is quite long to specify every Info 3 emitted by the tester to try to establish Data LinK Layer. Then an operation is used to continuously fill in D-Bit positions inside Info 3.

5 Untestable test purposes

There are no untestable test purposes associated with this ATS.

6 ATS conventions

6.1 General design issues

Clause 6 is structured similarly to the structure of a TTCN ATS. However, the names of the subclauses are arranged in a way more suitable to this ETS.