

SLOVENSKI STANDARD SIST HD 21.2 S2:1998/A6:1998

01-februar-1998

Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V - Part 2: Test methods - Amendment A6

Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V -- Part 2: Test methods

Polyvinylchlorid-isolierte Leitungen mit Nennspannungen bis 450/750 V -- Teil 2: Prüfverfahren

iTeh STANDARD PREVIEW

Conducteurs et câbles isolés au polychlorure de vinyle, de tension assignée au plus égale à 450/750 V -- Partie 2: Méthodes d'essais 8/A6:1998

https://standards.iteh.ai/catalog/standards/sist/62ba561b-a5b5-4f2b-9a1f-

Ta slovenski standard je istoveten z: HD 21.2 S2:1990/A6:1995

ICS:

29.060.20 Kabli Cables

SIST HD 21.2 S2:1998/A6:1998 en

SIST HD 21.2 S2:1998/A6:1998

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST HD 21.2 S2:1998/A6:1998</u> https://standards.iteh.ai/catalog/standards/sist/62ba561b-a5b5-4f2b-9a1f-804c2a0a3550/sist-hd-21-2-s2-1998-a6-1998

HARMONIZATION DOCUMENT DOCUMENT D'HARMONISATION HARMONISIERUNGSDOKUMENT

HD 21.2 S2/A6

January 1995

UDC (621.315.211.2+621.315.32).027.475-036.743.22-001.2.001.4 ICS 29.060.20

CLC/TCZO

Descriptors: See HD 21.2 S2:1990

English version

Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V Part 2: Test methods

Conducteurs et câbles isolés au polychlorure de vinyle, de tension assignée au plus égale à 450/750 V Deuxième partie: Méthodes d'essais

Polyvinylchlorid-isolierte Leitungen mit Nennspannungen bis 450/750 V Teil 2: Prüfverfahren

REPUBLIKA SLOVENIJA MINISTRSTVO ZA ZNANOST IN TEHNOLOGIJO Urad RS za standardizacijo in meroslovje

SIST HD 2 [.4 0.6 [9] ANA:1998

https://standards.iteh.ai/catalog/tipplards/2i4/6/2pa56 [2-4:5A:64f2b-9a1f-8048 29 a3 550/sist-ind-2-1-2-32-1799x-36-1998 -02-1998

-02-1998

This amendment A6 modifies the Harmonization Document HD 21.2 S2:1990; it was approved by CENELEC on 1994-12-06. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for implementation of this amendment on a national level.

Up-to-date lists and bibliographical references concerning such national implementation may be obtained on application to the Central Secretariat or to any CENELEC member.

This amendment exists in three official versions (English, French, German).

CENELEC members are the national electrotechnical committees of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

^{© 1995} Copyright reserved to CENELEC members

Page 2

HD 21.2 S2:1990/A6:1995

Foreword

This amendment was prepared by the Technical Committee CENELEC TC 20, Electric cables.

The text of the draft was submitted to the Unique Acceptance Procedure and was approved by CENELEC as amendment A6 to HD 21.2 S2:1990 on 1994-12-06.

The following dates were fixed:

- latest date by which the existence of the amendment has to be announced at national level

(doa) 1995-06-01

- latest date by which the amendment has to be implemented at national level by publication of a harmonized national standard or by endorsement

(dop) 1995-12-01

- latest date by which the national standards conflicting with the amendment have to be withdrawn

(dow) 1995-12-01

For products which have complied with HD 21.2 S2:1990 and its amendments A2:1990, A3:1993 and A4:1993 before 1995-12-01, as shown by the manufacturer or by a certification body, this previous standard may continue to apply for production until 1996-12-01. iTeh STANDARD PREVIEW

:: (standards.iteh.ai)

4.1 Tests for extensible leads (as added by HD 21.2 S2/A3)

SIST HD 21.2 S2:1998/A6:1998

Replace the text of paragraph iii/bylog/standards/sist/62ba561b-a5b5-4f2b-9a1filleri İsti

804c2a0a3550/sist-hd-21-2-s2-1998-a6-1998

ii) Clamping of sample

> The test sample shall be clamped by the short tail and allowed to hang vertically without any other clamping or restraint, and the sample is then allowed to stabilise its position for three minutes. The position of the clamp shall then be adjusted such that the bottom of the sample is approximately 200 mm above the base of the test chamber.

