



SLOVENSKI STANDARD SIST ETS 300 709 E2:2003

01-december-2003

HYfa]bUg_UcdfYa UfH9LÉ=Vc`'yUbUghcf]hYj 'ja Ygb]_U `cj Y_!glfc^nUghcf]hj Y q|qhYa UJ]XYchM 'lba i `Ha YX]q_Y#_l]dYfa YX]q_Ydc]q_Uj bYqhcf]hj Y

Terminal Equipment (TE); Enhanced Man Machine Interface service for Videotex and Multimedia/Hypermedia retrieval services

iTeh STANDARD PREVIEW

(standards.iteh.ai)

Ta slovenski standard je istoveten z: [SIST ETS 300-709 E2-2003](https://standards.ieec.si/catalog/standards/sist/60144-60e-92e0-4265-9422-5af1604e509f/sist-ets-300-709-e2-2003)

ICS:

- | | | |
|-----------|--|--|
| 33.160.60 | X [^]] ^å•çæ} åç ^ ç ^ åå\ D
•ç{ åç Å] { æ teleconferencing equipment
ç ç[} ^ ç} & | Multimedia systems and |
| 35.180 | Terminalska in druga periferna oprema IT | IT Terminal and other peripheral equipment |

SIST ETS 300 709 E2:2003

en

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST ETS 300 709 E2:2003
<https://standards.iteh.ai/catalog/standards/sist/614446ce-92e0-4265-9422-5af1604e509f/sist-ets-300-709-e2-2003>



EUROPEAN TELECOMMUNICATION STANDARD

ETS 300 709

June 1997

Second Edition

Source: EP-MTA

Reference: RE/MTA-001075
(formerly RE/TE-01075)

ICS: 33.020

Key words: Videotex, VEMMI, multimedia, retrieval services

iTeh STANDARD PREVIEW
Terminal Equipment (TE);
(standards.iteh.ai)
Enhanced Man Machine Interface service for Videotex and
Multimedia/Hypermedia retrieval services

SIST ETS 300 709 E2:2003
 International Standardization Organization
 5afl604e509f/sist-ets-300-709-e2-2003

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1997. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 709 E2:2003
<https://standards.iteh.ai/catalog/standards/sist/614446ce-92e0-4265-9422-5af1604e509f/sist-ets-300-709-e2-2003>

Contents

Foreword	7
1 Scope	9
2 Normative references	9
3 Definitions and abbreviations	10
3.1 Definitions	10
3.2 Abbreviations	11
4 General model.....	12
4.1 Introduction	12
4.2 Definition of the VEMMI elements	13
4.2.1 VEMMI object definition and identification.....	13
4.2.2 VEMMI component definition	13
4.2.3 VEMMI component item definition.....	14
4.2.4 Resource definition.....	14
4.2.5 Transfer of VEMMI objects.....	14
4.2.6 Resource-file transfer.....	14
4.3 VEMMI plane structure model	15
4.3.1 The standard plane for Videotex data	15
4.3.2 The VEMMI objects plane	16
4.4 Operation modes for VEMMI terminals.....	16
4.4.1 The standard mode	16
4.4.2 The VEMMI mode	16
4.4.3 Switching between standard mode and VEMMI mode.....	16
4.5 VEMMI elements data content.....	17
4.5.1 Text data definition.....	17
4.5.2 Bitmaps	18
4.5.3 Colour.....	19
4.5.4 Videotex data	19
4.5.5 Sound	19
4.5.6 Graphical data	19
4.5.7 Video data	19
4.5.8 Multimedia data	20
4.6 VEMMI objects positioning and dimensioning	20
4.6.1 Positioning	20
4.6.2 Dimensioning.....	21
4.7 VEMMI elements states and state parameters.....	21
4.7.1 Object	21
4.7.1.1 Definition of object states	22
4.7.1.2 Definition of object state parameters	23
4.7.2 Component.....	23
4.7.2.1 Definition of component states	23
4.7.2.2 Definition of component state parameters.....	24
4.8 Local action management.....	24
4.9 Memory considerations.....	25
4.10 Common rules for object handling	26
4.10.1 Active state and focus management	26
4.10.2 Behaviour of the modal mode	26
4.10.3 Size considerations and clipping	26
4.11 Local object storage.....	27
4.12 Symbolic directory names.....	27
4.13 Specific rules for dedicated terminals and PDAs.....	28
4.14 VEMMI local storage interchange format.....	29
5 Service description	29

5.1	Service elements initiated by the VEMMI application.....	30
5.1.1	VEMMI_Open	31
5.1.2	VEMMI_Close	31
5.1.3	VEMMI_Resume.....	31
5.1.4	VEMMI_Suspend.....	31
5.1.5	VEMMI_Identify_Term_Cap	32
5.1.6	VEMMI_Set_Options	32
5.1.7	VEMMI_Create_Object.....	32
5.1.8	VEMMI_Open_Object.....	33
5.1.9	VEMMI_Open_Blocking_Object	33
5.1.10	VEMMI_Close_Object	33
5.1.11	VEMMI_Close_All.....	34
5.1.12	VEMMI_Destroy_Object	34
5.1.13	VEMMI_Obj_Access_Disable.....	34
5.1.14	VEMMI_Obj_Access_Enable.....	34
5.1.15	VEMMI_Modify_Component.....	35
5.1.16	VEMMI_Obj_Location_Change	35
5.1.17	VEMMI_Load_Col_Table.....	35
5.1.18	VEMMI_Reset_Col_Table	36
5.1.19	VEMMI_Open_Application.....	36
5.1.20	VEMMI_Delete_Outdated_Objects	37
5.1.21	VEMMI_Store_Objects	37
5.1.22	VEMMI_Erase_Objects	37
5.1.23	VEMMI_User_Lock.....	38
5.1.24	VEMMI_User_Unlock	38
5.1.25	VEMMI_Resource-file_Transfer	38
5.2	Service elements initiated by the terminal.....	39
5.2.1	VEMMI_Identify_Term_Cap_Resp	39
5.2.2	VEMMI_Object_Retransmission.....	40
5.2.3	VEMMI_User_Data.....	41
5.2.4	VEMMI_Open_Application_Resp	41
5.2.5	VEMMI_Store_Objects_Resp	41
5.2.6	VEMMI_Error	41
5.2.7	VEMMI_Transfer_Acknowledge	42
6	VEMMI objects introduction	42
6.1	The Application Bar	43
6.1.1	Composition.....	43
6.2	The Button Bar	43
6.2.1	Composition.....	43
6.3	The Pop-Up Menu	43
6.3.1	Composition.....	43
6.4	The Dialogue Box	44
6.4.1	Composition.....	44
6.4.1.1	The Separator component	44
6.4.1.2	The Frame component	44
6.4.1.3	The Text Presentation Area component	44
6.4.1.4	The Text component.....	44
6.4.1.5	The Graphic Output Area component.....	45
6.4.1.6	The Sensitive Text component	45
6.4.1.7	The Push Button component	45
6.4.1.8	The Text Input Field component	45
6.4.1.9	The Check Box component	45
6.4.1.10	The Radio Button component	45
6.4.1.11	The List Box component	45
6.4.1.12	The Combination Box component.....	45
6.4.1.13	The Slider Component	45
6.4.1.14	The Sensitive Area component.....	45
6.4.1.15	The Multimedia Area component	46
6.5	Operative Object	46
6.6	Bitmap resource object	46
6.7	Videotex Resource Object	46
6.8	Text Resource Object	46

6.9	Font resource object.....	46
6.10	Metacode object.....	46
6.11	The Message Box.....	46
6.12	Sound Object	46
6.13	Video Object	46
6.14	Multimedia Resource Object.....	46
7	Functional description	46
7.1	General rules for the behaviour of elements.....	46
7.1.1	User interaction	46
7.1.2	Local actions and reports	47
7.1.3	Relationship between objects and components.....	48
7.1.4	Open/Close of Sound, Video, Resource and Metacode objects	48
7.1.5	Maximize operation	49
7.1.6	Notational conventions	49
7.1.7	Mnemonic.....	50
7.1.8	Activation and Validation	50
7.2	Text formats.....	50
7.2.1	VEMMI high quality text.....	50
7.2.1.1	Text attributes	50
7.2.1.2	In-text attributes for the definition of sensitive text	51
7.2.2	Text labels and titles.....	51
7.3	The Application Bar.....	51
7.3.1	Composition	54
7.3.1.1	Menu Choice components of the bar.....	54
7.3.1.2	Menu Choice components of the Pull-Down Menu	55
7.3.1.3	Menu Choice components of the Cascading Menu.....	57
7.4	The Button Bar.....	58
7.4.1	Composition	59
7.4.1.1	The Button component	59
7.5	The Pop-Up Menu.....	60
7.5.1	Composition	62
7.5.1.1	Menu Choice components of the Primary Pop-Up Menu	62
7.5.1.2	Menu Choice components of the Cascading Menu	62
7.6	The Dialogue Box.....	63
7.6.1	Composition	65
7.6.1.1	The Separator component.....	65
7.6.1.2	The Frame component	66
7.6.1.3	The Text Presentation Area component.....	67
7.6.1.4	The Text component.....	68
7.6.1.5	The Sensitive Text Component	73
7.6.1.6	The Graphic Output Area component.....	73
7.6.1.7	The Push Button component	76
7.6.1.8	The Text Input Field component.....	76
7.6.1.9	The Check Box component	78
7.6.1.10	The Radio Button component	79
7.6.1.11	The List Box component	80
7.6.1.12	The Combination Box component	82
7.6.1.13	The Slider Component.....	85
7.6.1.14	The Sensitive Area Component.....	86
7.6.1.15	The Multimedia Area component.....	88
7.7	The Message Box.....	89
7.8	Operative object.....	91
7.8.1	Requirements for standalone programs.....	91
7.8.2	Requirements for programs with filter interface	92
7.9	Bitmap Resource Object.....	93
7.10	Videotex Resource Object	94
7.11	Text Resource Object	94
7.12	Font resource object.....	94
7.13	Metacode object.....	95
7.14	Sound Object	95
7.15	Video Object	95
7.16	Multimedia Resource Object.....	95

7.17	The VEMMI content encoding identification catalogue	96
8	Complete coded representation of the VEMMI.....	96
8.1	Introduction.....	96
8.2	Notation used	96
8.3	Overall switching of coding environment.....	97
8.3.1	Switching into the VEMMI mode.....	99
8.3.2	ISO/IEC 9281 syntax structure	99
8.4	VEMMI Command Syntax	101
8.5	Objects, components	104
8.6	Local actions	108
9	Encoding.....	108
9.1	Command structure.....	108
9.2	Object, component and attribute structure.....	109
9.3	Terminal symbols encoding	110
9.3.1	Opcodes	110
9.3.2	Integers.....	110
9.3.3	Enumerated	110
9.3.4	Strings.....	111
9.3.5	NDC	111
9.4	Attributes and lower level symbols	112
9.5	Opcodes.....	115
9.6	Syntax of the VEMMI_Modify_Component	117
9.7	Defaults	120
10	Introduction of the VEMMI service into existing Videotex ETSs.....	121
10.1	Introduction of the VEMMI to ETS 300 072	121
10.2	Introduction of the VEMMI to ETS 300 223 and ETS 300 079	121
Annex A (normative): CCITT Recommendation T.51 [2] String		122
A.1	Scope.....	122
A.2	Graphic character sets	122
A.3	Code extension technique	124
A.4	Repertoire of the latin-based character set	124
A.5	Control functions.....	124
Annex B (normative): Mandatory subset of ISO 8859		125
Annex C (normative): Minimum datatype kernel.....		126
History		127

Foreword

This second edition European Telecommunication Standard (ETS) has been produced by the Terminal Equipment (TE) Technical Committee of the European Telecommunications Standards Institute (ETSI).

Transposition dates	
Date of adoption:	6 June 1997
Date of latest announcement of this ETS (doa):	30 September 1997
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 March 1998
Date of withdrawal of any conflicting National Standard (dow):	31 March 1998

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 709 E2:2003](#)
<https://standards.iteh.ai/catalog/standards/sist/614446ce-92e0-4265-9422-5af1604e509f/sist-ets-300-709-e2-2003>

Blank page

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ETS 300 709 E2:2003
<https://standards.iteh.ai/catalog/standards/sist/614446ce-92e0-4265-9422-5af1604e509f/sist-ets-300-709-e2-2003>

1 Scope

This second edition European Telecommunication Standard (ETS) specifies the data syntax to be used by Videotex and Multimedia/Hypermedia Information retrieval services for implementation of the Videotex Enhanced Man Machine Interface (VEMMI).

In the Videotex case this ETS is applicable to both the Videotex service and the attached Videotex terminals. Those terminals may be connected to the Videotex service via the Public Switched Telephone Network (PSTN), Integrated Services Digital Network (ISDN) or Packet Switched Public Data Network (PSPDN). Typically, the terminals should support ISDN Syntax-Based Videotex (SBV).

The ETS can also be used for any kind of retrieval service (not related to Videotex) by using the relevant underlying platform and content data types.

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] CCITT Recommendation T.50 (1992): "International Reference Alphabet (IRA) (Formerly International Alphabet No. 5 or IA5) - Information technology - 7-bit coded character set for information interchange".
- [2] CCITT Recommendation T.51 (1992): "Latin based coded character sets for telematic services".
iTel STANDARD PREVIEW
(standards.itech.ai)
- [3] CCITT Recommendation T.52 (1993): "Non-Latin coded character sets for telematic services".
- [4] ITU-T Recommendation T.101 (1994): "International interworking for videotex services".
<https://standards.itech.ai/catalog/standards/sist/614446ce-92e0-4265-9422-3a1f604e509f/sist-ets-300-709-e2-2003>
- [5] ITU-T Recommendation T.102 (1993): "Syntax-based videotex end-to-end protocols for circuit mode ISDN".
- [6] ITU-T Recommendation T.105 (1994): "Syntax-based videotex application layer protocol".
- [7] ITU-T Recommendation H.261 (1994): "Video codec for audiovisual services at p x 64 kbit/s".
- [8] ITU-T Recommendation H.320 (1994): "Narrow-band visual telephone systems and terminal equipment".
- [9] ITU-T Recommendation F.300 (1994): "Videotex service".
- [10] ISO 2022 (1986): "Information technology - ISO 7-bit and 8-bit coded character sets - Code extension techniques".
- [11] ISO 2375 (1985): "Data processing - Procedure for registration of escape sequences".
- [12] ISO/IEC 8632 (1992): "Information technology - Computer graphics - Metafile for storage and transfer of picture description information".
- [13] ISO 8859 (1987): "Information Processing - 8-bit single byte coded graphic character sets".
- [14] ISO/IEC 9281 (1990): "Information technology - Picture coding methods".

- [15] ISO/IEC 10646-1 (1993): "Information technology - Universal Multiple-Octet Coded Character Set (UCS); Part 1: Architecture and Basic Multilingual Plane".
- [16] ISO/IEC 10918-1 (1994): "Information technology - Digital compression and coding of continuous-tone still images: Requirements and guidelines".
- [17] ISO/IEC 11172-1 (1993): "Information technology - Coding of moving pictures and associated audio for digital storage media at up to about 1.5 Mbit/s - Part 1: Systems".
- [18] ISO/IEC 11172-2 (1993): "Information technology - Coding of moving pictures and associated audio for digital storage media at up to about 1.5 Mbit/s - Part 2: Video".
- [19] ISO 639 (1988): "Code for the representation of names of languages".
- [20] ETS 300 072 (1990): "Terminal Equipment (TE); Videotex presentation layer protocol, Videotex presentation layer data syntax".
- [21] ETS 300 073: "Videotex presentation layer data syntax; Geometric Display (CEPT Recommendation T/TE 06-02, Edinburgh 1988)".
- [22] ETS 300 076 (1994): "Terminal Equipment (TE); Videotex, Terminal Facility Identifier (TFI)".
- [23] ETS 300 079 (1991): "Integrated Services Digital Network (ISDN); Syntax-based Videotex, End-to-end protocols, circuit mode DTE-DTE".
- [24] **iTeh STANDARD PREVIEW**
(standards.iteh.ai)
 ETS 300 149 (1992): "Terminal Equipment (TE); Videotex, Audio syntax".
- [25] ETS 300 177 (1995): "Terminal Equipment (TE); Videotex, Photographic syntax".
- [26] **SIST ETS 300 709 E2:2003**
[ETS 300-223 \(1993\): "Terminal Equipment \(TE\); Syntax-based Videotex, Common end-to-end protocols"](http://standards.iteh.ai/doc/146970/sis/11446970/2659423) SIST ETS 300-709-e2-2003
- [27] ISO/IEC DIS 13818-1: "Information technology - Generic coding of moving pictures and associated audio information; Part 1: Systems".
- [28] ISO/IEC DIS 13818-2: "Information technology - Generic coding of moving pictures and associated audio information; Part 2: Video".
- [29] ISO 6429 (1992): "Information technology - Control functions for coded character sets".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of this ETS, the following definitions apply:

controls: Visual user-interface elements that allow a user to interact with data.

dedicated terminal: Designed to support VEMMI but using a different platform than a multipurpose personal computer. Such terminals may have processing, storage and presentation limitations.

Defined Display Area (DDA): See ITU-T Recommendation F.300 [9].

emphasis: Highlighting, colour change or other visible indication of the condition of an element or choice and the effect of that condition on a user's ability to interact with that element. Emphasis can also give additional information about the state of an object. The method used to emphasize an element is terminal dependent.

label: Text data associated with a VEMMI component to inform the user of the purpose of a particular component or item.

local manager: See VEMMI local manager.

mnemonic: A single, easy-to-remember alphanumeric character that activates a VEMMI Menu Choice component and validates it. A Mnemonic character can also be used to validate an active Push Button.

modal mode: When a VEMMI object is "modal" it is not possible for the user to leave this VEMMI object to the benefit of another VEMMI object of the same application with different possible access tools. Each attempt to access another object by the user is refused and possibly indicated by a sound signal.

resource file transfer: Mechanism to transfer files referenced by VEMMI resource objects from a VEMMI application to a VEMMI terminal.

stretched presentation: Reduced or enlarged display of a bitmap in order to meet given space requirements.

tiled presentation: Repeated display of a given bitmap in a horizontal and/or vertical direction in order to meet given space requirements.

videotex application: Videotex application using encoded data, protocols and profiles, as defined in the Videotex ETSs referenced in clause 2. A Videotex application does not use a VEMMI service, data and protocols (see ITU-T Recommendation F.300 [9]).

videotex data: Data interchanged between a Videotex application and a Videotex terminal.

VEMMI application: Application offering an enhanced man/machine interface as described in this ETS.

VEMMI data: VEMMI objects (description and contents) and VEMMI commands exchanged between the VEMMI application and the VEMMI terminal.

VEMMI local manager: Software running in the VEMMI terminal to handle and to present the VEMMI objects that are sent to the user by the VEMMI application.
SIST ETS 300 709 E2:2003
<http://standards.iec.ch/catalog/standards/sist/614448cc-92c0-4263-9422-3a1604e5097/sist-ets-300-709-e2-2003>

VEMMI terminal: A terminal which is able to run a VEMMI local manager.

Videotex host computer: See ITU-T Recommendation F.300 [9].

Videotex terminal: See ITU-T Recommendation F.300 [9].

3.2 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

BIN	Bitmap Identification Number
BMP	Microsoft Windows Device-Independent Bitmap
CD-ROM	Compact Disk-Read Only Memory
CGM	Computer Graphics Metafile
CIN	Component Identification Number
CMI	Coding Method Identifier
CR	Carriage Return
DDA	Defined Display Area
DE	Data Entity
DIB	Device-Independent Bitmap
DLL	Dynamic Link Libraries
DRCS	Dynamically Redefinable Character Set
DS I	Data Syntax according to ITU-T Recommendation T.101 [4], annex B
DS II	Data Syntax according to ITU-T Recommendation T.101 [4], annex C
DS III	Data Syntax according to ITU-T Recommendation T.101 [4], annex D
ESC	Escape
FIN	Font Identification Number

G0	Primary character set of CCITT Recommendation T.51 [2]
G2	Supplementary character set of CCITT Recommendation T.51 [2]
GIF	Graphics Interchange Format
GMT	Greenwich Mean Time
GUI	Graphical User Interface
HTML	HyperText Markup Language
HTTP	HyperText Transfer Protocol
IP	Internet Protocol
IRV	International Reference Version
ISDN	Integrated Services Digital Network
JIS	Japanese Institute for Standardization
JPEG	Joint Photographic Experts Groups
LF	Line Feed
LI	Length Indicator
MDI	More Data Indicator
MIDI	Musical Instrument Digital Interface
MIN	Multimedia Identification Number
MPEG	Moving Picture Experts Group
NDC	Normalized Device Co-ordinate
OIN	Object Identification Number
PCD	Picture Code Delimiter
PCE	Picture Control Entity
PDA	Personal Digital Assistant
PDE	Picture Data Entity
PE	Picture Element
PI	Picture Identifier
PM	Picture Mode
PSPDN	Packet Switched Public Data Network
PSTN	Public Switched Telephone Network
RGB	Red Green Blue
SBV	Syntax-Based Videotex
TCP	Transmission Control Protocol
TE	Terminal Equipment
TFI	Terminal Facility Identifier
TIN	Text Identification Number
TLV	Type Length Value
TV	Television
UI	User Interface
URL	Uniform Resource Locator
VEMMI	Videotex Enhanced Man Machine Interface
VIF	VEMMI Interchange Format
VIN	Videotex Identification Number
VPDE	Videotex Presentation Data Element
VTX	Videotex

ITEH STANDARD PREVIEW (standards.iteh.ai)

4 General model

4.1 Introduction

Between a host and a VEMMI terminal a VEMMI service handles:

- general VEMMI objects as described in this ETS;
- data contents as defined in this ETS;
- data contents as referenced in this ETS.

A VEMMI terminal may also handle a Videotex application using encoded data and protocols as described in the Videotex ETSs referenced in clause 2.

4.2 Definition of the VEMMI elements

The logical units which form the structure of the VEMMI shall be named and defined as follows:

- VEMMI objects;
- VEMMI components or components;
- VEMMI component items or items.

VEMMI element is a generic name used in this ETS to designate an object, a component or an item.

An example is given in figure 1.




Figure 1: Example showing objects/components/items

SIST ETS 300 709 E2:2003

4.2.1 VEMMI object definition and identification

<https://standards.iteh.ai/ctdn/tc1e1/i1/14446ce-92e0-4265-9422-5af1604e509/sist-ets-300-709-e2-2003>

The following four different types of VEMMI objects are defined in this ETS:

- display objects;
- operative objects;
- resource objects;
- metacode objects.

If not stated otherwise the term object used alone always refers to a display object.

VEMMI objects are the logical units which are used by a VEMMI application to interact with the user.

VEMMI objects can be composed of different components.

The objects are only defined regarding their functionality, their size and position relative to the Defined Display Area (DDA). The representation of the objects is terminal dependent.

Every object shall be identified by an Object Identification Number (OIN) which shall be unique within a VEMMI application at any one time.

4.2.2 VEMMI component definition

VEMMI components always belong to a VEMMI object and are only valid within this object. The object, to which a component belongs, is named the parent object.

In order to transport information, components may carry a data content (see subclause 4.5).