



User Requirements Specification; Mission Critical Broadband Communications; Part 2: Critical Communications Application

STANDARDS PREVIEW
(standards.iteh.ai)
Full standard available on
<https://standards.iteh.ai/catalog/standards/sic/90d51f3b-78fd-4622-85f6-3b45e7293fac/etsi-tr-102-022-v1-2-1-2018-01>

Reference

RTR/TCCE-01204

Keywords

evolution, requirements, TETRA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	5
Introduction	5
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definitions and abbreviations.....	8
3.1 Definitions.....	8
3.2 Abbreviations	8
4 Critical Communications Application Requirements.....	10
4.1 General	10
4.1.0 Introduction.....	10
4.1.1 Description of Interfaces in Figures 1 to 3.....	12
4.2 Group Addressed Services	16
4.2.0 General.....	16
4.2.1 Emergency communication	18
4.2.2 Dispatcher Override.....	19
4.2.3 Local Fall Back.....	19
4.3 Priority and Pre-Emption Services	20
4.4 Off Network Services	21
4.4.0 General.....	21
4.4.1 Public Safety Specific Requirements for Off Network Services	21
4.4.2 Local network Extension	22
4.5 Calling/Talking Party Identity Restriction.....	23
4.6 Interoperability with Legacy Systems	23
4.7 Support for White Boarding and other Multi-Media Operations.....	24
4.8 Dispatching - a Video Case	24
4.9 Video Briefing.....	24
4.10 Net Preference	24
4.11 Dual Watch.....	24
5 Voice Requirements	24
5.0 General	24
5.1 Intelligibility in Noisy Environments	25
5.2 Call Set up Time.....	25
6 Security.....	25
7 Priorities for Functionality	25
8 Summary of Baseline TETRA and Tetrapol Services and Exceptions to their Transfer to Broadband Requirements (adopted from TETRA04(13)000074r2-Use-of-TETRA-services).....	29
Annex A: Functionality Split Proposal for Group Addressed Calls from 3GPP (Preliminary view)	34
Annex B: Visualization of Relay Node Use.....	36
Annex C: Possible Progression of Interoperability Requirement.....	38
Annex D: Extract from 3GPP TS 22.278 V12.4.0 (2013-09).....	41
Annex E: Requirements from Project Broadmap.....	44

History45

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard d:
<https://standards.iteh.ai/catalog/standards/sist/9d53d93b-78fd-4622-85f6-3b45e7293fac/etsi-tr-102-022-2-v1.2.1-2018-01>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Report (TR) has been produced by ETSI Technical Committee TETRA and Critical Communications Evolution (TCCE).

The present document is part 2 of a multi-part deliverable covering the User Requirement Specification (URs) Mission Critical Broadband Communications, as identified below:

Part 1: "Mission Critical Broadband Communication Requirements";

Part 2: "**Critical Communications Application**".

Modal verbs terminology

In the present document "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The Terms of Reference for TC TCCE approved at ETSI Board meeting #42, 2013 is to produce ETSI deliverables (and maintenance thereafter) in accordance with the following requirements:

- a) To identify requirements for mission and business critical broadband services that will enable an evolution of digital narrowband PMR services to mobile broadband.
- b) To identify and fill standardization gaps such as:
 - 1) Architectural design of critical communications services to be delivered over mobile broadband systems.
 - 2) The development of standards for secure services and interfaces into private and commercial broadband systems.
 - 3) Interconnection of external PMR interfaces to critical communications systems.

- c) The provision and development of proportionate security measures for TETRA and mission critical communications services.
- d) The selection and development of suitable CODECs for audio and video services.
- e) The evolution and enhancement of TETRA and critical communications services as required by the market with the provision of new services, facilities and functionality made possible by new technology innovations and standards.
- f) To identify requirements for the further development of the TETRA standard.
- g) The maintenance of the TETRA standard.

Technical Objective:

- The present document provides the User Requirement Specifications for the Critical Communications Application that facilitates digital PMR services over LTE™.
- The URS is required by TC TCCE to guide the design of the critical communications application to facilitate broadband voice and data communications for critical communications users.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard d:
<https://standards.iteh.ai/catalog/standards/sist/9d53d93b-78fd-4622-85f6-3b45e7293fac/etsi-tr-102-022-2-v1.2.1-2018-01>

1 Scope

The present document provides the User Requirement Specifications for the Critical Communications Application needed to support Broadband Mission Critical Communications over IP communications networks such as LTE.

The present document describes the functionalities which are most needed by users and the requirements they make on the technology. The present document is applicable to the specification of broadband mission critical communications equipment.

The user requirements contained in the present document are described in non-technical terms and are based on discussions in TC TCCE WG1, TC TCCE WG4, LEWP RCEG and TCCA's CCBG SA and UR Groups.

2 References

2.1 Normative references

Normative references are not applicable in the present document.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI TS 122 468 (V12.1.0): "LTE; Group Communication System Enablers for LTE (GCSE-LTE) (3GPP TS 22.468 version 12.1.0 Release 12)".
- [i.2] ETSI TS 122 278 (V12.5.0): "Universal Mobile Telecommunications System (UMTS); LTE; Service requirements for the Evolved Packet System (EPS) (3GPP TS 22.278 version 12.5.0 Release 12)".
- [i.3] ETSI TR 102 022-1: "User Requirement Specification; Mission Critical Broadband Communication Requirements".
- [i.4] NPSTC Recommendations for Push To Talk over Long Term Evolution Requirements, Public Safety Broadband. A NPSTC Public Safety Communications Report.
- [i.5] ETSI EN 300 392-9: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 9: General requirements for supplementary services".
- [i.6] ETSI EN 300 392-12 (sub-parts 1, 3, 7, 8, 10, 16 and 22) : "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 12: Supplementary services stage 3".
- [i.7] 3GPP TS 22.278 (V12.4.0): "Service requirements for the Evolved Packet System (EPS)".
- [i.8] Proximity-based Off Network Public Safety Use Case S1-113165 to 3GPP TSG-SA WG1 from NIST et al.
- [i.9] Requirements associated with Public Safety Off Network Use Case S1-113165 to 3GPP TSG-SA WG1 from NIST.
- [i.10] Tetrapol Specifications PAS 0001-1-2 (V3.0.1): "Part 1: "General Network Design: Part 2: Voice and Data Services in Network and Direct Mode".

- [i.11] WG4 WI DTR/TCCE-04186: "TCCE Critical Communications Architecture Reference Model".
- [i.12] ETSI EN 300 392-1 (V1.4.1): "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 1: General network design".
- [i.13] TETRA04(13)000074r2-Use-of-TETRA-services (Work in progress for ETSI TCCE04).
- [i.14] "Finlands 5 Steps to Critical Broadband", Vinkvist, Pesonen and Peltola, Radio nResource International Q4 2014.

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

Base Station (BS): set of equipment on a single site (which may be more than just a radio function)

mission critical broadband communications: work programme within ETSI Technical Committee TETRA and Critical Communications Evolution to facilitate and enhance the services and facilities of digital PMR such as TETRA operating over LTE in order to meet new user requirements for data and voice

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AL	Ambience Listening
ASSI	Alias Short Subscriber Identity
AVL	Automatic Vehicle Location
BS	Base Station
CA	Conventional Access
CCA	Critical Communications Application
CCBG	Critical Communications Broadband Group
CCS	Critical Communication System
CLIR	Calling Line Identification Restriction
COMM	Common
DA	Direct Access
DGNA	Dynamic Group Number Assignment
DISC	DIScovery

NOTE: Not in the ETSI list.

DMO	Direct Mode of Operation
DTMF	Dual Tone Multi Frequency
EPC	Evolved Packet Core
ETSI	European Telecommunications Standards Institute
E-UTRAN	Evolved Universal Terrestrial Radio Access Network
FFS	For Further Study
GCSE	Group Call Service Enablers
GPS	Global Positioning System
GSCE	Group Communication System Enablers
IP	Internet Protocol
ISI	Inter System Interface
KPI	Key Performance Indicator
LEWP	Law Enforcement Working Party
LMR	Land Mobile Radio
LTE	3GPP Long Term Evolution (4G)
MC	Mission Critical
MCPTT	Mission Critical Press to Talk

ME	Mobile Equipment
MM	Mobility Management
MS	Mobile Station
MU	Mobile Unit comprising UE plus CCA
MVNO	Mobile Virtual Network Operator
NIST	National Institute of Standards and Technology (USA)
NPSTC	National Public Safety Telecommunications Council (not in the ETSI list)
OPS	Operations
PABX	Private Automatic Branch eXchange
PMR	Private Mobile Radio
PPDR	Public Protection and Disaster Recovery
ProSe	Proximity Services
PSTN	Public Services Telephone Network
PTT	Press to Talk
QoS	Quality of Service
RCEG	Radio Communications Experts Group, a working group of LEWP
RF	Radio Frequency
SA	System Architecture

NOTE: Technical Specification Group of 3GPP.

SDS	Short Data Service
SDS-TL	SDS-Transport Layer
SIM	Subscriber Identity Module
SLA	Service Level Agreement
TA	Tracking Area
TCCA	TETRA + Critical Communications Association
TCCE	TETRA and Critical Communications Evolution
TL	Transport Layer
TPI	Talking Party Identity
TR	Technical Report
UE	User Equipment
UR	User Requirements
URS	User Requirement Specification
USIM	Universal Subscriber Identity Module
UTRA	Universal Terrestrial Radio Access
UTRAN	Universal Terrestrial Radio Access Network

Pre-Standard Review
 (standards.itec.ie)
 Full standard:
<https://standards.itec.ie/catalog/standards/sist/9d53d93b-78fd-4622-85f6-34123bfa6/etsi-tr-102-022-2-v1.2.1-2018-01>

4 Critical Communications Application Requirements

4.1 General

4.1.0 Introduction

In order to ensure that IP communications networks such as LTE are able to meet the requirements of critical communications some changes to the 3GPP™ standards are needed. The most critical have been proposed first and are called Group Communication System Enablers (GCSE) [i.1] and Proximity Based Services (ProSE) [i.2]. These have resulted in 3GPP Work Items for Release 12. There are likely to be further requirements. In order to benefit from the market scale available for public LTE and the attendant benefits such as lower cost, open standards, supplier choice, fast development of features and long term evolution of capability the changes proposed to date have been kept to a minimum to improve the chances of them being implemented by manufacturers. This means that to deliver the full mission critical/critical communications functionality there has to be a Critical Communications Application (CCA) that sits above the LTE protocol. This application will need to provide the services required for critical communications [i.3]. (One of these services is push or press to talk, and NPSTC have recommended requirements for Public Safety in the US [i.4]. Outside of North America the PTT voice functionality of TETRA [i.5], [i.6], [i.12] and Tetrapol [i.10] is taken as an assumed baseline on top of which further functionality appropriate to broadband is added. To avoid describing all the many standards a summary of this functionality and the exceptions, that is baseline functionality not needed in broadband are listed in clause 8). The application will need to have implementations in the infrastructure and in terminals with a standardized interface between them so that different vendors can be used.

It is important that the standardization of the CCA should be rapid and co-ordinated to match planned releases of the 3GPP standard containing the appropriate enablers. A phased approach is considered but whilst most user groups want to focus on data services there are some groups, for example in the UK working on their future mission critical communications, who want to rapidly transition to voice services as well. This means that the first release of the CCA has to support core voice and data requirements with extensions in functionality coming in later releases.

There are different needs for supporting migration away from legacy systems depending on the plans in the various user groups for the rate of migration. Some users groups see little need to operate with legacy systems and others see a sustained period of inter-working. The level of interoperability required also varies but there is clearly a need for the first release of the CCA to support some interaction with legacy systems with fuller integration coming later for those who wish to operate their legacy systems for voice and narrowband data for a longer period alongside broadband data or voice and data systems. This is dealt with in more detail in clause 7.

Some thoughts have been given to the partition between functionality to be supported in 3GPP and that by the CCA (annex A). This led to a model of the architecture for Mission Critical Broadband Communications from TCCA CCBG WG SA that defined the requirements of the CCA. This model is being developed in TCCE WG4 [i.11] and a version of this is shown below purely to illustrate the scope of the requirements to be addressed. This diagram will not be updated in this URS.




Figure 1: CCS Reference Model

iTeh STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard:
<https://standards.iteh.ai/catalog/standards/sist/9d53d93d-78fd-4622-85f6-3b45e7293f6c/etsi-tr-102-022-2-v1.2.1-2018-01>




Figure 2: Proximity Services Reference Model




Figure 3: Terminal to Network Relay Reference Model

4.1.1 Description of Interfaces in Figures 1 to 3

Interface 1 LTE Core Network - UE

This interface is specified according to the network protocols of the underlying IP network. Where the underlying network is LTE, it consists of the 3GPP specified standardized LTE UE to EPC interfaces.