



**Intelligent Transport Systems (ITS);  
Users and applications requirements;  
Part 2: Applications and facilities layer  
common data dictionary**

*Standard for Review*  
<https://standards.iteh.ai/catalog/standards/sls/4a5f-9576-c5-4304866c71/etsi-ts-102-894-2-v1-3-1-2018-08>

---

**Reference**

RTS/ITS-00168

---

**Keywords**

application, data, ITS

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M** logo is protected for the benefit of its Members.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	8
Foreword.....	8
Modal verbs terminology.....	8
Introduction .....	8
1 Scope .....	10
2 References .....	10
2.1 Normative references .....	10
2.2 Informative references.....	10
3 Definitions and abbreviations.....	12
3.1 Definitions.....	12
3.2 Abbreviations .....	12
4 ITS data dictionary structure .....	13
4.1 Introduction .....	13
4.2 Attributes for DE/DF identification.....	13
4.2.1 Descriptive name .....	13
4.2.2 Identifier .....	13
4.2.3 ASN.1 representation.....	13
4.3 Attributes for DE/DF definition .....	13
4.3.1 Definition.....	13
4.3.2 Category.....	14
4.3.3 Unit .....	14
<b>Annex A (normative): Data type specifications.....</b>	<b>15</b>
A.1 DE_AccelerationConfidence.....	15
A.2 DE_AccelerationControl .....	16
A.3 DE_AccidentSubCauseCode.....	17
A.4 DE_AdverseWeatherCondition-AdhesionSubCauseCode.....	18
A.5 DE_AdverseWeatherCondition-ExtremeWeatherConditionSubCauseCode .....	19
A.6 DE_AdverseWeatherCondition-PrecipitationSubCauseCode.....	19
A.7 DE_AdverseWeatherCondition-VisibilitySubCauseCode .....	20
A.8 DE_AltitudeConfidence .....	21
A.9 DE_AltitudeValue .....	22
A.10 DE_CauseCodeType .....	22
A.11 DE_CenDsrcTollingZoneID .....	24
A.12 DE_CollisionRiskSubCauseCode .....	24
A.13 DE_CurvatureCalculationMode.....	25
A.14 DE_CurvatureConfidence .....	26
A.15 DE_CurvatureValue .....	27
A.16 DE_DangerousEndOfQueueSubCauseCode.....	27
A.17 DE_DangerousGoodsBasic .....	28
A.18 DE_DangerousSituationSubCauseCode.....	29
A.19 DE_DeltaAltitude.....	29

A.20	DE_DeltaLatitude	30
A.21	DE_DeltaLongitude	30
A.22	DE_DriveDirection	31
A.23	DE_DrivingLaneStatus	31
A.24	DE_EmbarkationStatus	31
A.25	DE_EmergencyPriority	32
A.26	DE_EmergencyVehicleApproachingSubCauseCode	32
A.27	DE_EnergyStorageType	33
A.28	DE_ExteriorLights	33
A.29	DE_HardShoulderStatus	34
A.30	DE_HazardousLocation-AnimalOnTheRoadSubCauseCode	34
A.31	DE_HazardousLocation-DangerousCurveSubCauseCode	35
A.32	DE_HazardousLocation-ObstacleOnTheRoadSubCauseCode	36
A.33	DE_HazardousLocation-SurfaceConditionSubCauseCode	37
A.34	DE_HeadingConfidence	38
A.35	DE_HeadingValue	38
A.36	DE_HeightLonCarr	39
A.37	DE_HumanPresenceOnTheRoadSubCauseCode	39
A.38	DE_HumanProblemSubCauseCode	40
A.39	DE_InformationQuality	40
A.40	DE_LanePosition	41
A.41	DE_Latitude	41
A.42	DE_LateralAccelerationValue	42
A.43	DE_LightBarSirenInUse	42
A.44	DE_Longitude	43
A.45	DE_LongitudinalAccelerationValue	43
A.46	DE_NumberOfOccupants	44
A.47	DE_PathDeltaTime	44
A.48	DE_PerformanceClass	44
A.49	DE_PosCentMass	45
A.50	DE_PositioningSolutionType	45
A.51	DE_PositionOfOccupants	46
A.52	DE_PosFrontAx	47
A.53	DE_PosLonCarr	47
A.54	DE_PosPillar	47
A.55	DE_PostCrashSubCauseCode	48
A.56	DE_ProtectedZoneID	48
A.57	DE_ProtectedZoneRadius	49

A.58	DE_ProtectedZoneType .....	49
A.59	DE_PtActivationData.....	49
A.60	DE_PtActivationType .....	50
A.61	DE_RelevanceDistance.....	50
A.62	DE_RelevanceTrafficDirection.....	51
A.63	DE_RequestResponseIndication .....	51
A.64	DE_RescueAndRecoveryWorkInProgressSubCauseCode .....	52
A.65	DE_RoadType.....	52
A.66	DE_RoadworksSubCauseCode .....	53
A.67	DE_SemiAxisLength.....	54
A.68	DE_SequenceNumber .....	54
A.69	DE_SignalViolationSubCauseCode .....	55
A.70	DE_SlowVehicleSubCauseCode.....	55
A.71	DE_SpecialTransportType .....	56
A.72	DE_SpeedConfidence .....	56
A.73	DE_SpeedLimit.....	57
A.74	DE_SpeedValue .....	57
A.75	DE_StationarySince .....	57
A.76	DE_StationaryVehicleSubCauseCode.....	58
A.77	DE_StationID.....	58
A.78	DE_StationType .....	59
A.79	DE_SteeringWheelAngleConfidence.....	60
A.80	DE_SteeringWheelAngleValue.....	61
A.81	DE_SubCauseCodeType.....	61
A.82	DE_TimestampIts.....	62
A.83	DE_Temperature .....	62
A.84	DE_TrafficConditionSubCauseCode .....	63
A.85	DE_TrafficRule.....	63
A.86	DE_TransmissionInterval.....	64
A.87	DE_TurningRadius.....	64
A.88	DE_ValidityDuration .....	64
A.89	DE_VDS.....	65
A.90	DE_VehicleBreakdownSubCauseCode .....	65
A.91	DE_VehicleLengthConfidenceIndication .....	66
A.92	DE_VehicleLengthValue .....	66
A.93	DE_VehicleMass.....	66
A.94	DE_VehicleRole.....	67
A.95	DE_VehicleWidth .....	67

A.96 DE_VerticalAccelerationValue.....	68
A.97 DE_WheelBaseVehicle.....	68
A.98 DE_WMInumber.....	68
A.99 DE_WrongWayDrivingSubCauseCode.....	69
A.100 DE_YawRateConfidence.....	70
A.101 DE_YawRateValue.....	71
A.102 DF_ActionID.....	71
A.103 DF_Altitude.....	72
A.104 DF_CauseCode.....	72
A.105 DF_CenDsrcTollingZone.....	73
A.106 DF_ClosedLanes.....	73
A.107 DF_Curvature.....	74
A.108 DF_DangerousGoodsExtended.....	75
A.109 DF_DeltaReferencePosition.....	76
A.110 DF_EventHistory.....	76
A.111 DF_EventPoint.....	77
A.112 DF_Heading.....	77
A.113 DF_ItineraryPath.....	78
A.114 DF_ItsPduHeader.....	79
A.115 DF_LateralAcceleration.....	80
A.116 DF_LongitudinalAcceleration.....	80
A.117 DF_PathHistory.....	81
A.118 DF_PathPoint.....	81
A.119 DF_PosConfidenceEllipse.....	82
A.120 DF_PositionOfPillars.....	82
A.121 DF_ProtectedCommunicationZone.....	83
A.122 DF_ProtectedCommunicationZonesRSU.....	83
A.123 DF_PtActivation.....	84
A.124 DF_ReferencePosition.....	85
A.125 DF_RestrictedTypes.....	85
A.126 DF_Speed.....	86
A.127 DF_SteeringWheelAngle.....	86
A.128 DF_Traces.....	87
A.129 DF_VerticalAcceleration.....	87
A.130 DF_VehicleIdentification.....	88
A.131 DF_VehicleLength.....	88
A.132 DF_YawRate.....	89
A.133 DF_DigitalMap.....	89

A.134 DE_OpeningDaysHours .....	89
A.135 DF_PhoneNumber .....	90
<b>Annex B (normative): ASN.1 module of the common data dictionary .....</b>	<b>91</b>
<b>Annex C (informative): Bibliography .....</b>	<b>99</b>
History .....	100

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/e8800801-3b28-4a5f-9576-c54304866c71/etsi-ts-102-894-2-v1.3.1-2018-08>

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Intelligent Transport Systems (ITS).

The present document is part 2 of a multi-part deliverable covering the Intelligent Transport Systems (ITS); Users and applications requirements, as identified below:

Part 1: "Facility layer structure, functional requirements and specifications";

**Part 2: "Applications and facilities layer common data dictionary".**

The specifications of data elements of the facilities layer messages have been tested within various European Projects such as DRIVE C2X, CVIS, SCORE@F, simTD and ETSI Interoperability Test events. Feedbacks from these testing activities have been considered in the present document. The specifications in the present document have also been checked and harmonized with common data dictionary specifications as specified by SAE International.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

# Introduction

ITS applications are enabled by the data exchanges among ITS stations (ITS-S) via wireless or wired communications. A basic set of application [i.1] has been defined by ETSI TC ITS. Accordingly, a set of higher layer messages and communication protocols have been specified in support of this application set.

Even though each message has specific requirements on the data being included and transmitted to other ITS-Ss, ETSI TC ITS has identified a set of data types which are commonly used in multiple ITS applications and facilities layer messages. A common data dictionary is therefore defined for this common set.



For each data type, this common dictionary includes a textual description of the semantic of the data type in question. It also includes the ASN.1 definition of the data type. Therefore, this common data dictionary can be imported by any message when necessary during the encoding and decoding procedure.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/e8800801-3b28-4a5f-9576-c54304866c71/etsi-ts-102-894-2-v1.3.1-2018-08>

# 1 Scope

The present document defines a repository of a set of data elements and data element sets, denoted as data frames, that are commonly used in the ITS applications and facilities layer messages. Each data element is defined with a set of attributes, enabling the identification of the data element in question in a number of perspectives, e.g. descriptive name, ASN.1 definition, data definition, minimum data granularity requirement, etc.

The present document focuses on the data elements being used by the Cooperative Awareness basic service as outlined in ETSI EN 302 637-2 [i.2] and by the Decentralized Environmental Notification basic service as outlined in ETSI EN 302 637-3 [i.3].

The present document does not specify the syntax and requirements of data elements in the specific context of any message. Such syntax and requirements are specified in the corresponding message standards such as ETSI EN 302 637-2 [i.2] and ETSI EN 302 637-3 [i.3].

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Recommendation ITU-T X.680: "Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation".
- [2] ISO 8855: "Road vehicles -- Vehicle dynamics and road-holding ability -- Vocabulary".
- [3] CEN/TS 16157-3:2011: "Intelligent transport systems - DATEX II data exchange specifications for traffic management and information - Part 3: Situation publication".

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI TR 102 638 (V1.1.1): "Intelligent Transport Systems (ITS); Vehicular Communications; Basic Set of Applications; Definitions".
- [i.2] ETSI EN 302 637-2: "Intelligent Transport Systems (ITS); Vehicular Communications; Basic Set of Applications; Part 2: Specification of Cooperative Awareness Basic Service".
- [i.3] ETSI EN 302 637-3: "Intelligent Transport Systems (ITS); Vehicular Communications; Basic Set of Applications; Part 3: Specifications of Decentralized Environmental Notification Basic Service".

- [i.4] European Agreement (Applicable as from 1 January 2011): "Concerning the International Carriage of Dangerous Goods by Road".
- NOTE: Available at <http://www.unece.org/trans/danger/publi/adr/adr2011/11ContentsE.html>.
- [i.5] United Nations: "Recommendations on the Transport of Dangerous Goods - Model Regulations", Twelfth revised edition.
- NOTE: Available at [http://www.unece.org/trans/danger/publi/unrec/12\\_e.html](http://www.unece.org/trans/danger/publi/unrec/12_e.html).
- [i.6] ETSI TS 101 539-1 (V1.1.1): "Intelligent Transport Systems (ITS); V2X Applications; Part 1: Road Hazard Signalling (RHS) application requirements specification".
- [i.7] ISO 3779 (2011-07): "Road vehicles -- Vehicle identification number (VIN) Content and structure".
- [i.8] VDV recommendation 420 (1992): "Technical Requirements for Automatic Vehicle Location / Control Systems - Radio Data Transmission (BON Version) with Supplement 1 and Supplement 2".
- [i.9] ISO 1176:1990: "Road vehicles -- Masses -- Vocabulary and codes".
- [i.10] ISO 8601:2004: "Data elements and interchange format -- Information interchange -- Representation of dates and times".
- [i.11] ETSI TS 101 556-1 (V1.1.1): "Intelligent Transport Systems (ITS); Infrastructure to Vehicle Communication; Electric Vehicle Charging Spot Notification Specification".
- [i.12] SAE J2735: "ISO/CEN/SAE JOINT MSG GROUP suggested revisions to the adopted SAE J2735 Dedicated Short Range Communications (DSRC) Message Set Dictionary - MAP and SPAT message".
- [i.13] ISO/WD TS 19321: "Intelligent transport systems - Cooperative ITS - Dictionary of in-vehicle information (IVI) data structures".
- [i.14] ETSI TS 101 556-3 (V1.1.1): "Intelligent Transport Systems (ITS); Infrastructure to Vehicle Communications; Part 3: Communications system for the planning and reservation of EV energy supply using wireless networks".
- [i.15] ETSI TS 101 556-2 (V1.1.1): "Intelligent Transport Systems (ITS); Infrastructure to Vehicle Communication; Part 2: Communication system specification to support application requirements for Tyre Information System (TIS) and Tyre Pressure Gauge (TPG) interoperability".
- [i.16] ETSI TS 102 792 (V1.2.1): "Intelligent Transport Systems (ITS); Mitigation techniques to avoid interference between European CEN Dedicated Short Range Communication (CEN DSRC) equipment and Intelligent Transport Systems (ITS) operating in the 5 GHz frequency range".
- [i.17] ETSI TS 103 301 (V1.2.1): "Intelligent Transport Systems (ITS); Vehicular Communications; Basic Set of Applications; Facilities layer protocols and communication requirements for infrastructure services".
- [i.18] UNECE/TRANS/WP.29/78/Rev.4: "Consolidated Resolution on the Construction of Vehicles (R.E.3)".
- [i.19] ETSI TS 102 890-1 (V1.1.1) (05-2017): "Intelligent Transport Systems (ITS); Facilities layer function; Part 1: Services Announcement (SA) specification".

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

**bounding box:** rectangular shape covering all parts of an empty load vehicle projected from top view

NOTE: The empty load vehicle is defined in ISO 1176 [i.9], clause 4.6.

**data element:** data type that contains one single data

**data frame:** data type that contains more than one data element in a predefined order

**ITS data dictionary:** repository of data elements and data frames used in the ITS applications and ITS facilities layer

**ITS messages:** messages exchanged at ITS facilities layer among ITS stations or messages exchanged at ITS applications layer among ITS stations

### 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ABS	Anti-lock Braking System
ACC	Adaptive Cruise Control
AEB	Autonomous Emergency Braking
ASN	Abstract Syntax Notation
ASN.1	Abstract Syntax Notation One
CAM	Cooperative Awareness Message
CAN	Controller Area Network
CEN	European Committee for Standardization
CVIS	Cooperative Vehicle-Infrastructure Systems
DE	Data Element
DENM	Decentralized Environmental Notification Message
DF	Data Frame
DR	Dead Reckoning
DSRC	Dedicated Short Range Communication
ESP	Electronic Stability Program
GNSS	Global Navigation Satellite System
ISO	International Standards Organization
ITS	Intelligent Transport Systems
ITS-S	ITS Station
ITU-T	International Telecommunication Union-Telecommunication
IVI	In Vehicle Information
LDM	Local Dynamic Map
MAP	Map Data
OEM	Original Equipment Manufacturer
RSU	Road Side Unit
RTCM	Radio Technical Commission for Maritime services
SAE	Society of Automotive Engineers
SPAT	Signal Phase And Timing
TC	Technical Committee
TIS	Tyre Information System
TPG	Tyre Pressure Gauge
UK	United Kingdom
VDS	Vehicle Descriptor Section
VDV	Verband Deutscher Verkehrsunternehmen
WGS84	World Geodetic System 84
WMI	World Manufacturer Identifier

## 4 ITS data dictionary structure

### 4.1 Introduction

The ITS data dictionary is a repository that includes a list of data elements (DE) and data frames (DF) that represent data as well as information necessary for the realization of ITS applications and ITS facilities.

A DE/DF may be used to construct ITS facilities layer or ITS applications layer messages, if needs are identified by the message in question. Examples of ITS facilities layer message are Cooperative Awareness Message (CAM) as specified in ETSI EN 302 637-2 [i.2] and Decentralized Environmental Notification Message (DENM) as specified in ETSI EN 302 637-3 [i.3]. These messages are named as ITS messages in the scope of the present document.

According to the usage purpose, a DE or a DF can be classified into the following categories:

- Message management: the DE/DF is used to support the management of an ITS facilities layer or ITS application layer message and communication protocol, e.g. protocol version.
- Application usage: the DE/DF includes information and data that are useful for the realization of one or multiple ITS applications.

The present document includes DE and DF definitions for the Cooperative Awareness Message (CAM) as given in ETSI EN 302 637-2 [i.2] and for the Decentralized Environmental Notification Message (DENM) as given in ETSI EN 302 637-3 [i.3].

The complete list of DE and DF is provided in the normative annex A of the present document.

Each DE and DF is defined by a set of attributes, enabling the identification of the data in question. These attributes are defined in clause 4.2 and clause 4.3.

### 4.2 Attributes for DE/DF identification

#### 4.2.1 Descriptive name

This attribute provides a descriptive name of the DE or DF. The descriptive name shall be identical as being used in the messages specifications such as ETSI EN 302 637-2 [i.2] and ETSI EN 302 637-3 [i.3]. It shall also be unique within the common data dictionary. Furthermore, the descriptive name may be used in other ITS applications and facilities layer components, e.g. LDM.

#### 4.2.2 Identifier

This attribute provides a unique identifier of the defined DE or DF. It always starts with the term "DataType" followed by a sequence number as unique identifier. In the present document a three digits sequence number is used.

NOTE: The identifier of a DataType is applicable within the present document, it may also be referenced in other standards.

#### 4.2.3 ASN.1 representation

This attribute provide the ASN.1 representation of the defined DE or DF. The ASN.1 definition shall follow the specifications as defined in Recommendation ITU-T X.680 [1]. The ASN.1 type name shall be identical to the descriptive name.

### 4.3 Attributes for DE/DF definition

#### 4.3.1 Definition

This attribute provides a textual explication of the defined DE or DF.