



SLOVENSKI STANDARD
oSIST prEN 301 908-18 V13.0.1:2018
01-februar-2018

**Celična omrežja IMT - Harmonizirani standard za dostop do radijskega spektra -
18. del: Večstandardna (E-UTRA, UTRA in GSM/EDGE) radijska bazna postaja (BS)**

IMT cellular networks - Harmonised Standard for access to radio spectrum - Part 18: E-UTRA, UTRA and GSM/EDGE Multi-Standard Radio (MSR) Base Station (BS)

Ta slovenski standard je istoveten z: ETSI EN 301 908-18 V13.0.1 (2017-12)

ICS:

33.060.99	Druga oprema za radijske komunikacije	Other equipment for radiocommunications
33.070.99	Druge mobilne storitve	Other mobile services

oSIST prEN 301 908-18 V13.0.1:2018 en

Draft **ETSI EN 301 908-18** V13.0.1 (2017-12)



**IMT cellular networks;
Harmonised Standard for access to radio spectrum;
Part 18: E-UTRA, UTRA and GSM/EDGE
Multi-Standard Radio (MSR) Base Station (BS)**

Reference

REN/MSG-TFES-13-18

Keywords

3G, 3GPP, cellular, digital, EDGE, E-UTRA,
GSM, IMT, IMT-2000, IMT-Advanced, LTE,
mobile, MSR, radio, regulation, UMTS, UTRA,
WCDMA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	8
Introduction	8
1 Scope	9
2 References	10
2.1 Normative references	10
2.2 Informative references.....	11
3 Definitions, symbols and abbreviations	11
3.1 Definitions.....	11
3.2 Symbols.....	14
3.3 Abbreviations	15
4 Technical requirements specifications	16
4.1 Environmental profile.....	16
4.2 Conformance requirements	16
4.2.1 Introduction.....	16
4.2.2 Operating band unwanted emissions	22
4.2.2.1 Definition	22
4.2.2.2 Limits	22
4.2.2.2.1 Limits for Band Categories 1 and 3.....	22
4.2.2.2.2 Limits for Band Category 2.....	28
4.2.2.2.3 Limits for GSM/EDGE single-RAT operation.....	33
4.2.2.2.4 Limits for protection of DTT.....	34
4.2.2.2.5 Limits for co-existence with services in adjacent frequency bands.....	34
4.2.2.2.6 Limits for operation in band 32	34
4.2.2.3 Conformance.....	35
4.2.3 Adjacent Channel Leakage power Ratio (ACLR)	35
4.2.3.1 Definition	35
4.2.3.2 Limits	35
4.2.3.2.1 E-UTRA limits	35
4.2.3.2.2 UTRA FDD limits	37
4.2.3.2.3 UTRA TDD limits.....	37
4.2.3.2.4 Cumulative ACLR requirement in non-contiguous spectrum	37
4.2.3.2.5 NB-IoT test requirement.....	38
4.2.3.3 Conformance.....	39
4.2.4 Transmitter spurious emissions.....	39
4.2.4.1 Definition	39
4.2.4.2 Limits	39
4.2.4.2.1 Spurious emissions	39
4.2.4.2.2 Additional spurious emissions requirement for BC2.....	40
4.2.4.2.3 Co-existence with other systems	40
4.2.4.2.4 Protection of the BS receiver of own or different BS.....	42
4.2.4.3 Conformance.....	42
4.2.5 Base station maximum output power.....	43
4.2.5.1 Definition	43
4.2.5.2 Limits	43
4.2.5.3 Conformance.....	43
4.2.6 Transmit intermodulation	43
4.2.6.1 Definition	43
4.2.6.2 Limits	44
4.2.6.2.1 General limits	44
4.2.6.2.2 Additional limits (BC1 and BC2).....	44
4.2.6.2.3 Additional limits (BC3).....	45
4.2.6.3 Conformance.....	45

4.2.7	Receiver spurious emissions	45
4.2.7.1	Definition	45
4.2.7.2	Limits	46
4.2.7.2.1	General limits	46
4.2.7.2.2	Additional limits for BC2	46
4.2.7.3	Conformance	46
4.2.8	In-band blocking	47
4.2.8.1	Definition	47
4.2.8.2	Limits	47
4.2.8.2.1	General limits	47
4.2.8.2.2	Additional BC3 blocking limits	48
4.2.8.3	Conformance	49
4.2.9	Out-of-band blocking	49
4.2.9.1	Definition	49
4.2.9.2	Limits	49
4.2.9.3	Conformance	50
4.2.10	Receiver intermodulation characteristics	50
4.2.10.1	Definition	50
4.2.10.2	Limits	50
4.2.10.2.1	General intermodulation limits	50
4.2.10.2.2	General narrowband intermodulation limits	52
4.2.10.2.3	Additional narrowband intermodulation limits for GSM/EDGE	53
4.2.10.3	Conformance	53
4.2.11	Narrowband blocking	54
4.2.11.1	Definition	54
4.2.11.2	Limits	54
4.2.11.2.1	General limits	54
4.2.11.2.2	Additional limits for GSM/EDGE	55
4.2.11.2.3	GSM/EDGE limits for AM suppression	55
4.2.11.3	Conformance	55
4.2.12	Reference sensitivity level	56
4.2.12.1	Definition	56
4.2.12.2	Limits	56
4.2.12.3	Conformance	56
5	Testing for compliance with technical requirements	56
5.1	Environmental conditions for testing	56
5.2	Interpretation of the measurement results	56
5.3	Essential radio test suites	58
5.3.0	Introduction	58
5.3.1	Operating band unwanted emissions	58
5.3.1.0	General	58
5.3.1.1	Initial conditions	59
5.3.1.2	Procedure	59
5.3.1.3	Test requirement	59
5.3.2	Adjacent Channel Leakage power Ratio (ACLR)	60
5.3.2.0	General	60
5.3.2.1	Initial conditions	60
5.3.2.2	Procedure	60
5.3.2.3	Test requirement	61
5.3.3	Transmitter spurious emissions	61
5.3.3.1	Initial conditions	61
5.3.3.2	Procedure	61
5.3.3.3	Test requirement	61
5.3.4	Base station maximum output power	61
5.3.4.1	Initial conditions	61
5.3.4.2	Procedure	62
5.3.4.3	Test requirement	62
5.3.5	Transmit intermodulation	62
5.3.5.0	General	62
5.3.5.1	Initial conditions	62
5.3.5.2	Procedure	63

5.3.5.2.1	General minimum requirement test procedure	63
5.3.5.2.2	Additional minimum requirement (BC1 and BC2) test procedure	63
5.3.5.2.3	Additional minimum requirement (BC3) test procedure	64
5.3.5.3	Test requirement	65
5.3.6	Receiver spurious emissions	65
5.3.6.1	Initial conditions	65
5.3.6.2	Procedure	65
5.3.6.3	Test requirement	65
5.3.7	In-band blocking	66
5.3.7.1	Initial conditions	66
5.3.7.2	Procedure	66
5.3.7.2.1	Procedure for general blocking.....	66
5.3.7.2.2	Procedure for additional BC3 blocking requirement	66
5.3.7.3	Test requirement	67
5.3.8	Out-of-band blocking.....	67
5.3.8.1	Initial conditions	67
5.3.8.2	Procedure	67
5.3.8.3	Test requirement	68
5.3.9	Receiver intermodulation characteristics	68
5.3.9.1	Initial conditions	68
5.3.9.2	Procedure	68
5.3.9.2.1	Procedure for general and narrowband intermodulation	68
5.3.9.2.2	Procedure for additional narrowband intermodulation for GSM/EDGE	69
5.3.9.3	Test requirement	69
5.3.10	Narrowband blocking	69
5.3.10.1	Initial conditions	69
5.3.10.2	Procedure	70
5.3.10.2.1	Procedure for narrowband blocking	70
5.3.10.2.2	Procedure for additional narrowband blocking for GSM/EDGE.....	70
5.3.10.2.3	Procedure for GSM/EDGE AM suppression.....	71
5.3.10.3	Test requirement	72
5.3.11	Reference sensitivity level	72
5.3.11.1	General	72
5.3.11.1A	Initial conditions for GSM/EDGE reference sensitivity level for CS7 and CS15.....	72
5.3.11.1B	Procedure for GSM/EDGE reference sensitivity level for CS7 and CS15.....	72
5.3.11.2	Test requirement	73
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	74
Annex B (normative):	Base Station configurations.....	76
B.1	Reception with multiple receiver antenna connectors and receiver diversity	76
B.2	Duplexers	76
B.3	Power supply options	76
B.4	Ancillary RF amplifiers.....	76
B.5	BS using antenna arrays	77
B.5.0	General	77
B.5.1	Receiver tests.....	77
B.5.2	Transmitter tests	78
B.6	Transmission with multiple transmitter antenna connectors	78
B.7	BS with integrated Iuant BS modem.....	78
Annex C (informative):	Environmental profile specification	79
Annex D (informative):	Bibliography	80
Annex E (informative):	Change history	81

History82