SLOVENSKI STANDARD
SIST EN 305 200-2-1 V1.1.1:2018

01-april-2018

Dostop, terminali, prenos in multipleksiranje (ATTM) - Upravljanje z energijo - Operativna infrastruktura - Globalni ključni kazalniki uspešnosti (KPI) - 2. del: Posebne zahteve - 1. poddel: Strani ICT

Access, Terminals, Transmission and Multiplexing (ATTM) - Energy management - Operational infrastructures - Global KPIs - Part 2: Specific requirements - Sub-part 1: ICT Sites

Ta slovenski standard je istoveten z: ETSI EN 305 200-2-1 V1.1.1 (2018-02)

ICS:

27.015	Energijska učinkovitost. Ohranjanje energije na splošno	Energy efficiency. Energy conservation in general
35.020	Informacijska tehnika in tehnologija na splošno	Information technology (IT) in general

SIST EN 305 200-2-1 V1.1.1:2018 en

ETSI EN 305 200-2-1 V1.1.1 (2018-02)

Access, Terminals, Transmission and Multiplexing (ATTM); Energy management; Operational infrastructures; Global KPIs; Part 2: Specific requirements; Sub-part 1: ICT Sites

Reference
REN/ATTM-004

Keywords
broadband, energy management, ICT, sustainability

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services:
https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Copyright Notification

Contents

Intellectual Property Rights 7

Foreword 7

Modal verbs terminology 8

Introduction 8

1 Scope 10

2 References 10
2.1 Normative references 10
2.2 Informative references 11

3 Definitions, symbols and abbreviations 12
3.1 Definitions 12
3.2 Symbols 13
3.3 Abbreviations 13

4 Energy management of ICT sites 14
4.1 General 14
4.1.1 Measured energy 14
4.1.2 Dedicated ICT sites 14
4.1.3 Mixed-use ICT sites 15
4.1.4 Groups of ICT sites 15
4.2 Related standards 15

5 Global KPI (KPI_{EM}) for ICT sites 17
5.1 General 17
5.1.1 Global KPI (KPI_{EM}) for ICT sites 17
5.1.2 Objective KPIs 17
5.1.2.1 Energy consumption (KPI_{EC}) 17
5.1.2.2 Task effectiveness (KPI_{TE}) 18
5.1.2.3 Energy re-use (KPI_{REUSE}) 18
5.1.2.4 Renewable energy (KPI_{REN}) 19
5.2 Scale 19
5.3 Utilization and evolution 19
5.4 Definition of boundaries 20
5.4.1 General 20
5.4.2 Flows of electrical energy 20
5.4.3 Flows of thermal energy 21
5.4.3.1 ICT site cooling (heat discharge systems) 21
5.4.3.2 Heat distribution networks 22
5.4.4 Inclusion in Objective KPIs 22
5.5 Formulae 23
5.5.1 Global KPI (KPI_{EM}) for ICT sites 23
5.5.1.1 General 23
5.5.1.2 Definition of terms 23
5.5.1.3 Clarity 23
5.5.1.4 Criteria 23
5.5.1.5 Weighting factors 24
5.5.1.5.1 Energy re-use (W_{REUSE}) 24
5.5.1.5.2 Renewable energy (W_{REN}) 24
5.5.2 Objective KPIs for ICT sites 24
5.5.2.1 Energy consumption (KPI_{EC}) 24
5.5.2.1.1 Formula 24
5.5.2.1.2 Definitions of terms 24
5.5.2.1.3 Clarity 25
5.5.2.1.4 Criteria 25
5.5.2.2 Task effectiveness (KPI_{TE}) 25
5.5.2.2.1 Formula 25

5.5.2.2.2 Definitions of terms 25
5.5.2.2.3 Clarity 26
5.5.2.2.4 Criteria 26
5.5.2.3 Energy re-use (KPI_{REUSE}) 26
5.5.2.3.1 Formula 26
5.5.2.3.2 Definitions of terms 27
5.5.2.3.3 Clarity 27
5.5.2.3.4 Criteria 27
5.5.2.4 Renewable energy (KPI_{REN}) 28
5.5.2.4.1 Formula 28
5.5.2.4.2 Definitions of terms 28
5.5.2.4.3 Clarity 28
5.5.2.4.4 Criteria 28
5.6 Measurement points and procedures 28
5.6.1 Objective KPIs for ICT sites 28
5.6.1.1 Energy consumption (KPI_{EC}) 28
5.6.1.1.1 Measurement points 28
5.6.1.1.2 Measurement procedures 30
5.6.1.2 Task effectiveness (KPI_{TE}) 30
5.6.1.2.1 Measurement points 30
5.6.1.2.2 Measurement procedures 31
5.6.1.3 Energy re-use (KPI_{REUSE}) 31
5.6.1.3.1 Measurement points 31
5.6.1.3.2 Measurement procedures 31
5.6.1.4 Renewable energy (KPI_{REN}) 31
5.6.1.4.1 Measurement points 31
5.6.1.4.2 Measurement procedures 31
5.7 Classifications 31
5.8 Reporting 32

Annex A (informative): Weighting values 33

A.1 General 33

A.2 Industry organizations 33
A.2.1 CRIP 33
A.2.2 eG4U 33

History 34

List of figures

Figure 1: Schematic of the functional elements of an ICT site 14

Figure 2: Schematic of energy measurement of a dedicated ICT site 14

Figure 3: Schematic of energy measurement of a mixed-use ICT site 15

Figure 4: Electrical energy flows 20

Figure 5: Energy flows for heat sinks....21

Figure 6: Schematic of KPI_{EM} calculation and drivers 22

Figure 7: Schematic of energy re-use KPI 26

Figure 8: Measurement points for energy consumption 28

List of tables

Table 1: Implementation of Availability Class 15

Table A.1: Weighting values used by CRIP 31

Table A.2: Weighting values used by eG4U 31

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This European Standard (EN) has been produced by ETSI Technical Committee Access, Terminals, Transmission and Multiplexing (ATTM).

The present document is part 2, sub-part 1 of a multi-part deliverable covering Global Key Performance Indicators for energy management of operational broadband deployment infrastructures as identified below:

Part 1: "General requirements";

Part 2: "Specific requirements";

Sub-part 1: "ICT sites";

Sub-part 2: "Fixed broadband access networks";

Sub-part 3: "Mobile broadband access networks";

Part 3: "ICT sites";

Part 4: "Design assessments".

National transposition dates	
Date of adoption of this EN:	20 February 2018
Date of latest announcement of this EN (doa):	31 May 2018
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 November 2018
Date of withdrawal of any conflicting National Standard (dow):	30 November 2018

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

Energy costs continue to rise, a trend that will continue in the future, while broadband penetration is introducing new active equipment to the network architecture. In this context, and to reflect other environmental aspects of sustainability, it is vital that the main telecommunication operators implement effective general engineering of fixed and mobile broadband networks and sites provisioning, managing or using those networks (i.e. ICT sites) in order to respond to critical issues of energy consumption while proposing essential solutions to broadband deployment. To guide this process, it is essential that metrics are defined, termed Global Key Performance Indicators (KPIs), that enable energy usage to be managed more effectively.

The Global Key Performance Indicators specified in the ETSI EN 305 200 [i.11] series address operational infrastructures and do not consider design or operation of individual components comprising those infrastructures.

The ETSI EN 305 200 [i.11] series of standards comprises:

- ETSI EN 305 200-1 [i.12] a generic requirements document addressing Global KPIs for operational infrastructures;

- a sub-series ETSI EN 305 200-2 that defines the Global KPIs, and drives energy management targets, for specific operational networks and sites and which describes how the Global KPIs are to be applied (which may be used to support future regulatory objectives):

  - ETSI EN 305 200-2-1 ((the present document) which replaces the earlier ETSI ES 205 200-2-1): ICT sites;
  - ETSI EN 305 200-2-2 [i.13]: Fixed broadband access networks;

NOTE: Excluding cable access networks.

  - ETSI EN 305 200-2-3 [i.14]: Mobile broadband access networks.

  The standards do not define weightings of Objective KPIs or targets or limits for Global KPIs but may contain information on values that have been used by certain organizations.

- a sub-series ETSI EN 305 200-3 including ETSI EN 305 200-3-1 [i.15] that defines particular implementations of Global KPIs within ICT sites based on the requirements of the present document, and which may define levels of performance to simplify and provide clearer understanding of Global KPIs allowing the evaluation of performance of energy use management in ICT sites.

  The standards do not define weightings of Objective KPIs or targets or limits for Global KPIs but may contain information on values that have been used by certain organizations.

- a sub-series ETSI EN 305 200-4 including ETSI EN 305 200-4-4 [i.16] that defines design assessments of Global KPIs, and drives energy management targets, for specific operational networks and sites and which describes how the Global KPIs are to be applied (which may be used to support future regulatory objectives).

These standards may be considered to be a contribution to the application of ISO 50001 [i.17] in relation to the development of policy for the continuous improvement of energy management and will accelerate:

- the availability of operational infrastructure architectures and network implementations that use energy more efficiently;
- the definition and attainment objectives for other environmental aspects of sustainability for operational broadband networks.

The present document specifies the requirement for a Global KPI for energy management (KPI_{EM}) and its underpinning Objective KPIs for the ICT sites of broadband deployment. The requirements are mapped to the general requirements of ETSI EN 305 200-1 [i.12].

1 Scope

The present document specifies the requirements for a Global KPI for energy management (KPI_{EM}) and its underpinning Objective KPIs addressing the following objectives for the ICT sites of broadband deployment:

- energy consumption;
- task effectiveness;
- energy reuse;
- renewable energy.

The requirements are mapped to the general requirements of ETSI EN 305 200-1 [i.12].

Energy management of ICT sites comprises a number of independent layers. The present document addresses performance of infrastructures that supports the normal function of hosted ICT equipment (e.g. power distribution, environmental control, security and safety). The present document does not address other layers such as performance of ICT equipment itself, performance of usage of available processing power, and layers related to final service delivered (e.g. processing power required per itemized outcome) or overlay layers (e.g. energy consumption per itemized outcome).

The environmental impact and management of different energy sources are outside the scope of the present document.

Within the present document:

- clause 4 describes the energy parameters for ICT sites together with inclusions/exclusions of different energy contributions;
- clause 5 specifies the requirements for measurement, calculation, classification and reporting of KPI_{EM}.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at https://docbox.etsi.org/Reference/.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1] CEN EN 1434 series: "Heat meters".

[2] CENELEC EN 50600-2-2: "Information technology - Data centre facilities and infrastructures - Part 2-2: Power distribution".