



**Access, Terminals, Transmission and Multiplexing (ATTM);
Broadband Deployment and Lifecycle Resource Management;
Part 8: Management of end of life of ICT equipment
(ICT waste/end of life)**

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard available on
<https://standards.iteh.ai/catalog/standards/sis/480-8a83-7ae129524e02/etsi-en-305-174-8-v1-1-2018-01>

Reference

DEN/ATTM-0010

Keywords

broadband, energy management, e-waste management, ICT, waste management

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Modal verbs terminology.....	6
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	8
3 Definitions and abbreviations.....	9
3.1 Definitions.....	9
3.2 Abbreviations	11
4 Waste electrical and electronic equipment (WEEE)	12
4.1 General	12
4.2 European Union actions on e-waste	12
4.3 Trans-boundary movements of waste.....	13
4.4 Extended Producer Responsibility Principle (EPR)	13
4.5 European Union ICT WEEE	14
4.5.1 General.....	14
4.5.2 Collection and recycling of WEEE.....	14
4.5.3 Treatment of WEEE.....	14
5 ICT WEEE	15
5.1 General	15
6 Requirements for processing of WEEE within broadband deployment.....	16
6.1 General	16
6.1.1 Application of national legislation.....	16
6.1.2 Collection of WEEE	16
6.1.3 Treatment.....	17
6.2 Management of WEEE within ICT sites, core and access networks.....	17
6.2.1 Requirements	17
6.2.1.1 Supply Chain.....	17
6.2.1.2 Internal organization	18
6.2.1.3 Extended Producer Responsibility	18
6.2.1.4 Training.....	18
6.2.1.5 WEEE in companies network transformation	18
6.2.1.6 Collection Scheme and partners.....	19
6.2.1.7 Subscriber equipment.....	19
6.2.1.8 Rare resources and valorisation.....	19
6.2.1.9 Second-hand and re-use of equipment	19
6.2.2 Recommendations.....	20
6.2.3 Management of WEEE within customer premises	20
6.3 Calculation of recycling and valorisation rates	20
Annex A (informative): Future structure of this multi-part deliverable.....	21
Annex B (informative): Bibliography.....	22
History	23

List of figures

[Figure 1: Schematic of fixed and mobile communication networks15](#)

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/091ef5ec-7fdf-4ff0-8a83-7ae129524e02/etsi-en-305-174-8-v1.1.1-2018-01>

List of tables

[Table 1: Types of EEE producer14](#)

[Table 2: WEEE in the elements of broadband deployment.....16](#)

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/091ef5ec-7fdf-4f0-8a83-7ae129524e02/etsi-en-305-174-8-v1.1.1-2018-01>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This draft European Standard (EN) has been produced by ETSI Technical Committee Access, Terminals, Transmission and Multiplexing (ATTM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document is part 8 of a multi-part deliverable covering lifecycle resource management of broadband deployment as identified below:

- Part 1: "Overview, common and generic aspects";
- Part 2: "ICT sites";
- Part 5: "Customer network infrastructures; Sub-part 1 Homes (single-tenant)";
- Part 8: "Management of end of life of ICT equipment (ICT waste/end of life)".**

Other documents are planned for development to extend this multi-part deliverable. These are listed in annex A and are mentioned in the present document.

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The increasing interaction between the different elements of the Information Communication Technology (ICT) sector (hardware, middleware, software and services) supports the concept of convergence in which:

- multi-service packages can be delivered over a common infrastructure;
- a variety of infrastructures is able to deliver these packages;
- a single multi-service-package may be delivered over different infrastructures.

As a result of this convergence, the development of new services, applications and content has resulted in:

- an increased demand for bandwidth, reliability, quality and performance, with a consequent increase in the demand for power which has implications for cost and, in some cases, availability;
- an associated continuous evolution of ICT equipment.

It is therefore important to consider the environmental viability of all network elements necessary to deliver the required services in terms of the management of their operational aspects i.e. energy management (including energy efficiency) and the management of the End-of-Life (EoL) of the ICT equipment.

NOTE: The term "environmental viability" is used while recognizing that well established treatments of "sustainability" feature three separate viability objectives (environmental, economic and social). For the purposes of this multi-part deliverable, only operational aspects of environmental viability are considered. A wider approach to environmental viability takes other factors into account including the use of raw materials and avoidance of hazardous substances in the construction of infrastructure or ICT equipment- these factors are not considered.

New technologies and infrastructure strategies are expected to enable operators to decrease the energy consumption, for a given level of service, of their existing and future infrastructures thus decreasing their costs. This requires a common understanding among market participants that only standards can produce.

This multi-part deliverable specifies the general engineering of various broadband infrastructures to enable the most effective energy management (and management of other resources) and the appropriate measures for EoL treatment of ICT equipment. Certain of the standards may specify requirements for interoperability.

The present document has been developed against the following background:

- Waste of Electrical and Electronic Equipment (WEEE) such as the ICT equipment used within broadband deployment systems and mobile networks has joined computers, televisions, refrigerators and mobile telephones as one of the fastest growing waste streams in the European Union (EU) and is expected to grow to more than 12 million tonnes by 2020.
- Further to the 1997 Kyoto Protocol, the European Commission (EC) has issued, and will issue, Directives and Regulations in order to improve e-waste processing of whole industry sectors and producers and users of ICT equipment are obliged to monitor waste processing of that equipment.

Independent of national regulation and legislation concerning WEEE, the present document specifies requirements for processes in relation to management of EoL for ICT equipment used within infrastructures of broadband deployment.

The objective of the present document is to specify requirements and recommendations for the ICT sector to contribute actively to the WEEE collection objectives as defined in the WEEE Directive.

1 Scope

The present document is part 8 of a multi-part deliverable which specifies requirements for processes in relation to management of end-of-life of ICT equipment.

The present document specifies requirements and recommendations for the ICT sector to contribute actively to the WEEE collection objectives as defined in the WEEE Directive.

Interpretation of regulation and legislation concerning the topic are outside the outside the scope of the present document and are covered by other standards and regulations. However, information given in the present document may be of assistance in meeting these standards and regulations.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

Not applicable.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1] Directive 2012/19/EU of the European Parliament and of the Council of 4 July 2012 on waste electrical and electronic equipment (WEEE) Text with EEA relevance.

NOTE Referred to as the "WEEE Directive".

[i.2] Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment Text with EEA relevance.

NOTE: Referred to as the "RoHS Directive".

[i.3] Directive 2006/66/EC of the European Parliament and of the Council of 6 September 2006 on batteries and accumulators and waste batteries and accumulators and repealing Directive 91/157/EEC (Text with EEA relevance).

[i.4] ETSI EN 305 174-1: "Access, Terminals, Transmission and Multiplexing (ATTM); Broadband Deployment and Lifecycle Resource Management; Part 1: Overview, common and generic aspects".

- [i.5] Recommendation ITU-T I.113: "Vocabulary of terms for broadband aspects of ISDN".
- [i.6] Regulation (EC) 1013/2006 of the European Parliament and of the Council of 14 June 2006 on shipments of waste.
- [i.7] Regulation (EC) 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Text with EEA relevance).
- [i.8] Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.
- [i.9] Mandate M/462: "Standardisation mandate addressed to CEN, CENELEC and ETSI in the field of ICT to enable efficient energy use in fixed and mobile information and communication networks".
- [i.10] ETSI EN 305 174-3: "Access, Terminals, Transmission and Multiplexing (ATTM); Broadband Deployment and Lifecycle Resource Management; Part 3: Core, regional metropolitan networks".
- [i.11] ETSI EN 305 174-4-1: "Access, Terminals, Transmission and Multiplexing (ATTM); Broadband Deployment and Lifecycle Resource Management; Part 4-1: Fixed access networks (excluding cable)".
- [i.12] ETSI EN 305 174-4-2: "Access, Terminals, Transmission and Multiplexing (ATTM); Broadband Deployment and Lifecycle Resource Management; Part 4-2: Mobile access networks".
- [i.13] ETSI EN 305 174-5-2: "Access, Terminals, Transmission and Multiplexing (ATTM); Broadband Deployment and Lifecycle Resource Management; Part 5-2: Office premises (single-tenant)".
- [i.14] ETSI EN 305 174-5-4: "Access, Terminals, Transmission and Multiplexing (ATTM); Broadband Deployment and Lifecycle Resource Management; Part 5-4: Multi-tenant premises (residential and commercial)".
- [i.15] ETSI EN 305 174-6: "Access, Terminals, Transmission and Multiplexing (ATTM); Broadband Deployment and Lifecycle Resource Management; Part 6: Cable Access Networks".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions apply:

access network: functional elements (that is equipment and infrastructure) that enable communication between an operator site (OS) and a customer network

Base Station (BS): network telecommunications equipment which serves one or more cells within a coverage area of a mobile network

base station site: network distribution node (NDN) which accommodates a base station

broadband: telecommunications service capable of providing more than 2 048 kbit/s (Recommendation ITU-T I.113 [i.5]) full-rate capacity in at least one direction

NOTE: ISDN is not considered to be a broadband technology and is not addressed in the present document.

cable access network: access network provided by cable operators comprising optical fibre and metallic cabling providing direct connection to customer premises

collection (of WEEE): gathering of waste, including the preliminary sorting and preliminary storage of waste for the purposes of transport to a waste treatment facility

core network: functional elements (that is equipment and infrastructure) that enable communication between operator sites (OSs) or equivalent ICT sites

disposal (of WEEE): any operation which is not recovery even where the operation has as a secondary consequence the reclamation of substances, materials or products or energy

Electrical and Electronic Equipment (EEE): equipment which is dependent on electric currents or electromagnetic fields in order to work properly and equipment for the generation, transfer and measurement of such currents and fields and designed for use with a voltage rating not exceeding 1 000 volts for alternating current and 1 500 volts for direct current

End-of-Life (EoL): established point in a product life cycle after a period of primary use and at which a decision is required with regard to reuse, recycling or disposal

Fibre Node (FN): device which performs a media conversion between an optical fibre cable link and a coaxial cable link in a cable access network

fixed access network: access network provided by telecommunications operators comprising optical fibre and metallic cabling providing direct connection to customer premises

fraction (of WEEE): separate output material generated by WEEE treatment

ICT equipment: equipment providing data storage, processing and transport services

NOTE: A combination of Information Technology Equipment and Network Telecommunications Equipment

ICT site: site containing structures or group of structures dedicated to the accommodation, interconnection and operation of ICT equipment together with all the facilities and infrastructures for power distribution and environmental control together with the necessary levels of resilience and security required to provide the desired service availability

Information Technology Equipment (ITE): equipment providing data storage, processing and transport services for subsequent distribution by network telecommunications equipment (NTE)

mobile access network: telecommunications network in which the access to the network (connection between user equipment and network) is implemented over the air interface

Network Data Centre (NDC): data centre embedded within the core network

NOTE: A network data centre of a cable access network may be termed a master head-end

Network Distribution Node (NDN): grouping of NTE equipment within the boundaries of an access network providing distribution of service from an operator site (OS)

NOTE: Where all the Network Telecommunications Equipment (NTE) at a given location is under common governance, any supporting infrastructure for power distribution and environmental control together with the necessary levels of resilience and security required to provide the desired service availability is included as part of the NDN.

Network Interface Unit (NIU): principal device within customer premises allowing user access to the services provided by the cable access network

Network Telecommunications Equipment (NTE): equipment between the boundaries of, and dedicated to providing connection to, core and/or access networks

Network Termination Point (NTP): physical point(s) at which a subscriber is provided with access to the operator network (this may be co-located with an external network test interface)

Operator Site (OS): premises accommodating network telecommunications equipment (NTE) providing direct connection to the core and access networks and which may also accommodate information technology equipment (ITE)

NOTE 1: An operator site that is only connected to the core network is considered as a network data centre.

NOTE 2: An operator site of a cable access network may be termed a local head-end.

recovery (of WEEE): any operation the principal result of which is waste serving a useful purpose in replacing other substances, materials or products that have been used for a particular purpose, or waste being prepared to be used for this purpose