



**Methods for Testing and Specification (MTS);
The Test Description Language (TDL);
Part 5: UML profile for TDL**

*iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard/standards catalog
<https://standards.iteh.ai/catalog/standards/sist/941333f-7ceb-49a9-b34d-21606f66bf61/etsi-es-203-119-5-v1-1-2018-03>*

ReferenceDES/MTS-203119-5

Keywordsmethodology, model, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights 6

Foreword.....	6
Modal verbs terminology.....	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definitions, symbols and abbreviations	7
3.1 Definitions	7
3.2 Symbols.....	8
3.3 Abbreviations	8
4 Structure of the UML Profile for TDL.....	8
5 Foundation.....	9
5.1 Overview	9
5.2 Element	9
5.3 NamedElement	9
5.4 PackageableElement.....	10
5.5 Package	10
5.6 ElementImport.....	10
5.7 Comment	11
5.8 Annotation.....	11
5.9 AnnotationType.....	12
5.10 TestObjective	12
6 Data	12
6.1 Data Definition	12
6.1.1 Overview	12
6.1.2 DataResourceMapping.....	13
6.1.3 MappableDataElement.....	13
6.1.4 DataElementMapping	13
6.1.5 ParameterMapping	14
6.1.6 DataType	14
6.1.7 DataInstance	14
6.1.8 SimpleDataType	15
6.1.9 SimpleDataInstance	15
6.1.10 StructuredDataType	16
6.1.11 Member.....	16
6.1.12 StructuredDataInstance	16
6.1.13 MemberAssignment.....	17
6.1.14 Parameter	17
6.1.15 FormalParameter.....	17
6.1.16 Variable	18
6.1.17 Action	18
6.1.18 Function	18
6.2 Data Use	19
6.2.1 Overview	19
6.2.2 DataUse	19
6.2.3 ParameterBinding	20
6.2.4 StaticDataUse	20
6.2.5 DataInstanceUse	20
6.2.6 SpecialValueUse.....	21
6.2.7 AnyValue.....	21
6.2.8 AnyValueOrOmit	21
6.2.9 OmitValue.....	22
6.2.10 DynamicDataUse.....	22
6.2.11 FunctionCall	22
6.2.12 FormalParameterUse	23

6.2.13	VariableUse	23
7	Time	23
7.1	Overview	23
7.2	Time	25
7.3	TimeLabel	25
7.4	TimeLabelUse	25
7.5	TimeConstraint	26
7.6	TimeOperation	26
7.7	Wait	26
7.8	Quiescence	27
7.9	Timer	27
7.10	TimerOperation	27
7.11	TimerStart	28
7.12	TimerStop	28
7.13	TimeOut	28
8	Test Configuration	29
8.1	Overview	29
8.2	GateType	29
8.3	GateInstance	30
8.4	ComponentType	30
8.5	ComponentInstance	30
8.6	ComponentInstanceRole	31
8.7	GateReference	31
8.8	Connection	32
8.9	TestConfiguration	32
9	Test Behaviour	32
9.1	Test Description	32
9.1.1	Overview	32
9.1.2	TestDescription	33
9.1.3	BehaviourDescription	33
9.2	Combined Behaviour	34
9.2.1	Overview	34
9.2.2	Behaviour	34
9.2.3	Block	35
9.2.4	CombinedBehaviour	35
9.2.5	SingleCombinedBehaviour	35
9.2.6	CompoundBehaviour	36
9.2.7	BoundedLoopBehaviour	36
9.2.8	UnboundedLoopBehaviour	36
9.2.9	MultipleCombinedBehaviour	37
9.2.10	AlternativeBehaviour	37
9.2.11	ConditionalBehaviour	37
9.2.12	ParallelBehaviour	37
9.2.13	ExceptionalBehaviour	38
9.2.14	DefaultBehaviour	38
9.2.15	InterruptBehaviour	38
9.2.16	PeriodicBehaviour	39
9.3	Atomic Behaviour	39
9.3.1	Overview	39
9.3.2	AtomicBehaviour	41
9.3.3	Break	41
9.3.4	Stop	41
9.3.5	VerdictAssignment	42
9.3.6	Assertion	42
9.3.7	Interaction	42
9.3.8	Target	43
9.3.9	TestDescriptionReference	43
9.3.10	ComponentInstanceBinding	44
9.3.11	ActionBehaviour	44
9.3.12	ActionReference	45

9.3.13	InlineAction	45
9.3.14	Assignment	46
History		47

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/94eec33f-7ceb-49a9-b34d-21606f66bf61/etsi-es-203-119-5-v1.1.1-2018-05>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This final draft ETSI Standard (ES) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS), and is now submitted for the ETSI standards Membership Approval Procedure.

The present document is part 5 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document specifies how the concepts of the TDL meta-model [1] are mapped to OMG® UML® to create a UML Profile for TDL, called UP4TDL.

NOTE: OMG® and UML® are the trademarks of OMG (Object Management Group). This information is given for the convenience of users of the present document and does not constitute an endorsement by ETSI of the products named.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI ES 203 119-1 (V1.4.1): "Methods for Testing and Specification (MTS); The Test Description Language (TDL); Part 1: Abstract Syntax and Associated Semantics".
- [2] OMG® formal/2011-08-06: "OMG Unified Modeling Language™ (OMG UML) Superstructure, Version 2.4.1".

NOTE: Available at <http://www.omg.org/spec/UML/2.4.1/>.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

Not applicable.

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in ETSI ES 203 119-1 [1] and the following apply:

UML profile: extension mechanism provided by UML

3.2 Symbols

For the purposes of the present document, the symbols given in [2] apply.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

OMG	Object Management Group®
SUT	System Under Test
TDL	Test Description Language
UML	Unified Modelling Language®

4 Structure of the UML Profile for TDL

The stereotypes representing concepts from the Foundation section of the TDL meta-model are directly stored in the UP4TDL Profile, while other concepts are stored in various additional included Packages.




Figure 4.1: Structure of UMLProfile4TDL

The following clauses describe the content of each package. The subclasses describe how the TDL meta-model elements can be mapped to UML.

5 Foundation

5.1 Overview

Most concepts of the Foundation Package are directly mapped to UML meta-classes. Exceptions are:

- TDL::Element : a stereotype is created to allow elements to have Annotations;
- TDL::Annotations and TDL::TestObjective for which there is no equivalent concept in UML.




Figure 5.1: Foundational language concepts

5.2 Element

Extended UML Meta-Class

- UML::Element

Generalization

None.

Properties

- <<UP4TDL::Element>>
- TDL::Element.comment := Computed as the set of Comment whose *annotatedElement* Property contains this element.
- TDL::Element.annotation := UP4TDL::Element.annotation : new (derived) property computed as the set of Comment with stereotype Annotation applied whose *annotatedElement* property contains this Element.

Constraints

None.

5.3 NamedElement

Extended UML Meta-Class

- Direct mapping without a stereotype to UML::NamedElement

Generalization

None.

Properties

- TDL::NamedElement.qualifiedName := UML::NamedElement.qualifiedName

Constraints

None.

5.4 PackageableElement

Extended UML Meta-Class

- Direct mapping without a stereotype to UML::PackageableElement

Generalization

None.

Properties

None.

Constraints

None.

5.5 Package

Extended UML Meta-Class

- Direct mapping without a stereotype to UML::Package

Generalization

None.

Properties

- TDL::Package.packagedElement := UML::Package.packagedElement
- TDL::Package.import := UML::Package.elementImport
- TDL::Package.nestedPackage := UML::Package.nestedPackage

Constraints

None.

5.6 ElementImport

Extended UML Meta-Class

- Direct mapping without a stereotype to UML::ElementImport

iTeH STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/94eec33f-7ceb-49a9-b3d4-21606f66bf61/etsi-es-203-119-5-v1.1.1-2018-05>

Generalization

None.

Properties

- TDL::ElementImport is resolved in UML by a set of UML::ElementImport
- TDL::ElementImport.importedPackage := UML::ElementImport.importedElement.namespace
- TDL::ElementImport.importedElement := UML::ElementImport.importedElement

Constraints

None.

Model to Model transformation advice

- In UML, an ElementImport can import exactly one element. This implies that for one TDL::ElementImport, the equivalent model in UP4TDL can have several UML::ElementImport

5.7 Comment

Extended UML Meta-Class

- Direct mapping without a stereotype to UML::Comment

Generalization

- None

Properties

- TDL::Comment.commentedElement := UML::Comment.annotatedElement
- TDL::Comment.body := UML::Comment.body

Constraints

None.

5.8 Annotation

Extended UML Meta-Class

- UML::Comment

Generalization

None.

Properties

- <<UP4TDL::Annotation>>
- TDL::Annotation.key :=UP4TDL::Annotation.key (new property)
- TDL::Annotation.value := UP4TDL::Annotation.base_Comment.body

- TDL::Annotation.annotatedElement := UP4TDL::Annotation.base_Comment.annotatedElement

Constraints

None.

5.9 AnnotationType

Extended UML Meta-Class

- Direct mapping without a stereotype to UML::PrimitiveType

Generalization

None.

Properties

None.

Constraints

None.

5.10 TestObjective

Extended UML Meta-Class

- UML::Comment
- UML::Class

Generalization

None.

Properties

- <<UP4TDL::TestObjective>>
- TDL::TestObjective.description := UP4TDL::TestObjective.description
- TDL::TestObjective.objectiveURI := UP4 TDL::TestObjective.objectiveURI (new property)

Constraints

None.

6 Data

6.1 Data Definition

6.1.1 Overview

TDL Data Mapping-related concepts are mapped to stereotypes in UML.