



SLOVENSKI STANDARD
SIST EN 300 019-2-1 V2.3.1:2018
01-februar-2018

Okoljski inženiring (EE) - Okoljski pogoji in preskusi vplivov okolja na telekomunikacijsko opremo - 2-1. del: Specifikacija preskusov vplivov okolja - Skladiščenje

Environmental Engineering (EE) - Environmental conditions and environmental tests for telecommunications equipment - Part 2-1: Specification of environmental tests - Storage

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 019-2-1 V2.3.1:2018](https://standards.iteh.ai/catalog/standards/sist/c64fa384-e671-40e2-bf0c-c3887fcc2407/sist-en-300-019-2-1-v2-3-1-2018)

Ta slovenski standard je istoveten z: <https://standards.iteh.ai/catalog/standards/sist/c64fa384-e671-40e2-bf0c-c3887fcc2407/sist-en-300-019-2-1-v2-3-1-2018> **ETSI EN 300 019-2-1 V2.3.1 (2017-11)**

ICS:

19.040	Preskušanje v zvezi z okoljem	Environmental testing
33.050.01	Telekomunikacijska terminalna oprema na splošno	Telecommunication terminal equipment in general

SIST EN 300 019-2-1 V2.3.1:2018 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 019-2-1 V2.3.1:2018](https://standards.iteh.ai/catalog/standards/sist/c64fa384-e671-40e2-bf0c-e38891cc2407/sist-en-300-019-2-1-v2-3-1-2018)

<https://standards.iteh.ai/catalog/standards/sist/c64fa384-e671-40e2-bf0c-e38891cc2407/sist-en-300-019-2-1-v2-3-1-2018>

ETSI EN 300 019-2-1 V2.3.1 (2017-11)



**Environmental Engineering (EE);
Environmental conditions and environmental tests
for telecommunications equipment;
Part 2-1: Specification of environmental tests;
Storage**

SIST EN 300 019-2-1 V2.3.1:2018
<https://standards.iteh.ai/catalog/standards/sist/en-300-019-2-1-v2-3-1-2018>

Reference

REN/EE-0170

Keywords

environment, equipment practice, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Important notice

<https://standards.iteh.ai/catalog/standards/sist/c64fa384-e671-40e2-bf0c-e38a1c97240/sist-en-300-019-2-1-v2.3.1-2018>
The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	4
Foreword.....	4
Modal verbs terminology.....	5
1 Scope	6
2 References	6
2.1 Normative references	6
2.2 Informative references.....	6
3 Definitions	7
4 Environmental test specifications.....	7
4.0 General	7
4.1 Equipment setup and configuration.....	7
4.2 Performance criteria	7
4.3 Specification T 1.1: Weatherprotected, partly temperature-controlled storage locations.....	8
4.4 Specification T 1.2: Weatherprotected, not temperature-controlled storage locations	11
4.5 Specification T 1.3: Non-weatherprotected storage locations and T 1.3 E: Non-weatherprotected storage locations - extended.....	14
Annex A (informative): Bibliography.....	21
History	22

ITeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 019-2-1 V2.3.1:2018](https://standards.iteh.ai/catalog/standards/sist/c64fa384-e671-40e2-bf0c-e38891cc2407/sist-en-300-019-2-1-v2-3-1-2018)

<https://standards.iteh.ai/catalog/standards/sist/c64fa384-e671-40e2-bf0c-e38891cc2407/sist-en-300-019-2-1-v2-3-1-2018>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This European Standard (EN) has been produced by ETSI Technical Committee Environmental Engineering (EE).

The present document is part 2, sub-part 1 of a multi-part deliverable covering the environmental conditions and environmental tests for telecommunications equipment, as identified below:

- Part 1: "Classification of environmental conditions";
- Part 2: "Specification of environmental tests":**
- Sub-part 0: "Introduction";
 - Sub-part 1: "Storage";**
 - Sub-part 2: "Transportation";
 - Sub-part 3: "Stationary use at weatherprotected locations";
 - Sub-part 4: "Stationary use at non-weatherprotected locations";
 - Sub-part 5: "Ground vehicle installations";
 - Sub-part 6: "Ship environments";
 - Sub-part 7: "Portable and non-stationary use";
 - Sub-part 8: "Stationary use at underground locations".

Part 1 specifies different standardized environmental classes covering climatic and biological conditions, chemically and mechanically active substances and mechanical conditions during storage, transportation and in use.

Part 2 specifies the recommended test severities and test methods for the different environmental classes.

National transposition dates	
Date of adoption of this EN:	27 November 2017
Date of latest announcement of this EN (doa):	28 February 2018
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 August 2018
Date of withdrawal of any conflicting National Standard (dow):	31 August 2018

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 019-2-1 V2.3.1:2018](#)

<https://standards.iteh.ai/catalog/standards/sist/c64fa384-e671-40e2-bf0c-e38891cc2407/sist-en-300-019-2-1-v2-3-1-2018>

1 Scope

The present document specifies test severities and methods for verification of the required resistibility of equipment according to the relevant environmental class.

The tests defined in the present document apply to storage of equipment covering the environmental conditions stated in ETSI EN 300 019-1-1 [1].

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 300 019-1-1 (2014): "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-1: Classification of environmental conditions; Storage".
- [2] Void. [SIST EN 300 019-2-1 V2.3.1:2018](https://standards.iteh.ai/catalog/standards/sist/c64fa384-e671-40e2-bf0c-e38891cc2407/sist-en-300-019-2-1-v2-3-1-2018)
- [3] Void. <https://standards.iteh.ai/catalog/standards/sist/c64fa384-e671-40e2-bf0c-e38891cc2407/sist-en-300-019-2-1-v2-3-1-2018>
- [4] IEC 60068-2-1:2007: "Environmental testing - Part 2-1: Tests - Test A: Cold".
- [5] IEC 60068-2-2:2007: "Environmental testing - Part 2-2: Tests - Test B: Dry heat".
- [6] IEC 60068-2-6:2007: "Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)".
- [7] IEC 60068-2-14:2009: "Environmental testing - Part 2-14: Tests - Test N: Change of temperature".
- [8] IEC 60068-2-18:2017: "Environmental testing - Part 2-18: Tests - Test R and guidance: Water".
- [9] IEC 60068-2-27:2008: "Environmental testing. Part 2-27: Tests - Test Ea and guidance: Shock".
- [10] IEC 60068-2-30:2005: "Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 + 12 hour cycle)".
- [11] IEC 60068-2-78:2012: "Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state".
- [12] IEC 60068-2-64:2008: "Environmental testing - Part 2-64: Tests - Test Fh: Vibration, broadband random and guidance".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI EN 300 019-2-0 (2003): "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-0: Specification of environmental tests; Introduction".
- [i.2] IEC 60068-2-68:1994: "Environmental testing - Part 2-68: Tests - Test L: Dust and sand".
- [i.3] ETSI EN 300 019-1-0: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-0: Classification of environmental conditions; Introduction".

3 Definitions

For the purposes of the present document, the terms and definitions given in ETSI EN 300 019-1-0 [i.3] apply.

4 Environmental test specifications

4.0 General

The equipment shall be tested in the state in which it is normally stored where this is possible. For example, if the detailed descriptions of the environmental conditions are given in clauses 4 and 5 of ETSI EN 300 019-1-1 [1].

ETSI EN 300 019-2-0 [i.1] forms a general overview of part 2 of this multi-part deliverable.

If the equipment is normally stored in a packed state then it shall be tested in its packaging.

4.1 Equipment setup and configuration

The equipment shall be tested in the state in which it is normally stored where this is possible. For example, if the equipment is stored in a packed state, then it shall be tested in its packaging. If the equipment can be stored both with and without its packaging it is necessary to perform tests for both configurations. For some tests and equipment, the test may be more severe for the packaged rather than the unpacked equipment. For example, for an equipment in a sealed package, the change of temperature test may produce condensation.

4.2 Performance criteria

The following performance criterion A shall apply in the tests defined by the present document.

Performance criterion A:

The equipment, or piece of equipment, shall be verified before and after the tests. The equipment shall function according to the manufacturer specifications before and after the test. No electrical or mechanical damages shall be allowed due to the application of the tests.

Environmental parameter			Environmental Class 1.1	Environmental test specification T1.1: Weatherprotected, partly temperature-controlled storage locations					
Type	Parameter	Detail parameter	Characteristic Severity	Test severity	Duration	Reference	Method	Performance criteria	Notes
	sulphur	SO ₂ (mg/m ³)	0,3/1,0	None					9
		H ₂ S (mg/m ³)	0,1/0,5	None					9
		Salts	sea and road salt mist	None					9
Chemically active substances	chlorine	Cl ₂ (mg/m ³)	0,1/0,3	None					9
		HCl (mg/m ³)	0,1/0,5	None					9
	nitrogen	NO _x (mg/m ³)	0,5/1,0	None					9
		NH ₃ (mg/m ³)	1,0/3,0	None					9
	hydrogen fluoride	HF (mg/m ³)	0,01/0,03	None					9
	ozone	O ₃ (mg/m ³)	0,05/0,1	None					9
Mechanically active substances	dust	Sedimentation (mg/(m ² h))	1,5	None					10
		suspension (mg/m ³)	0,2	None					10
	sand	(mg/m ³)	30	None					10
Flora and Fauna	micro organisms		negligible						
	rodents, insects		negligible						
<p>Legenda: no = this condition does not occur in this class.</p> <p>NOTE 1: (Air temperature, high) Two test temperatures are given. The lower temperature shall apply if the equipment is protected against solar radiation.</p> <p>NOTE 2: The characteristic severity value is considered to have insignificant effect on the equipment and therefore no test is required.</p> <p>NOTE 3: (Humidity, relative high) These severities are the nearest IEC test temperature values, which according to the climatogram can be achieved in the relative humidity given in the table. This test is recommended for unpacked equipment only.</p> <p>NOTE 4: This characteristic severity corresponds to the high value of relative humidity and small temperature variation within the equipment and is considered to be covered by test IEC 60068-2-78 [11] Test Cab. Therefore, no additional tests are required.</p> <p>NOTE 5: This effect is considered to be partly included in test IEC 60068-2-78 [11] Test Cab and/or test IEC 60068-2-30 [10] Test Db. Therefore, no additional tests are required.</p> <p>NOTE 6: (Air pressure, low and high) No test is required at equipment level or on sub-assemblies of it, because the effect of air pressure is evaluated at the component level.</p> <p>NOTE 7: The characteristic severity value is considered to have insignificant effect on the equipment in storage conditions and furthermore there is no IEC test method for this parameter, therefore no test is required.</p> <p>NOTE 8: (Radiation, solar, heat) The heating effect of solar radiation is included in the higher test temperature in IEC 60068-2-2 [5] Test Bb as described in note 2. Photochemical tests can be made separately for components and materials. No test is required in the present document.</p> <p>NOTE 9: (Chemically active substances) Characteristic severities are mean/maximum values. The characteristic severities should be considered when choosing components and materials. No test is required in the present document.</p> <p>NOTE 10: (Mechanically active substances) For mechanically active substances the packaging is supposed to protect the equipment against dust and sand where needed, therefore no test is required. Furthermore, the levels of dust, both sedimentation and suspension, are far lower than the lowest severity recommended in IEC 60068-2-68 [i.2] Test Lb.</p>									