



**SLOVENSKI STANDARD**  
**SIST EN 300 487 V2.2.1:2025**

**01-marec-2025**

---

**Satelitske zemeljske postaje in sistemi (SES) - Sprejemne mobilne zemeljske postaje (ROMES), ki zagotavljajo podatkovne komunikacije in delujejo v frekvenčnem pasu 1,5 GHz - Harmonizirani standard za dostop do radijskega spektra**

Satellite Earth Stations and Systems (SES) - Receive-Only Mobile Earth Stations (ROMES) providing data communications operating in the 1,5 GHz frequency band - Harmonised Standard for access to radio spectrum

*iteh Standards*  
*(<https://standards.iteh.ai>)*  
*Document Preview*

**Ta slovenski standard je istoveten z: ETSI EN 300 487 V2.2.1 (2024-12)**

<https://standards.iteh.ai/catalog/standards/sist/cb89b4e3-52ca-4fa5-a811-aafbddd28206/sist-en-300-487-v2-2-1-2025>

**ICS:**

33.060.30      Radiorelejni in fiksni satelitski      Radio relay and fixed satellite  
komunikacijski sistemi      communications systems

**SIST EN 300 487 V2.2.1:2025**

**en**



# ETSI EN 300 487 V2.2.1 (2024-12)



**Satellite Earth Stations and Systems (SES);  
Receive-Only Mobile Earth Stations (ROMES) providing data  
communications operating in the 1,5 GHz frequency band;  
Harmonised Standard for access to radio spectrum**

[SIST EN 300 487 V2.2.1:2025](https://standards.iteh.ai/catalog/standards/sist/cb89b4e3-52ca-4fa5-a811-aafbddd28206/sist-en-300-487-v2-2-1-2025)

<https://standards.iteh.ai/catalog/standards/sist/cb89b4e3-52ca-4fa5-a811-aafbddd28206/sist-en-300-487-v2-2-1-2025>

---

**Reference**

REN/SES-00412

---

**Keywords**data, earth station, LMSS, MES, mobile, RO,  
satellite**ETSI**650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.  
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.  
All rights reserved.

# Contents

Intellectual Property Rights .....	5
Foreword.....	5
Modal verbs terminology.....	6
Introduction .....	6
1 Scope .....	7
2 References .....	7
2.1 Normative references .....	7
2.2 Informative references.....	7
3 Definition of terms, symbols and abbreviations.....	8
3.1 Terms.....	8
3.2 Symbols.....	8
3.3 Abbreviations .....	8
4 Test conditions .....	8
4.1 Environment profile .....	8
4.2 Test report .....	9
4.3 Special Test Equipment (STE).....	9
4.4 Equipment Under Test (EUT).....	9
5 Receiver requirements.....	9
5.1 Environmental conditions for testing .....	9
5.2 Radiated emission requirements.....	9
5.2.1 Purpose .....	9
5.2.2 Specification .....	9
5.2.3 Verification .....	10
5.3 Receiver Adjacent Channel Selectivity requirements .....	10
5.3.1 Purpose .....	10
5.3.2 Technical requirements.....	10
5.3.3 Conformance test.....	10
5.4 Receiver Blocking Characteristics requirements.....	11
5.4.1 Purpose .....	11
5.4.2 Technical requirements.....	11
5.4.3 Conformance test.....	11
6 Method of Testing Receiver requirements .....	11
6.1 Radiated emissions.....	11
6.2 Receiver Adjacent Channel Selectivity .....	11
6.2.1 General.....	11
6.2.2 Test arrangement .....	11
6.2.3 Test Procedures.....	12
6.3 Receiver Blocking Characteristics .....	12
6.3.1 General.....	12
6.3.2 Test arrangement .....	12
6.3.3 Test procedures.....	12
<b>Annex A (informative): Relationship between the present document and the essential requirements of Directive 2014/53/EU .....</b>	<b>14</b>
<b>Annex B (normative): RF emissions - test procedure.....</b>	<b>15</b>
B.1 Introduction .....	15
B.2 Measuring apparatus.....	15
B.3 Equipment Under Test (EUT).....	15
B.4 Special Test Equipment (STE).....	15

B.5 Measurement procedure .....	15
<b>Annex C: Void .....</b>	<b>18</b>
<b>Annex D (informative): Applicability of parameters given in ETSI EG 203 336 .....</b>	<b>19</b>
<b>Annex E (informative): Maximum measurement uncertainty .....</b>	<b>23</b>
<b>Annex F (informative): Bibliography .....</b>	<b>24</b>
<b>Annex G (informative): Change history .....</b>	<b>25</b>
History .....	26

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[SIST EN 300 487 V2.2.1:2025](https://standards.iteh.ai/catalog/standards/sist/cb89b4e3-52ca-4fa5-a811-aafbddd28206/sist-en-300-487-v2-2-1-2025)

<https://standards.iteh.ai/catalog/standards/sist/cb89b4e3-52ca-4fa5-a811-aafbddd28206/sist-en-300-487-v2-2-1-2025>

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

## Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.1] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.2].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

National transposition dates	
Date of adoption of this EN:	19 December 2024
Date of latest announcement of this EN (doa):	31 March 2025
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 September 2025
Date of withdrawal of any conflicting National Standard (dow):	30 September 2026

---

## Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

## Introduction

The present document is intended to cover the provisions of Directive 2014/53/EU [i.2] (RE Directive) article 3.2 which states that "...radio equipment shall be so constructed that it both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference".

Recital 10 of Directive 2014/53/EU [i.2] states that "*in order to ensure that radio equipment uses the radio spectrum effectively and supports the efficient use of radio spectrum, radio equipment should be constructed so that: in the case of a transmitter, when the transmitter is properly installed, maintained and used for its intended purpose it generates radio waves emissions that do not create harmful interference, while unwanted radio waves emissions generated by the transmitter (e.g. in adjacent channels) with a potential negative impact on the goals of radio spectrum policy should be limited to such a level that, according to the state of the art, harmful interference is avoided; and, in the case of a receiver, it has a level of performance that allows it to operate as intended and protects it against the risk of harmful interference, in particular from shared or adjacent channels, and, in so doing, supports improvements in the efficient use of shared or adjacent channel*".

Recital 11 of Directive 2014/53/EU [i.2] states that "*although receivers do not themselves cause harmful interference, reception capabilities are an increasingly important factor in ensuring the efficient use of radio spectrum by way of an increased resilience of receivers against harmful interference and unwanted signals on the basis of the relevant essential requirements of Union harmonisation legislation*".

As a consequence, the present document includes receiving parameters aiming to maximize the efficient use of radio spectrum.

[SIST EN 300 487 V2.2.1:2025](#)

<https://standards.iteh.ai/catalog/standards/sist/cb89b4e3-52ca-4fa5-a811-aafbddd28206/sist-en-300-487-v2-2-1-2025>



---

# 1 Scope

The present document specifies technical characteristics and methods of measurement for Receive-Only Mobile Earth Stations (ROMES) radio equipment operating under the Land Mobile Satellite Service (LMSS), in the frequency band 1 518 MHz to 1 559 MHz (space-to-earth band).

The ROMESs operate as part of a satellite system providing one-way data communications.

ROMESs could have several configurations, including:

- either Portable Equipment (PE) or Vehicle Installed Equipment (VIE);
- a number of modules including a display/control interface to the user.

NOTE: The relationship between the present document and essential requirements of article 3.2 of Directive 2014/53/EU [i.2] is given in annex A.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the [ETSI docbox/](https://standards.iteh.ai/).

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Void.
- [2] [ETSI ETS 300 133-5 ed.2 \(11-1997\)](https://standards.iteh.ai/catalog/standards/sist/cb89b4e3-52ca-4fa5-a811-aafbddd28206/sist-en-300-487-v2-2-1-2025): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Enhanced Radio MESSage System (ERMES); Part 5: Receiver conformance specification".

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] [Commission Implementing Decision C\(2015\) 5376 final of 4.8.2015](https://standards.iteh.ai/catalog/standards/sist/cb89b4e3-52ca-4fa5-a811-aafbddd28206/sist-en-300-487-v2-2-1-2025) on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.2] [Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014](https://standards.iteh.ai/catalog/standards/sist/cb89b4e3-52ca-4fa5-a811-aafbddd28206/sist-en-300-487-v2-2-1-2025) on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.

- [i.3] ETSI EG 203 336 (V1.2.1): "Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".

---

## 3 Definition of terms, symbols and abbreviations

### 3.1 Terms

For the purposes of the present document, the following terms apply:

**bearer type:** carrier with certain bandwidth, certain modulation type and using certain error coding rate

**effective receive operating band:** receive band within 1 518 MHz to 1 559 MHz where the tests associated with table 3 are met

**in-band signals:** signals which are located in the operating band plus an offset of 10 MHz outside this operating band

**operating frequency band:** frequency range 1 518 MHz to 1 559 MHz

**transition frequency:** frequency which separates adjacent frequency ranges in a table of limits

### 3.2 Symbols

Void.

### 3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

BW	Bandwidth
CDMA	Code Division Multiple Access
CW	Continuous Wave
$E_b/N_0$	Energy per bit to noise power spectral density ratio
EC	European Commission
EFTA	European Free Trade Association
EIRP	Equivalent Isotropically Radiated Power
ETS	European Telecommunication Standard
EUT	Equipment Under Test
LMSS	Land Mobile Satellite Service
LO	Local Oscillator
LTE	Long Term Evolution
PE	Portable Equipment
QoS	Quality of Service
RED	Radio Equipment Directive
RF	Radio Frequency
ROMES	Receive-Only Mobile Earth Station
SNR	Signal to Noise Ratio
STE	Special Test Equipment
VIE	Vehicle Installed Equipment
VSWR	Voltage Standing Wave Ratio

---

## 4 Test conditions

### 4.1 Environment profile

The technical requirements of the present document apply under the environmental conditions described in clause 5.1.