

ETSI TS 145 003 V13.2.0 (2016-08)



Digital cellular telecommunications system (Phase 2+) (GSM); Channel coding (3GPP TS 45.003 version 13.2.0 Release 13)

PREVIEW
Full standard preview/57f6e5a4-7e03-40ef-8e68-3968400eb058/etsi-ts-145-003-v13.2.0-2016-08
<https://standards.iteh.ai/catalog/standards/sist/57f6e5a4-7e03-40ef-8e68-3968400eb058/etsi-ts-145-003-v13.2.0-2016-08>



Reference

RTS/TSGG-0145003vd20

Keywords

GSM**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	18
1 Scope	19
1.1 References	19
1.2 Abbreviations	20
2 General	20
2.1 General organization	20
2.2 Naming Convention	34
3 Traffic Channels (TCH)	36
3.1 Speech channel at full rate (TCH/FS and TCH/EFS).....	37
3.1.1 Preliminary channel coding for EFR only	37
3.1.1.1 CRC calculation	37
3.1.1.2 Repetition bits	37
3.1.1.3 Correspondence between input and output of preliminary channel coding.....	37
3.1.2 Channel coding for FR and EFR.....	38
3.1.2.1 Parity and tailing for a speech frame.....	38
3.1.2.2 Convolutional encoder	38
3.1.3 Interleaving	39
3.1.4 Mapping on a Burst.....	39
3.2 Speech channel at half rate (TCH/HS).....	39
3.2.1 Parity and tailing for a speech frame	39
3.2.2 Convolutional encoder.....	40
3.2.3 Interleaving	41
3.2.4 Mapping on a burst	41
3.3 Data channel at full rate, 12.0 kbit/s radio interface rate (9.6 kbit/s services (TCH/F9.6)).....	41
3.3.1 Interface with user unit	41
3.3.2 Block code	41
3.3.3 Convolutional encoder	42
3.3.4 Interleaving	42
3.3.5 Mapping on a Burst.....	42
3.4 Data channel at full rate, 6.0 kbit/s radio interface rate (4.8 kbit/s services (TCH/F4.8)).....	42
3.4.1 Interface with user unit	42
3.4.2 Block code	43
3.4.3 Convolutional encoder.....	43
3.4.4 Interleaving	43
3.4.5 Mapping on a Burst.....	43
3.5 Data channel at half rate, 6.0 kbit/s radio interface rate (4.8 kbit/s services (TCH/H4.8)).....	43
3.5.1 Interface with user unit	43
3.5.2 Block code	43
3.5.3 Convolutional encoder.....	44
3.5.4 Interleaving	44
3.5.5 Mapping on a Burst.....	44
3.6 Data channel at full rate, 3.6 kbit/s radio interface rate (2.4 kbit/s and less services (TCH/F2.4)).....	44
3.6.1 Interface with user unit	44
3.6.2 Block code	44
3.6.3 Convolutional encoder.....	44
3.6.4 Interleaving	45
3.6.5 Mapping on a Burst.....	45
3.7 Data channel at half rate, 3.6 kbit/s radio interface rate (2.4 kbit/s and less services (TCH/H2.4)).....	45
3.7.1 Interface with user unit	45
3.7.2 Block code	45

3.7.3	Convolutional encoder	45
3.7.4	Interleaving	45
3.7.5	Mapping on a Burst.....	45
3.8	Data channel at full rate, 14.5 kbit/s radio interface rate (14.4 kbit/s services (TCH/F14.4)).....	45
3.8.1	Interface with user unit	45
3.8.2	Block code	46
3.8.3	Convolutional encoder	46
3.8.4	Interleaving	46
3.8.5	Mapping on a Burst.....	46
3.9	Adaptive multi rate speech channel at full rate (TCH/AFS)	46
3.9.1	SID_UPDATE	47
3.9.1.1	Coding of in-band data.....	47
3.9.1.2	Parity and convolutional encoding for the comfort noise parameters	47
3.9.1.3	Identification marker	48
3.9.1.4	Interleaving	48
3.9.1.5	Mapping on a Burst.....	48
3.9.2	SID_FIRST	49
3.9.2.1	Coding of in-band data.....	49
3.9.2.2	Identification marker	49
3.9.2.3	Interleaving	49
3.9.2.4	Mapping on a Burst.....	49
3.9.3	ONSET	49
3.9.3.1	Coding of in-band data.....	49
3.9.3.2	Interleaving	50
3.9.3.3	Mapping on a Burst.....	50
3.9.4	SPEECH	50
3.9.4.1	Coding of the in-band data.....	50
3.9.4.2	Ordering according to subjective importance.....	50
3.9.4.3	Parity for speech frames	51
3.9.4.4	Convolutional encoder	53
3.9.4.5	Interleaving	59
3.9.4.6	Mapping on a Burst.....	59
3.9.5	RATSCCH.....	59
3.9.5.1	Coding of in-band data.....	59
3.9.5.2	Parity and convolutional encoding for the RATSCCH message.....	60
3.9.5.3	Identification marker	61
3.9.5.4	Interleaving	61
3.9.5.5	Mapping on a Burst.....	61
3.10	Adaptive multi rate speech channel at half rate (TCH/AHS)	61
3.10.1	SID_UPDATE	61
3.10.1.1	Coding of in-band data.....	62
3.10.1.2	Parity and convolutional encoding for the comfort noise parameters	62
3.10.1.3	Identification marker	63
3.10.1.4	Interleaving	63
3.10.1.5	Mapping on a Burst.....	63
3.10.2	SID_UPDATE_INH	63
3.10.2.1	Coding of in-band data.....	63
3.10.2.2	Identification marker	64
3.10.2.3	Interleaving	64
3.10.2.4	Mapping on a Burst.....	64
3.10.3	SID_FIRST_P1	64
3.10.3.1	Coding of in-band data.....	64
3.10.3.2	Identification marker	64
3.10.3.3	Interleaving	65
3.10.3.4	Mapping on a Burst.....	65
3.10.4	SID_FIRST_P2	65
3.10.4.1	Coding of in-band data.....	65
3.10.4.2	Interleaving	65
3.10.4.3	Mapping on a Burst.....	65
3.10.5	SID_FIRST_INH	65
3.10.5.1	Coding of in-band data.....	66
3.10.5.2	Identification marker	66

3.10.5.3	Interleaving	66
3.10.5.4	Mapping on a Burst	66
3.10.6	ONSET	66
3.10.6.1	Coding of in-band data	66
3.10.6.2	Interleaving	66
3.10.6.3	Mapping on a Burst	66
3.10.7	SPEECH	66
3.10.7.1	Coding of the in-band data	66
3.10.7.2	Ordering according to subjective importance	67
3.10.7.3	Parity for speech frames	67
3.10.7.4	Convolutional encoder	69
3.10.7.5	Interleaving	73
3.10.7.6	Mapping on a Burst	73
3.10.8	RATSCCH_MARKER	73
3.10.8.1	Coding of in-band data	73
3.10.8.2	Identification marker	73
3.10.8.3	Interleaving	73
3.10.8.4	Mapping on a Burst	73
3.10.9	RATSCCH_DATA	74
3.10.9.1	Coding of in-band data	74
3.10.9.2	Parity and convolutional encoding for the RATSCCH message	74
3.10.9.3	Interleaving	75
3.10.9.4	Mapping on a Burst	75
3.11	Data channel for ECSD at full rate, 29.0 kbit/s radio interface rate (28.8 kbit/s services (E-TCH/F28.8))	75
3.11.1	Interface with user unit	75
3.11.2	Block code	75
3.11.2.1	Repetition bits	75
3.11.2.2	Reed Solomon encoder	75
3.11.3	Convolutional encoder	77
3.11.3.1	Tailing bits for a data frame	77
3.11.3.2	Convolutional encoding for a data frame	77
3.11.4	Interleaving	77
3.11.5	Mapping on a Burst	77
3.12	Data channel for ECSD at full rate, 32.0 kbit/s radio interface rate (32.0 kbit/s services (E-TCH/F32.0))	78
3.12.1	Interface with user unit	78
3.12.2	Void	78
3.12.3	Convolutional encoder	78
3.12.3.1	Tailing bits for a data frame	78
3.12.3.2	Convolutional encoding for a data frame	78
3.12.4	Interleaving	80
3.12.5	Mapping on a Burst	80
3.13	Data channel for ECSD at full rate, 43.5 kbit/s radio interface rate (43.2 kbit/s services (E-TCH/F43.2))	80
3.13.1	Interface with user unit	80
3.13.2	Convolutional encoder	80
3.13.2.1	Tailing bits for a data frame	80
3.13.2.2	Convolutional encoding for a data frame	80
3.13.3	Interleaving	81
3.13.4	Mapping on a Burst	81
3.14	Wideband Adaptive multi rate speech channel at full rate (TCH/WFS)	81
3.14.1	SID_UPDATE	81
3.14.2	SID_FIRST	81
3.14.3	ONSET	81
3.14.4	SPEECH	81
3.14.4.1	Coding of the in-band data	82
3.14.4.2	Ordering according to subjective importance	82
3.14.4.3	Parity for speech frames	82
3.14.4.4	Convolutional encoder	83
3.14.4.5	Interleaving	86
3.14.4.6	Mapping on a Burst	86
3.14.5	RATSCCH	86
3.15	Adaptive multi rate speech channel at 8-PSK half rate (O-TCH/AHS)	86
3.15.1	SID_UPDATE	87

3.15.1.1	Coding of in-band data.....	87
3.15.1.2	Parity and convolutional encoding for the comfort noise parameters	87
3.15.1.3	Identification marker	87
3.15.1.4	Repetition	87
3.15.1.5	Interleaving	87
3.15.1.6	Mapping on a Burst	87
3.15.2	SID_UPDATE_INH	87
3.15.2.1	Coding of in-band data.....	88
3.15.2.2	Identification marker	88
3.15.2.3	Repetition	88
3.15.2.4	Interleaving	88
3.15.2.5	Mapping on a Burst	88
3.15.3	SID_FIRST_P1	88
3.15.3.1	Coding of in-band data.....	88
3.15.3.2	Identification marker	88
3.15.3.3	Repetition	88
3.15.3.4	Interleaving	88
3.15.3.5	Mapping on a Burst	89
3.15.4	SID_FIRST_P2.....	89
3.15.4.1	Coding of in-band data.....	89
3.15.4.2	Repetition	89
3.15.4.3	Interleaving	89
3.15.4.4	Mapping on a Burst	89
3.15.5	SID_FIRST_INH.....	89
3.15.5.1	Coding of in-band data.....	89
3.15.5.2	Identification marker	89
3.15.5.3	Repetition	89
3.15.5.4	Interleaving	90
3.15.5.5	Mapping on a Burst	90
3.15.6	ONSET	90
3.15.6.1	Coding of in-band data.....	90
3.15.6.2	Repetition	90
3.15.6.3	Interleaving	90
3.15.6.4	Mapping on a Burst	90
3.15.7	SPEECH	90
3.15.7.1	Coding of the in-band data.....	90
3.15.7.2	Ordering according to subjective importance.....	90
3.15.7.3	Parity for speech frames.....	91
3.15.7.4	Convolutional encoder	93
3.15.7.5	Interleaving	107
3.15.7.6	Mapping on a Burst	108
3.15.8	RATSCCH_MARKER.....	108
3.15.8.1	Coding of in-band data.....	108
3.15.8.2	Identification marker	108
3.15.8.3	Interleaving	108
3.15.8.4	Mapping on a Burst	108
3.15.9	RATSCCH_DATA.....	108
3.15.9.1	Coding of in-band data.....	108
3.15.9.2	Parity and convolutional encoding for the RATSCCH message.....	109
3.15.9.3	Interleaving	109
3.15.9.4	Mapping on a Burst	109
3.16	Wideband Adaptive multi rate speech channel at 8-PSK full rate (O-TCH/WFS).....	109
3.16.1	SID_UPDATE	109
3.16.1.1	Coding of in-band data.....	110
3.16.1.2	Parity and convolutional encoding for the comfort noise parameters	110
3.16.1.3	Identification marker	110
3.16.1.4	Repetition	110
3.16.1.5	Interleaving	110
3.16.1.6	Mapping on a Burst	110
3.16.2	SID_FIRST	110
3.16.2.1	Coding of in-band data.....	110
3.16.2.2	Identification marker	110

3.16.2.3	Repetition	110
3.16.2.4	Interleaving	110
3.16.2.5	Mapping on a Burst	111
3.16.3	ONSET	111
3.16.3.1	Coding of in-band data	111
3.16.3.2	Repetition	111
3.16.3.3	Interleaving	111
3.16.3.4	Mapping on a Burst	111
3.16.4	SPEECH	111
3.16.4.1	Coding of the in-band data	111
3.16.4.2	Ordering according to subjective importance	111
3.16.4.3	Parity for speech frames	112
3.16.4.4	Convolutional encoder	113
3.16.4.5	Interleaving	128
3.16.4.6	Mapping on a Burst	128
3.16.5	RATSCCH	128
3.16.5.1	Coding of in-band data	128
3.16.5.2	Parity and convolutional encoding for the RATSCCH message	128
3.16.5.3	Identification marker	128
3.16.5.4	Interleaving	128
3.16.5.5	Mapping on a Burst	129
3.17	Wideband Adaptive multi rate speech channel at 8-PSK half rate (O-TCH/WHS)	129
3.17.1	SID_UPDATE	129
3.17.1.1	Coding of in-band data	129
3.17.1.2	Parity and convolutional encoding for the comfort noise parameters	129
3.17.1.3	Identification marker	130
3.17.1.4	Repetition	130
3.17.1.5	Interleaving	130
3.17.1.6	Mapping on a Burst	130
3.17.2	SID_UPDATE_INH	130
3.17.2.1	Coding of in-band data	130
3.17.2.2	Identification marker	130
3.17.2.3	Repetition	130
3.17.2.4	Interleaving	130
3.17.2.5	Mapping on a Burst	130
3.17.3	SID_FIRST_P1	130
3.17.3.1	Coding of in-band data	130
3.17.3.2	Identification marker	131
3.17.3.3	Repetition	131
3.17.3.4	Interleaving	131
3.17.3.5	Mapping on a Burst	131
3.17.4	SID_FIRST_P2	131
3.17.4.1	Coding of in-band data	131
3.17.4.2	Repetition	131
3.17.4.3	Interleaving	131
3.17.4.4	Mapping on a Burst	131
3.17.5	SID_FIRST_INH	131
3.17.5.1	Coding of in-band data	131
3.17.5.2	Identification marker	131
3.17.5.3	Repetition	132
3.17.5.4	Interleaving	132
3.17.5.5	Mapping on a Burst	132
3.17.6	ONSET	132
3.17.6.1	Coding of in-band data	132
3.17.6.2	Repetition	132
3.17.6.3	Interleaving	132
3.17.6.4	Mapping on a Burst	132
3.17.7	SPEECH	132
3.17.7.1	Coding of the in-band data	132
3.17.7.2	Ordering according to subjective importance	132
3.17.7.3	Parity for speech frames	133
3.17.7.4	Convolutional encoder	134

3.17.7.5	Interleaving	139
3.17.7.6	Mapping on a Burst	139
3.17.8	RATSCCH_MARKER	139
3.17.8.1	Coding of in-band data	140
3.17.8.2	Identification marker	140
3.17.8.3	Interleaving	140
3.17.8.4	Mapping on a Burst	140
3.17.9	RATSCCH_DATA	140
3.17.9.1	Coding of in-band data	140
3.17.9.2	Parity and convolutional encoding for the RATSCCH message	140
3.17.9.3	Interleaving	140
3.17.9.4	Mapping on a Burst	140
4	Control Channels	140
4.1	Slow associated control channel (SACCH)	140
4.1.1	Block constitution	140
4.1.2	Block code	140
4.1.3	Convolutional encoder	141
4.1.4	Interleaving	141
4.1.5	Mapping on a Burst	141
4.2	Fast associated control channel at full rate (FACCH/F)	142
4.2.1	Block constitution	142
4.2.2	Block code	142
4.2.3	Convolutional encoder	142
4.2.4	Interleaving	142
4.2.5	Mapping on a Burst	142
4.3	Fast associated control channel at half rate (FACCH/H)	143
4.3.1	Block constitution	143
4.3.2	Block code	143
4.3.3	Convolutional encoder	143
4.3.4	Interleaving	143
4.3.5	Mapping on a Burst	143
4.4	Broadcast control, Paging, Access grant, Notification and Cell broadcast channels (BCCH, PCH, AGCH, NCH, CBCH), CTS Paging and Access grant channels (CTSPCH, CTSAGCH)	144
4.5	Stand-alone dedicated control channel (SDCCH)	144
4.6	Random access channel (RACH)	144
4.7	Synchronization channel (SCH), Compact synchronization channel (CSCH), CTS Beacon and Access request channels (CTSBCH-SB, CTSARCH)	145
4.7a	Extended Coverage Synchronization channel (EC-SCH)	145
4.7a.1	Block constitution	145
4.7a.2	Coding	146
4.7a.3	Blind physical layer transmission	146
4.7a.4	Cyclic shift	146
4.7a.5	Mapping onto a physical channel	146
4.8	Access Burst on circuit switched channels other than RACH	147
4.9	Access Bursts for uplink access on a channel used for VGCS or VBS	147
4.10a	Fast associated control channel at ECSD E-TCH/F (E-FACCH/F)	147
4.10a.1	Block constitution	147
4.10a.2	Block code	147
4.10a.3	Convolutional encoder	147
4.10a.4	Interleaving	147
4.10a.5	Mapping on a Burst	147
4.10b	Octal fast associated control channel at half rate (O-FACCH/H)	148
4.10b.1	Block constitution	148
4.10b.2	Block code	148
4.10b.3	Convolutional encoder	148
4.10b.4	Reordering	149
4.10b.5	Interleaving	149
4.10b.6	Mapping on a burst	149
4.10c	Octal fast associated control channel at full rate (O-FACCH/F)	150
4.10c.1	Block constitution	150
4.10c.2	Block code	150

4.10c.3	Convolutional encoder	150
4.10c.4	Reordering	150
4.10c.5	Interleaving	150
4.10c.6	Mapping on a burst	150
4.11	Slow associated control channel with embedded enhanced power control (SACCH/TP).....	150
4.11.1	Block constitution	150
4.11.2	Block code	151
4.11.3	Convolutional encoder	151
4.11.4	Dummy bits insertion.....	151
4.11.5	Interleaving	152
4.11.6	Mapping on a Burst.....	152
4.12	Enhanced power control channel (EPCCH)	152
4.12.1	Block code	152
4.12.2	Mapping on a Burst.....	153
5	Packet Switched Channels.....	153
5.1	Packet data traffic channel (PDTCH).....	153
5.1.1	Packet data block type 1 (CS-1).....	154
5.1.2	Packet data block type 2 (CS-2).....	154
5.1.2.1	Block constitution	154
5.1.2.2	Block code.....	154
5.1.2.3	Convolutional encoder	155
5.1.2.4	Interleaving	155
5.1.2.5	Mapping on a burst.....	155
5.1.3	Packet data block type 3 (CS-3).....	155
5.1.3.1	Block constitution	155
5.1.3.2	Block code.....	155
5.1.3.3	Convolutional encoder	156
5.1.3.4	Interleaving	156
5.1.3.5	Mapping on a burst.....	156
5.1.4	Packet data block type 4 (CS-4).....	156
5.1.4.1	Block constitution	156
5.1.4.2	Block code.....	156
5.1.4.3	Convolutional encoder	157
5.1.4.4	Interleaving	157
5.1.4.5	Mapping on a burst.....	157
5.1.4a	Packet data block type 5a (MCS-0).....	157
5.1.4a.1	Downlink (MCS-0 DL).....	157
5.1.4a.1.1	Block constitution	157
5.1.4a.1.2	USF precoding.....	158
5.1.4a.1.3	Data coding.....	158
5.1.4a.1.4	Header coding.....	158
5.1.4a.1.5	Interleaving.....	159
5.1.4a.1.6	Mapping on a burst.....	159
5.1.5	Packet data block type 5 (MCS-1).....	159
5.1.5.1	Downlink (MCS-1 DL).....	159
5.1.5.1.1	Block constitution.....	159
5.1.5.1.2	USF precoding.....	159
5.1.5.1.2.1	BTTI configuration	159
5.1.5.1.2.2	RTTI configuration	159
5.1.5.1.3	Header coding.....	160
5.1.5.1.4	Data coding.....	161
5.1.5.1.4a	Piggy-backed Ack/Nack coding	162
5.1.5.1.5	Interleaving.....	163
5.1.5.1.6	Mapping on a burst.....	163
5.1.5.1.6.1	BTTI configuration	163
5.1.5.1.6.2	RTTI configuration	164
5.1.5.2	Uplink (MCS-1 UL).....	165
5.1.5.2.1	Block constitution.....	165
5.1.5.2.2	Header coding.....	165
5.1.5.2.3	Data coding.....	166
5.1.5.2.3a	Piggy-backed Ack/Nack coding	166

5.1.5.2.4	Interleaving.....	166
5.1.5.2.5	Mapping on a burst.....	166
5.1.6	Packet data block type 6 (MCS-2).....	167
5.1.6.1	Downlink (MCS-2 DL).....	167
5.1.6.1.1	Block constitution.....	167
5.1.6.1.2	USF precoding.....	167
5.1.6.1.2.1	BTTI configuration.....	167
5.1.6.1.2.2	RTTI configuration.....	167
5.1.6.1.3	Header coding.....	167
5.1.6.1.4	Data coding.....	167
5.1.6.1.4a	Piggy-backed Ack/Nack coding.....	168
5.1.6.1.5	Interleaving.....	168
5.1.6.1.6	Mapping on a burst.....	168
5.1.6.2	Uplink (MCS-2 UL).....	169
5.1.6.2.1	Block constitution.....	169
5.1.6.2.2	Header coding.....	169
5.1.6.2.3	Data coding.....	169
5.1.6.2.3a	Piggy-backed Ack/Nack coding.....	169
5.1.6.2.4	Interleaving.....	169
5.1.6.2.5	Mapping on a burst.....	169
5.1.7	Packet data block type 7 (MCS-3).....	169
5.1.7.1	Downlink (MCS-3 DL).....	169
5.1.7.1.1	Block constitution.....	169
5.1.7.1.2	USF precoding.....	169
5.1.7.1.2.1	BTTI configuration.....	169
5.1.7.1.2.2	RTTI configuration.....	170
5.1.7.1.3	Header coding.....	170
5.1.7.1.4	Data coding.....	170
5.1.7.1.4a	Piggy-backed Ack/Nack coding.....	171
5.1.7.1.5	Interleaving.....	171
5.1.7.1.6	Mapping on a burst.....	171
5.1.7.2	Uplink (MCS-3 UL).....	171
5.1.7.2.1	Block constitution.....	171
5.1.7.2.2	Header coding.....	171
5.1.7.2.3	Data coding.....	171
5.1.7.2.3a	Piggy-backed Ack/Nack coding.....	171
5.1.7.2.4	Interleaving.....	172
5.1.7.2.5	Mapping on a burst.....	172
5.1.8	Packet data block type 8 (MCS-4).....	172
5.1.8.1	Downlink (MCS-4 DL).....	172
5.1.8.1.1	Block constitution.....	172
5.1.8.1.2	USF precoding.....	172
5.1.8.1.2.1	BTTI configuration.....	172
5.1.8.1.2.2	RTTI configuration.....	172
5.1.8.1.3	Header coding.....	172
5.1.8.1.4	Data coding.....	172
5.1.8.1.5	Interleaving.....	173
5.1.8.1.6	Mapping on a burst.....	173
5.1.8.2	Uplink (MCS-4 UL).....	173
5.1.8.2.1	Block constitution.....	173
5.1.8.2.2	Header coding.....	173
5.1.8.2.3	Data coding.....	173
5.1.8.2.4	Interleaving.....	173
5.1.8.2.5	Mapping on a burst.....	173
5.1.9	Packet data block type 9 (MCS-5).....	174
5.1.9.1	Downlink (MCS-5 DL).....	174
5.1.9.1.1	Block constitution.....	174
5.1.9.1.2	USF precoding.....	174
5.1.9.1.2.1	BTTI configuration.....	174
5.1.9.1.2.2	RTTI configurations.....	174
5.1.9.1.3	Header coding.....	175
5.1.9.1.4	Data coding.....	176

5.1.9.1.4a	Piggy-backed Ack/Nack coding	177
5.1.9.1.5	Interleaving	178
5.1.9.1.6	Mapping on a burst	178
5.1.9.2	Uplink (MCS-5 UL)	180
5.1.9.2.1	Block constitution	180
5.1.9.2.2	Header coding	180
5.1.9.2.3	Data coding	181
5.1.9.2.3a	Piggy-backed Ack/Nack coding	181
5.1.9.2.4	Interleaving	182
5.1.9.2.5	Mapping on a burst	182
5.1.10	Packet data block type 10 (MCS-6)	182
5.1.10.1	Downlink (MCS-6 DL)	182
5.1.10.1.1	Block constitution	182
5.1.10.1.2	USF precoding	183
5.1.10.1.2.1	BTTI configuration	183
5.1.10.1.2.2	RTTI configuration	183
5.1.10.1.3	Header coding	183
5.1.10.1.4	Data coding	183
5.1.10.1.4a	Piggy-backed Ack/Nack coding	184
5.1.10.1.5	Interleaving	184
5.1.10.1.6	Mapping on a burst	184
5.1.10.2	Uplink (MCS-6 UL)	184
5.1.10.2.1	Block constitution	184
5.1.10.2.2	Header coding	185
5.1.10.2.3	Data coding	185
5.1.10.2.3a	Piggy-backed Ack/Nack coding	185
5.1.10.2.4	Interleaving	185
5.1.10.2.5	Mapping on a burst	185
5.1.11	Packet data block type 11 (MCS-7)	185
5.1.11.1	Downlink (MCS-7 DL)	185
5.1.11.1.1	Block constitution	185
5.1.11.1.2	USF precoding	186
5.1.11.1.2.2	RTTI configuration	186
5.1.11.1.3	Header coding	186
5.1.11.1.4	Data coding	187
5.1.11.1.4a	Piggy-backed Ack/Nack coding	188
5.1.11.1.5	Interleaving	189
5.1.11.1.6	Mapping on a burst	189
5.1.11.2	Uplink (MCS-7 UL)	191
5.1.11.2.1	Block constitution	191
5.1.11.2.2	Header coding	191
5.1.11.2.3	Data coding	192
5.1.11.2.3a	Piggy-backed Ack/Nack coding	192
5.1.11.2.4	Interleaving	192
5.1.11.2.5	Mapping on a burst	192
5.1.12	Packet data block type 12 (MCS-8)	193
5.1.12.1	Downlink (MCS-8 DL)	193
5.1.12.1.1	Block constitution	193
5.1.12.1.2	USF precoding	193
5.1.12.1.2.1	BTTI configuration	193
5.1.12.1.2.2	RTTI configuration	193
5.1.12.1.3	Header coding	193
5.1.12.1.4	Data coding	193
5.1.12.1.4a	Piggy-backed Ack/Nack coding	195
5.1.12.1.5	Interleaving	196
5.1.12.1.6	Mapping on a burst	196
5.1.12.2	Uplink (MCS-8 UL)	197
5.1.12.2.1	Block constitution	197
5.1.12.2.2	Header coding	197
5.1.12.2.3	Data coding	197
5.1.12.2.3a	Piggy-backed Ack/Nack coding	197
5.1.12.2.4	Interleaving	197

5.1.12.2.5	Mapping on a burst.....	198
5.1.13	Packet data block type 13 (MCS-9).....	198
5.1.13.1	Downlink (MCS-9 DL).....	198
5.1.13.1.1	Block constitution.....	198
5.1.13.1.2	USF precoding.....	198
5.1.13.1.2.1	BTTI configuration.....	198
5.1.13.1.2.2	RTTI configuration.....	198
5.1.13.1.3	Header coding.....	198
5.1.13.1.4	Data coding.....	198
5.1.13.1.5	Interleaving.....	199
5.1.13.1.6	Mapping on a burst.....	199
5.1.13.2	Uplink (MCS-9 UL).....	199
5.1.13.2.1	Block constitution.....	199
5.1.13.2.2	Header coding.....	199
5.1.13.2.3	Data coding.....	200
5.1.13.2.4	Interleaving.....	200
5.1.13.2.5	Mapping on a burst.....	200
5.1a	Packet data traffic channels (PDTCH) for EGPRS2.....	200
5.1a.1	General descriptions of channel coding functions.....	200
5.1a.1.1	Header.....	200
5.1a.1.2	Data encoded with convolutional code.....	201
5.1a.1.3	Data encoded with turbo code.....	201
5.1a.1.3.1	Parity bits.....	202
5.1a.1.3.2	Turbo encoding.....	202
5.1a.1.3.3	Trellis termination for Turbo coder.....	203
5.1a.1.3.4	Turbo code internal interleaver.....	203
5.1a.1.3.4.1	Bits-input to rectangular matrix with padding.....	204
5.1a.1.3.4.2	Intra-row and inter-row permutations.....	205
5.1a.1.3.4.3	Bits-output from rectangular matrix with pruning.....	206
5.1a.1.3.5	Turbo code puncturing.....	206
5.1a.1.3.5.2.1	P1 – first puncturing version.....	207
5.1a.1.3.5.2.2	P2 – second puncturing version – Type 1.....	207
5.1a.1.3.5.2.3	P2 – second puncturing version – Type 2.....	208
5.1a.1.3.5.2.4	P3 – third puncturing version.....	208
5.1a.1.3.5.3	PAN Parameters Handling.....	208
5.1a.1.4	PAN.....	213
5.1a.2	General descriptions of interleaving functions.....	214
5.1a.2.1	Interleaver type 1.....	214
5.1a.2.2	Interleaver type 2.....	214
5.1a.3	Packet data block type 14 (UAS-7).....	214
5.1a.3.1	Block constitution.....	214
5.1a.3.2	Header coding.....	215
5.1a.3.3	Data coding.....	215
5.1a.3.4	PAN coding.....	215
5.1a.3.5	Interleaving.....	215
5.1a.3.6	Mapping on a burst.....	216
5.1a.4	Packet data block type 15 (UAS-8).....	218
5.1a.4.1	Block constitution.....	218
5.1a.4.2	Header coding.....	218
5.1a.4.3	Data coding.....	218
5.1a.4.4	PAN coding.....	219
5.1a.4.5	Interleaving.....	219
5.1a.4.6	Mapping on a burst.....	219
5.1a.5	Packet data block type 16 (UAS-9).....	219
5.1a.5.1	Block constitution.....	219
5.1a.5.2	Header coding.....	219
5.1a.5.3	Data coding.....	219
5.1a.5.4	PAN coding.....	220
5.1a.5.5	Interleaving.....	220
5.1a.5.6	Mapping on a burst.....	220
5.1a.6	Packet data block type 17 (UAS-10).....	220
5.1a.6.1	Block constitution.....	220