INTERNATIONAL STANDARD

ISO 26428-2

First edition 2008-07-15

Digital cinema (D-cinema) distribution master —

Part 2: Audio characteristics

Souche de la distribution du cinéma numérique (cinéma D) —

iTeh STPartie 2: Caractéristiques d'écoute: W

(standards.iteh.ai)

<u>ISO 26428-2:2008</u> https://standards.iteh.ai/catalog/standards/sist/ac3b9272-6c6f-4ab1-a906-960fa69ae980/iso-26428-2-2008



Reference number ISO 26428-2:2008(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 26428-2:2008</u> https://standards.iteh.ai/catalog/standards/sist/ac3b9272-6c6f-4ab1-a906-960fa69ae980/iso-26428-2-2008



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

ISO 26428-2 was prepared by the Society of Motion Picture and Television Engineers (as SMPTE 428-2-2006) and was adopted, under a special "fast-track procedure", by Technical Committee ISO/TC 36, *Cinematography*, in parallel with its approval by the ISO member bodies.

ISO 26428 consists of the following parts, under the general title *Digital cinema (D-cinema) distribution* master: **Teh STANDARD PREVIEW**

- Part 1: Image characteristics (standards.iteh.ai)
- Part 2: Audio characteristics

ISO 26428-2:2008

— Part 3: Audio channel mapping and channel labeling 960fa69ae980/iso-26428-2-2008

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 26428-2:2008</u> https://standards.iteh.ai/catalog/standards/sist/ac3b9272-6c6f-4ab1-a906-960fa69ae980/iso-26428-2-2008

SMPTE 428-2-2006

SMPTE STANDARD

D-Cinema Distribution Master — Audio Characteristics



Page 1 of 3 pages

Table of contents

Foreword		
Introduction		
1	Scope	
2	Normat	ive references
3	Parame	eter values
Annex A Bibliography		

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

SMPTE (the Society of Motion Picture and Television Engineers) is an internationally-recognized standards developing organization. Headquartered and incorporated in the United States of America, SMPTE has members in over 80 countries on six continents. SMPTE's Engineering Documents, including Standards, Recommended Practices and Engineering Guidelines, are prepared by SMPTE's Technology Committees. Participation in these Committees is open to all with a bona fide interest in their work. SMPTE cooperates closely with other standards-developing organizations, including ISO, IEC and ITU.

SMPTE Engineering Documents are drafted in accordance with the rules given in Part XIII of its Administrative Practices.

SMPTE Standard SMPTE 428-2 was prepared by Technology Committee DC28.

Introduction

This standard addresses interoperability of equipment used to deliver audio in digital cinema theaters by defining the sample rate, bit depth, channel count and reference level of the digital audio.

Copyright © 2006 by THE SOCIETY OF MOTION PICTURE AND TELEVISION ENGINEERS 3 Barker Avenue, White Plains, NY 10601 (914) 761-1100 SMPTE 428-2-2006

1 Scope

For interoperability of digital cinema equipment used to create an Audio D-Cinema Distribution Master. The necessary characteristics of digital audio to be specified are bit depth, sample rate, minimum channel count, and reference levels.

2 Normative references

The following standard contains provisions which, through reference in this text, constitute provisions of this standard. At the time of publication, the edition indicated was valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent edition of the standard indicated below.

AES3-2003, AES Recommended Practice for Digital Audio Engineering — Serial Transmission Format for Two-Channel Linearly Represented Digital Audio Data

3 Parameter values

3.1 Bit depth

The bit depth shall be a maximum of 24 bits per sample. Material having other bit depths shall be justified to the most significant bit (AES3, clause 4.1.1). The audio sample word shall be linear 2's complement representation as defined in AES3, clause 4.1.1.

3.2 Sample rate

(standards.iteh.ai)

Irrespective of the associated image frame rate or rates, the delivered audio sample rate contained within the D-Cinema Distribution Master (DCDM) shall be either forty-eight thousand samples per second per channel, commonly expressed as 48.000 kHz, or ninety-six thousand samples per second per channel, commonly expressed as 96.000 kHz. Audio sample rate jitter shall be as specified in AES3.

NOTE – The called out sample rates are an average over time. Instantaneous deviation of the sample rates from their average (jitter) affects the quality of the audio output in digital-to-analog conversions and so must be considered in implementation designs.

3.3 Channel count

The digital cinema distribution master (DCDM) shall support a channel count of sixteen full-bandwidth channels. Not all sixteen channels need be used on any given title.

3.4 Reference level, Digital

Digital inputs and outputs shall have a reference level of -20 dB FS.

SMPTE 428-2-2006

Annex A (informative) Bibliography

AES5-2003, AES Recommended Practice for Professional Digital Audio —Preferred Sampling Frequencies for Applications Employing Pulse-Code Modulation

AES11-2003, AES Recommended Practice for Digital Audio Engineering — Synchronization of Digital Audio Equipment in Studio Operations

AES-R2-2004, AES Project Report for Articles on Professional Audio and for Equipment Specifications

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 26428-2:2008</u> https://standards.iteh.ai/catalog/standards/sist/ac3b9272-6c6f-4ab1-a906-960fa69ae980/iso-26428-2-2008

Page 3 of 3 pages

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 26428-2:2008</u> https://standards.iteh.ai/catalog/standards/sist/ac3b9272-6c6f-4ab1-a906-960fa69ae980/iso-26428-2-2008

ICS 35.040; 37.060.99 Price based on 2 pages