



SLOVENSKI STANDARD

SIST EN 301 061-5 V1.1.3:2005

01-april-2005

8] [] H U b c ' c a f Y y ' Y n '] b h [f] f U b] a] g l c f] h j U a] f l c 8 B L ! ' D f c l c _ c ` X [] H U b Y ' b U f c b] y _ Y
g [] b U] n U W Y ' y h ' % f B G G % k ! ' ; Y b Y f] b] z b _ W ' g _] ' d f c l c _ c ` n U d c X d c f c ' X c d c ` b] b] a
g l c f] h j U a ' j ' j g l c d b] l c _] ' V ' g l c f] h j Y n U U d `] _ U W Y ' b U j] X Y n b Y [U n U g Y V b Y [U c a f Y y ' U
f U D B L ! ') " X Y . N [f U X V U d f Y g _ i y U b Y [U b] n U] b ' b U a Y b] d f Y g _ i y U b ' U f H G G / H D L !
G d Y W Z _ U W Y U n U c a f Y y ' Y

Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Generic functional protocol for the support of supplementary services at the b service entry point for Virtual Private Network (VPN) applications; Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network

[SIST EN 301 061-5 V1.1.3:2005](https://standards.iteh.ai/catalog/standards/sist/31a3af60-7582-4a3a-b752-cf6cfe60b352/sist-en-301-061-5-v1-1-3-2005)

<https://standards.iteh.ai/catalog/standards/sist/31a3af60-7582-4a3a-b752-cf6cfe60b352/sist-en-301-061-5-v1-1-3-2005>

Ta slovenski standard je istoveten z: EN 301 061-5 Version 1.1.3

ICS:

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

SIST EN 301 061-5 V1.1.3:2005 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 061-5 V1.1.3:2005

<https://standards.iteh.ai/catalog/standards/sist/31a3af60-7582-4a3a-b752-cfecfe60b352/sist-en-301-061-5-v1-1-3-2005>

EN 301 061-5 V1.1.3 (1998-10)

European Standard (Telecommunications series)

**Integrated Services Digital Network (ISDN);
Digital Subscriber Signalling System No. one (DSS1) protocol;
Generic functional protocol for the support of
supplementary services at the "b" service entry point for
Virtual Private Network (VPN) applications;
Part 5: Test Suite Structure and Test Purposes (TSS&TP)
specification for the network**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 301 061-5 V1.1.3:2005](https://standards.iteh.ai/catalog/standards/sist/31a3af60-7582-4a3a-b752-cfecfe60b352/sist-en-301-061-5-v1-1-3-2005)

<https://standards.iteh.ai/catalog/standards/sist/31a3af60-7582-4a3a-b752-cfecfe60b352/sist-en-301-061-5-v1-1-3-2005>



Reference

DEN/SPS-05110-5 (9tp90ie0.PDF)

Keywords

DSS1, generic, ISDN, supplementary service,
VPN, TSS&TP, network

ETSI**Postal address**

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C

Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet

secretariat@etsi.fr

<http://www.etsi.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998.
All rights reserved.

Contents

Intellectual Property Rights.....	4
Foreword	4
1 Scope.....	5
2 Normative references	5
3 Definitions and abbreviations	6
3.1 Definitions	6
3.1.1 Definitions related to conformance testing.....	6
3.1.2 Definitions related to EN 301 061-1	6
3.2 Abbreviations.....	6
4 Test Suite Structure (TSS)	7
5 Test Purposes (TP).....	8
5.1 Introduction.....	8
5.1.1 TP naming convention.....	8
5.1.2 Source of TP definition	8
5.1.3 TP structure.....	8
5.1.4 Test strategy	9
5.2 Network TPs for VPN-GFP.....	9
5.2.1 Common IE approach.....	9
5.2.1.1 Bearer related transport mechanism.....	10
5.2.1.1.1 Protocol control	10
5.2.1.1.1.1 Outgoing call	10
5.2.1.1.1.2 Incoming call.....	10
5.2.1.1.2 GFT-Control	11
5.2.1.2 Connection oriented bearer independent transport mechanism	14
5.2.1.2.1 Protocol control.....	14
5.2.1.2.1.1 Originating interface.....	14
5.2.1.2.1.2 Destination interface.....	14
5.2.1.2.1.3 Connection clearing.....	14
5.2.1.2.1.4 Exchange of FACILITY messages	15
5.2.1.2.1.5 Interaction	15
5.2.1.2.1.6 Handling of error conditions	16
5.2.1.2.1.7 Timers	17
5.2.1.2.2 GFT-Control requirement	17
5.2.1.2.2.1 Control of the Facility IE.....	17
5.2.1.2.2.2 Control of the NCICS connection	20
5.2.1.2.2.2A Transit PINX	20
5.2.2 Generic notification procedures	21
5.2.2.1 Protocol control	21
5.2.2.2 GFT-control.....	21
5.2.3 Co-ordination function	22
5.2.4 ROSE requirements.....	23
5.2.5 Flow control	23
6 Compliance	24
7 Requirements for a comprehensive testing service.....	24
History	25

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available **free of charge** from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Signalling Protocols and Switching (SPS).

The present document is part 5 of a multi-part European Standard (Telecommunications series) covering the Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Generic functional protocol for the support of supplementary services at the "b" service entry point for Virtual Private Network (VPN) applications, as identified below:

- Part 1: "Protocol specification";
- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP), specification for the user";
- Part 4: "Abstract Test Suite (ATS), user";
- Part 5: "Test Suite Structure and Test Purposes (TSS&TP), specification for the network";**
- Part 6: "Abstract Test Suite (ATS), network".

National transposition dates

Date of adoption of this EN:	30 October 1998
Date of latest announcement of this EN (doa):	31 January 1999
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 July 1999
Date of withdrawal of any conflicting National Standard (dow):	31 July 1999

1 Scope

This fifth part of EN 301 061 specifies the Test Suite Structure and Test Purposes (TSS&TP) for the network side of the T reference point (as defined in ITU-T Recommendation I.411 [9]) of implementations conforming to the stage three standard for the generic functional protocol for the support of supplementary services for Virtual Private Network (VPN) applications for the pan-European Integrated Services Digital Network (ISDN) by means of the Digital Subscriber Signalling System No. one (DSS1) protocol, EN 301 061-1 [2].

2 Normative references

References may be made to:

- a) specific versions of publications (identified by date of publication, edition number, version number, etc.), in which case, subsequent revisions to the referenced document do not apply; or
- b) all versions up to and including the identified version (identified by "up to and including" before the version identity); or
- c) all versions subsequent to and including the identified version (identified by "onwards" following the version identity); or
- d) publications without mention of a specific version, in which case the latest version applies.

A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- iTeh STANDARD PREVIEW**
(standards.bzh.eu)
- SIST EN 301 061-5 V1.1.3:2005
<https://standards.iteh.ai/catalog/standards/sist/e1a5a160-7982-4a5a-b752-c1cc100552/sist-en-301-061-5-v1-1-3-2005>
- [1] EN 300 196-1 (V1.2): "Integrated Services Digital Network (ISDN); Generic functional protocol for the support of supplementary services; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification".
 - [2] EN 301 061-1 (V1.2): "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Generic functional protocol for the support of supplementary services at the "b" service entry point for Virtual Private Network (VPN) applications; Part 1: Protocol specification".
 - [3] EN 301 061-2 (V1.1): "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Generic functional protocol for the support of supplementary services at the "b" service entry point for Virtual Private Network (VPN) applications; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification".
 - [4] ETS 300 406 (1995): "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".
 - [5] ISO/IEC 9646-1: "Information technology; Open System Interconnection; Conformance testing methodology and framework; Part 1: General concepts".
 - [6] ISO/IEC 9646-2: "Information technology; Open System Interconnection; Conformance testing methodology and framework; Part 2: Abstract Test Suite specification".
 - [7] Void.
 - [8] ISO/IEC 11582 (1995): "Information technology; Telecommunications and information exchange between systems; Private Integrated Services Network; Generic functional protocol for the support of supplementary services; Inter-exchange signalling procedures and protocol".
 - [9] ITU-T Recommendation I.411 (1993): "ISDN user-network interfaces; reference configurations".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following definitions apply:

3.1.1 Definitions related to conformance testing

Abstract Test Suite (ATS): Refer to ISO/IEC 9646-1 [5].

Implementation Under Test (IUT): Refer to ISO/IEC 9646-1 [5].

Protocol Implementation Conformance Statement (PICS): Refer to ISO/IEC 9646-1 [5].

PICS proforma: Refer to ISO/IEC 9646-1 [5].

Protocol Implementation eXtra Information for Testing (PIXIT): Refer to ISO/IEC 9646-1 [5].

PIXIT proforma: Refer to ISO/IEC 9646-1 [5].

Test Purpose (TP): Refer to ISO/IEC 9646-1 [5].

3.1.2 Definitions related to EN 301 061-1

component: See EN 300 196-1 [1], subclause 11.2.2.1.

invoke component: See EN 300 196-1 [1], subclause 11.2.2.1.

return error component: See EN 300 196-1 [1], subclause 11.2.2.1.

return result component: See EN 300 196-1 [1], subclause 11.2.2.1.

T: The DSS1 protocol entity at the User side of the user-network interface where a T reference point applies (User is a private ISDN).

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

APDU	Application Protocol Data Unit
ATM	Abstract Test Method
ATS	Abstract Test Suite
GFT	Generic Functional Transport
IE	Information Element
ISDN	Integrated Services Digital Network
IUT	Implementation Under Test
NCICS	Networked Call Independent Connection oriented Signalling
PICS	Protocol Implementation Conformance Statement
PINX	Private Integrated services Network eXchange
PIXIT	Protocol Implementation eXtra Information for Testing
ROSE	Remote Operations Service Element
TP	Test Purpose
TSS	Test Suite Structure
VPN	Virtual Private Network
VPN-GFP	Generic Functional Protocol for the support of supplementary services for VPN

4 Test Suite Structure (TSS)

	group
5.2.1. Common Information Element (IE) approach	
5.2.1.1. Bearer related transport mechanism	
5.2.1.1.1. protocol control	
5.2.1.1.1.1. Outgoing call	N01
5.2.1.1.1.2. Incoming call	N02
5.2.1.1.2. GFT-control	N03
5.2.1.2. Connection oriented Bearer bearer independent transport mechanism	
5.2.1.2.1. Protocol control	
5.2.1.2.1.1. Originating interface	N04
5.2.1.2.1.2. Destination interface	N05
5.2.1.2.1.3. Connection clearing	N06
5.2.1.2.1.4. Exchange of FACILITY messages	N07
5.2.1.2.1.5. Interaction	N08
5.2.1.2.1.6. Handling of error conditions	N09
5.2.1.2.1.7. Timers	N10
5.2.1.2.2. GFT-control	
5.2.1.2.2.1. Control of facility IE	N11
5.2.1.2.2.2. Control of the NCICS connection	N12
5.2.2. Generic notification procedures	
5.2.2.1. Protocol control	N13
5.2.2.2. GFT-control	N14
5.2.3. Co-ordination function	N15
5.2.4. ROSE requirement	N16
5.2.5. Flow control	N17

Figure 1: Test suite structure

5 Test Purposes (TP)

5.1 Introduction

For each test requirement a TP is defined.

5.1.1 TP naming convention

TPs are numbered, starting at 001, within each group. Groups are organized according to the TSS. Additional references are added to identify the actual test suite and whether it applies to the network or the user (see table 1).

Table 1: TP identifier naming convention scheme

Identifier: <ps>_<iut><group>_<nnn>			
<ps>	=	protocol specification:	"GFP"
<iut>	=	type of IUT:	U User N Network
<group>	=	group	2 digit field representing group reference according to TSS
<nnn>	=	sequential number	(001-999)

ITeH STANDARD PREVIEW

5.1.2 Source of TP definition

(standards.iteh.ai)

The TPs are based on EN 301 061-1 [2].

[SIST EN 301 061-5 V1.1.3:2005](https://standards.iteh.ai/catalog/standards/sist/31a3af60-7582-4a3a-b752-cf6cfe60b352/sist-en-301-061-5-v1-1-3-2005)

5.1.3 TP structure

<https://standards.iteh.ai/catalog/standards/sist/31a3af60-7582-4a3a-b752-cf6cfe60b352/sist-en-301-061-5-v1-1-3-2005>

Each TP has been written in a manner which is consistent with all other TPs. The intention of this is to make the TPs more readable and checkable. A particular structure has been used and this is illustrated in table 2. This table should be read in conjunction with any TP, i.e. use a TP as an example to fully understand the table.

Table 2: Structure of a single TP for Generic Functional Protocol for the support of supplementary services for VPN (VPN-GFP)

TP part	Text	Example
Header	<Identifier> <i>tab</i> <paragraph number in base ETS> <i>tab</i>	see table 1 subclause 0.0.0
Stimulus	Ensure that the Implementation Under Test (IUT) in the <basic call state> ... <trigger> <i>see below for message structure</i> <i>or</i> <goal>	N10 etc. receiving a XXXX message to request a ...
Reaction	<action> <conditions> <i>if the action is sending</i> <i>see below for message structure</i> <next action>, <i>etc.</i> and remains in the same state <i>or</i> and enters state <state>	sends, saves, does, etc. using en bloc sending, ...
Message structure	<message type> message containing a a) <info element> IE with b) a <field name> encoded as <i>or</i> including <coding of the field> and <i>back to a or b,</i>	SETUP, FACILITY, CONNECT, ... Bearer capability, Facility, ...
NOTE 1: TP are always applicable. Optional TPs are applicable according to the configuration options of the IUT. If the configuration option is covered by a Protocol Implementation Conformance Statement (PICS) item, a selection criteria is indicated, else the selection of the corresponding test cases will depend on test suite parameters Protocol Implementation eXtra Information for Testing (PIXIT) in the Abstract Test Suite (ATS).		
NOTE 2: Text in italics will not appear in TPs and text between <> is filled in for each TP and may differ from one TP to the next.		

iTech STANDARD PREVIEW
(standards.itech.ai)

5.1.4 Test strategy

SIST EN 301 061-5 V1.1.3:2005

[https://standards.itech.ai/catalog/standards/sist/31a3af60-7582-4a3a-b752-](https://standards.itech.ai/catalog/standards/sist/31a3af60-7582-4a3a-b752-cf6cf660b352/sist-en-301-061-5-v1-1-3-2005)

[cf6cf660b352/sist-en-301-061-5-v1-1-3-2005](https://standards.itech.ai/catalog/standards/sist/31a3af60-7582-4a3a-b752-cf6cf660b352/sist-en-301-061-5-v1-1-3-2005)

As the base standard EN 301 061-1 [2] contains no explicit requirements for testing, the TPs were generated as a result of an analysis of the base standard and the Protocol Implementation Conformance Statement (PICS) specification EN 301 061-2 [3].

The TPs are only based on conformance requirements related to the externally observable behaviour of the IUT, and are limited to conceivable situations to which a real implementation is likely to be faced (ETS 300 406 [4]).

5.2 Network TPs for VPN-GFP

All PICS items referred to in this subclause are as specified in EN 301 061-2 [3] unless indicated otherwise by another numbered reference.

Unless specified, the messages and IEs indicated are valid and contain at least the mandatory parameters and possibly optional parameters.

5.2.1 Common IE approach

Selection: IUT supports the common IE category. PICS: Mcn 1.

In all the TPs of this subclause, the call reference is to be considered in a Virtual Private Network (VPN) context.

The following TPs are testing the procedures associated with the transport of components using the messages for the establishment and clearing of calls.

The primitives exchanged between the different entities are not observable. Only the PDU exchanged between peer implementations can be observed.