### INTERNATIONAL STANDARD

ISO 702-1

Third edition 2009-07-15

Corrected version 2009-10-01

# Machine tools — Connecting dimensions of spindle noses and work holding chucks —

Part 1: Conical connection

Teh STMachines-outils — Dimensions d'assemblage des nez de broche et des mandrins porte-pièces —

S Partie 1: Assemblage conique

ISO 702-1:2009 https://standards.iteh.ai/catalog/standards/sist/30fc9e5e-b16c-4c05-90ee-f7343df9cb39/iso-702-1-2009



#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

### iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 702-1:2009 https://standards.iteh.ai/catalog/standards/sist/30fc9e5e-b16c-4c05-90ee-f7343df9cb39/iso-702-1-2009



#### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 702-1 was prepared by Technical Committee ISO/TC 39, *Machine tools*, Subcommittee SC 8, *Work holding spindles and chucks*.

This third edition cancels and replaces the second edition (ISO 702-1:2001), Tables 1 and 2 and Figures 1 and 2 of which have been technically revised. ards.iteh.ai)

ISO 702 consists of the following parts, under the general title *Machine tools* — *Connecting dimensions of spindle noses and work holding chucks*:

https://standards.iteh.ai/catalog/standards/sist/30fc9e5e-b16c-4c05-90ee-

- Part 1: Conical connection f7343df9cb39/iso-702-1-2009
- Part 2: Camlock type
- Part 3: Bayonet type
- Part 4: Cylindrical connection

In this corrected version of ISO 702-1:2009, the "-" (minus) sign has been deleted from the zero values of tolerance of  $d_1$  in Table 1 and footnote "c" of Table 2 has been corrected to read "Type A1" and "Type A2".

## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 702-1:2009 https://standards.iteh.ai/catalog/standards/sist/30fc9e5e-b16c-4c05-90ee-f7343df9cb39/iso-702-1-2009

### Machine tools — Connecting dimensions of spindle noses and work holding chucks —

#### Part 1:

#### **Conical connection**

#### 1 Scope

This part of ISO 702 specifies the sizes for interchangeability of conical spindle noses and corresponding connecting faces of face plates or work holding chucks.

NOTE The "camlock type", "bayonet type" and "cylindrical connection" are specified in ISO 702-2, ISO 702-3 and ISO 702-4, respectively.

#### 2 Interchangeabilityeh STANDARD PREVIEW

In this part of ISO 702, all dimensions and tolerances are expressed in millimetres.

Although there are differences in the values of dimensions and assembly screws in metric and inch series, the connecting dimensions in Tables 1 and 2 allow for interchangeability between metric- and inch-based chucks (see also footnote "a" in Table 2).


67343df9cb39/iso-702-1-2009

#### 3 Sizes for interchangeability

#### 3.1 Spindle noses

See Figure 1 and Table 1.

- Type A1: Two bolt circles of diameter  $d_2$  and  $d_3$ ;
- Type A2: One outer bolt circle of diameter  $d_3$  (Type A2 for Nos. 3 and 4; types A1 and A2 for Nos. 5 to 28).








Figure 1 (continued)





#### Key

- 1 size No. 3
- 2 size No. 4
- 3 size Nos. 5 to 11
- 4 size Nos. 15 to 28
- a All fixing holes.

Figure 1 — Spindle noses


Table 1 — Dimensions of spindle noses

Dimension		No.								
, b	nmension	3	4	5	6	8	11	15	20	28
<i>d</i> <sub>1</sub>	nom.	53,975	63,513	82,563	106,375	139,719	196,869	285,775	412,775	584,225
	tol.	+ 0,008	+ 0,008	+ 0,010	+ 0,010	+ 0,012	+ 0,014	+ 0,016	+ 0,020	+ 0,023
$d_2$		_	_	61,9	82,6	111,1	165,1	247,6	368,3	530,2
$d_3$		70,6	82,6	104,8	133,4	171,4	235	330,2	463,6	647,6
$d_4$		92	108	133	165	210	280	380	520	725
$d_5$		M10	M10	M10	M12	M16	M20	M24	M24	M30
d <sub>6</sub> H8/h8		_	14,25	15,9	19,05	23,8	28,6	34,9	41,3	50,8
l <sub>1</sub> (Type A	0 - 0,025	_	_	14,288	15,875	17,462	19,050	20,638	22,225	25,400
l <sub>1</sub> (Type A	A2)	11	11	13	14	16	18	19	21	24
$l_2$		16	20	22	25	28	35	42	48	56
$l_3$		_	iTeh	ST5AN	DAR	D 6PR	EVI	<b>1 1 8</b>	8	8
$l_4$		14	17	(stan	dæ²ds	i <i>l</i> eh.	ai <sup>32</sup>	37	42	50
w and x	x	0,2	0,2	0,2	0,2	0,2	0,2	0,3	0,3	0,3
NOTE	The general to			dimensions s.itch.ai/cata			e <del>5e-b16e-4</del>	e05-90cc-		

f7343df9cb39/iso-702-1-2009

#### 3.2 Connecting face dimensions

See Figure 2 and Table 2.



- a) With inner bolt circle (for mounting on spindle nose A1 by means of its inner bolt circle)
- b) With outer bolt circle (for mounting on spindle nose A1, or spindle nose A2 by means of its outer bolt circle)

Figure 2 — Connecting face dimensions