

INTERNATIONAL
STANDARD

ISO/IEC/
IEEE
9945

First edition
2009-09-15

**Information technology — Portable
Operating System Interface (POSIX®)
Base Specifications, Issue 7**

*Technologies de l'information — Spécifications de base de l'interface
pour la portabilité des systèmes (POSIX®), Issue 7*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC/IEEE 9945:2009](https://standards.iteh.ai/catalog/standards/sist/90f00f06-0659-4ccf-89d2-ab7d213f70e2/iso-iec-ieee-9945-2009)

[https://standards.iteh.ai/catalog/standards/sist/90f00f06-0659-4ccf-89d2-
ab7d213f70e2/iso-iec-ieee-9945-2009](https://standards.iteh.ai/catalog/standards/sist/90f00f06-0659-4ccf-89d2-ab7d213f70e2/iso-iec-ieee-9945-2009)



Reference number
ISO/IEC/IEEE 9945:2009(E)



Copyright © 2001-2008, IEEE and The Open Group.
All rights reserved

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. Neither the ISO Central Secretariat nor IEEE accepts any liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies and IEEE members. In the unlikely event that a problem relating to it is found, please inform the ISO Central Secretariat or IEEE at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC/IEEE 9945:2009](https://standards.iteh.ai/catalog/standards/sist/90f00f06-0659-4ccf-89d2-ab7d213f70e2/iso-iec-ieee-9945-2009)

<https://standards.iteh.ai/catalog/standards/sist/90f00f06-0659-4ccf-89d2-ab7d213f70e2/iso-iec-ieee-9945-2009>



COPYRIGHT PROTECTED DOCUMENT

© IEEE 2001-2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO or IEEE at the respective address below.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York • NY 10016-5997, USA
E-mail stds.ipr@ieee.org
Web www.ieee.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

The main task of ISO/IEC JTC 1 is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is called to the possibility that implementation of this standard may require the use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. ISO/IEEE is not responsible for identifying essential patents or patent claims for which a license may be required, for conducting inquiries into the legal validity or scope of patents or patent claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance or a Patent Statement and Licensing Declaration Form, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from ISO or the IEEE Standards Association.

ISO/IEC/IEEE 9945 was prepared by The Open Group (as The Open Group Technical Standard Base Specifications, Issue 7) and the Portable Applications Standards Committee of the Computer Society of the IEEE (as IEEE Std 1003.1™-2008). It was adopted by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 22, *Programming languages, their environments and system software interfaces*, in parallel with its approval by the ISO/IEC national bodies, under the “fast-track procedure” defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE. IEEE is responsible for the maintenance of this document with participation and input from ISO/IEC national bodies.

This first edition of ISO/IEC/IEEE 9945 cancels and replaces ISO/IEC 9945-1:2003, ISO/IEC 9945-2:2003, ISO/IEC 9945-3:2003 and ISO/IEC 9945-4:2003, which have been technically revised. It also incorporates the Technical Corrigenda ISO/IEC 9945-1:2003/Cor.1:2004, ISO/IEC 9945-2:2003/Cor.1:2004, ISO/IEC 9945-3:2003/Cor.1:2004 and ISO/IEC 9945-4:2003/Cor.1:2004.

iTeh STANDARD PREVIEW
(blank page)
(standards.iteh.ai)

ISO/IEC/IEEE 9945:2009
<https://standards.iteh.ai/catalog/standards/sist/90f00f06-0659-4ccf-89d2-ab7d213f70e2/iso-iec-ieee-9945-2009>



Standard for Information Technology– Portable Operating System Interface (POSIX®)

Base Specifications, Issue 7

iTeh STANDARD PREVIEW
(standards.iteh.ai)

IEEE Computer Society

<https://standards.iteh.ai/catalog/standards/sist/90f00f06-0659-4ccf-89d2-ab7d213f70e2/iso-iec-ieee-9945-2009>

Sponsored by the
Portable Applications Standards Committee

and

The Open Group

IEEE
3 Park Avenue
New York, NY 10016-5997, USA
1 December 2008

IEEE Std 1003.1™-2008
(Revision of
IEEE Std 1003.1-2004)

TM
1003.1

iTeh STANDARD PREVIEW
(blank page)
(standards.iteh.ai)

ISO/IEC/IEEE 9945:2009
<https://standards.iteh.ai/catalog/standards/sist/90f00f06-0659-4ccf-89d2-ab7d213f70e2/iso-iec-ieee-9945-2009>

IEEE Std 1003.1™ -2008
(Revision of
IEEE Std 1003.1-2004)

The Open Group Technical Standard
Base Specifications, Issue 7

Standard for Information Technology— Portable Operating System Interface (POSIX®) Base Specifications, Issue 7

Sponsor

Portable Applications Standards Committee

of the

IEEE Computer Society

and

The Open Group

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC/IEEE 9945:2009](https://standards.iteh.ai/catalog/standards/sist/90f00f06-0659-4ccf-89d2-ab7d213f70e2/iso-iec-ieee-9945-2009)

<https://standards.iteh.ai/catalog/standards/sist/90f00f06-0659-4ccf-89d2-ab7d213f70e2/iso-iec-ieee-9945-2009>

Approved 26 September 2008

IEEE-SA Standards Board

Approved 24 July 2008

The Open Group



Abstract

POSIX.1-2008 is simultaneously IEEE Std 1003.1™-2008 and The Open Group Technical Standard Base Specifications, Issue 7.

POSIX.1-2008 defines a standard operating system interface and environment, including a command interpreter (or “shell”), and common utility programs to support applications portability at the source code level. POSIX.1-2008 is intended to be used by both application developers and system implementors and comprises four major components (each in an associated volume):

- General terms, concepts, and interfaces common to all volumes of this standard, including utility conventions and C-language header definitions, are included in the Base Definitions volume.
- Definitions for system service functions and subroutines, language-specific system services for the C programming language, function issues, including portability, error handling, and error recovery, are included in the System Interfaces volume.
- Definitions for a standard source code-level interface to command interpretation services (a “shell”) and common utility programs for application programs are included in the Shell and Utilities volume.
- Extended rationale that did not fit well into the rest of the document structure, which contains historical information concerning the contents of POSIX.1-2008 and why features were included or discarded by the standard developers, is included in the Rationale (Informative) volume.

The following areas are outside the scope of POSIX.1-2008:

- Graphics interfaces
- Database management system interfaces
- Record I/O considerations
- Object or binary code portability
- System configuration and resource availability

POSIX.1-2008 describes the external characteristics and facilities that are of importance to application developers, rather than the internal construction techniques employed to achieve these capabilities. Special emphasis is placed on those functions and facilities that are needed in a wide variety of commercial applications.

Keywords

application program interface (API), argument, asynchronous, basic regular expression (BRE), batch job, batch system, built-in utility, byte, child, command language interpreter, CPU, extended regular expression (ERE), FIFO, file access control mechanism, input/output (I/O), job control, network, portable operating system interface (POSIX®), parent, shell, stream, string, synchronous, system, thread, X/Open System Interface (XSI)

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

The Open Group
Thames Tower, Station Road, Reading, Berkshire, RG1 1LX, U.K.

Copyright © 2008 by the Institute of Electrical and Electronics Engineers, Inc. and The Open Group
All rights reserved.

Published 1 December 2008 by the IEEE. Printed in the United States of America by the IEEE.

PDF: ISBN 978-0-7381-5798-6 STD95820
CDROM: ISBN 978-0-7381-5799-3 STDCD95820

Published 1 December 2008 by The Open Group. Printed in the United Kingdom by The Open Group.

Doc. Number: C082
ISBN: 1-931624-79-8

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. Permission to reproduce all or any part of this standard must be with the consent of both copyright holders and may be subject to a license fee. Both copyright holders will need to be satisfied that the other has granted permission. Requests should be sent by email to austin-group-permissions@opengroup.org.

This standard has been prepared by the Austin Group. Feedback relating to the material contained within this standard may be submitted by using the Austin Group web site at www.opengroup.org/austin/defectform.html.

IEEE

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property, or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied “AS IS”.

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE Standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE.^A Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

^A For this standard please send comments via the Austin Group, as indicated on page ii.

The Open Group

The Open Group is a vendor-neutral and technology-neutral consortium, whose vision of Boundaryless Information Flow™ will enable access to integrated information within and between enterprises based on open standards and global interoperability. The Open Group works with customers, suppliers, consortia, and other standards bodies. Its role is to capture, understand, and address current and emerging requirements, establish policies, and share best practices; to facilitate interoperability, develop consensus, and evolve and integrate specifications and Open Source technologies; to offer a comprehensive set of services to enhance the operational efficiency of consortia; and to operate the industry's premier certification service, including UNIX® certification.

Further information on The Open Group is available at www.opengroup.org.

The Open Group has over 20 years' experience in developing and operating certification programs and has extensive experience developing and facilitating industry adoption of test suites used to validate conformance to an open standard or specification.

The Open Group publishes a wide range of technical documentation, the main part of which is focused on development of Technical and Product Standards and Guides, but which also includes white papers, technical studies, branding and testing documentation, and business titles. Full details and a catalog are available at www.opengroup.org/bookstore.

As with all *live* documents, Technical Standards and Specifications require revision to align with new developments and associated international standards. To distinguish between revised specifications which are fully backwards compatible and those which are not:

- A new *Version* indicates there is no change to the definitive information contained in the previous publication of that title, but additions/extensions are included. As such, it *replaces* the previous publication.
- A new *Issue* indicates there is substantive change to the definitive information contained in the previous publication of that title, and there may also be additions/extensions. As such, both previous and new documents are maintained as current publications.

Readers should note that Corrigenda may apply to any publication. Corrigenda information is published at www.opengroup.org/corrigenda.

[ISO/IEC/IEEE 9945:2009](https://standards.iteh.ai/catalog/standards/sist/90f00f06-0659-4ccf-89d2-ab7d213f70e2/iso-iec-ieee-9945-2009)

<https://standards.iteh.ai/catalog/standards/sist/90f00f06-0659-4ccf-89d2-ab7d213f70e2/iso-iec-ieee-9945-2009>

Introduction

This introduction is not part of POSIX.1-2008, Standard for Information Technology – Portable Operating System Interface (POSIX).

This standard was developed, and is maintained, by a joint working group of members of the IEEE Portable Applications Standards Committee, members of The Open Group, and members of ISO/IEC Joint Technical Committee 1. This joint working group is known as the Austin Group.^B

The Austin Group arose out of discussions amongst the parties which started in early 1998, leading to an initial meeting and formation of the group in September 1998. The purpose of the Austin Group is to develop and maintain the core open systems interfaces that are the POSIX[®] 1003.1 (and former 1003.2) standards, ISO/IEC 9945, and the core of the Single UNIX Specification.

The approach to specification development has been one of “write once, adopt everywhere”, with the deliverables being a set of specifications that carry the IEEE POSIX designation, The Open Group's Technical Standard designation, and an ISO/IEC designation.

This unique development has combined both the industry-led efforts and the formal standardization activities into a single initiative, and included a wide spectrum of participants. The Austin Group continues as the maintenance body for this document.

Anyone wishing to participate in the Austin Group should contact the chair with their request. There are no fees for participation or membership. You may participate as an observer or as a contributor. You do not have to attend face-to-face meetings to participate; electronic participation is most welcome. For more information on the Austin Group and how to participate, see www.opengroup.org/austin.

Background

The developers of POSIX.1-2008 represent a cross-section of hardware manufacturers, vendors of operating systems and other software development tools, software designers, consultants, academics, authors, applications programmers, and others.

Conceptually, POSIX.1-2008 describes a set of fundamental services needed for the efficient construction of application programs. Access to these services has been provided by defining an interface, using the C programming language, a command interpreter, and common utility programs that establish standard semantics and syntax. Since this interface enables application developers to write portable applications – it was developed with that goal in mind – it has been designated POSIX^C, an acronym for Portable Operating System Interface.

Although originated to refer to the original IEEE Std 1003.1-1988, the name POSIX more correctly refers to a *family* of related standards: IEEE Std 1003.*n* and the parts of ISO/IEC 9945. In earlier editions of the IEEE standard, the term POSIX was used as a synonym for IEEE Std 1003.1-1988. A preferred term, POSIX.1, emerged. This maintained the advantages of readability of the symbol “POSIX” without being ambiguous with the POSIX family of standards.

Audience

The intended audience for POSIX.1-2008 is all persons concerned with an industry-wide standard operating system based on the UNIX system. This includes at least four groups of people:

- Persons buying hardware and software systems
- Persons managing companies that are deciding on future corporate computing directions
- Persons implementing operating systems, and especially
- Persons developing applications where portability is an objective

^B The Austin Group is named after the location of the inaugural meeting held at the IBM facility in Austin, Texas in September 1998.

^C The Name POSIX was suggested by Richard Stallman. It is expected to be pronounced *pahz-icks*, as in *positive*, not *poh-six*, or other variations. The pronunciation has been published in an attempt to promulgate a standardized way of referring to a standard operating system interface.

Purpose

Several principles guided the development of POSIX.1-2008:

- Application-Oriented – The basic goal was to promote portability of application programs across UNIX system environments by developing a clear, consistent, and unambiguous standard for the interface specification of a portable operating system based on the UNIX system documentation. POSIX.1-2008 codifies the common, existing definition of the UNIX system.
- Interface, Not Implementation – POSIX.1-2008 defines an interface, not an implementation. No distinction is made between library functions and system calls; both are referred to as functions. No details of the implementation of any function are given (although historical practice is sometimes indicated in the RATIONALE section). Symbolic names are given for constants (such as signals and error numbers) rather than numbers.
- Source, Not Object, Portability – POSIX.1-2008 has been written so that a program written and translated for execution on one conforming implementation may also be translated for execution on another conforming implementation. POSIX.1-2008 does not guarantee that executable (object or binary) code will execute under a different conforming implementation than that for which it was translated, even if the underlying hardware is identical.
- The C Language – The system interfaces and header definitions are written in terms of the standard C language as specified in the ISO C standard.
- No Superuser, No System Administration – There was no intention to specify all aspects of an operating system. System administration facilities and functions are excluded from this standard, and functions usable only by the superuser have not been included. Still, an implementation of the standard interface may also implement features not in POSIX.1-2008. POSIX.1-2008 is also not concerned with hardware constraints or system maintenance.
- Minimal Interface, Minimally Defined – In keeping with the historical design principles of the UNIX system, the mandatory core facilities of POSIX.1-2008 have been kept as minimal as possible. Additional capabilities have been added as optional extensions.
- Broadly Implementable – The developers of POSIX.1-2008 endeavored to make all specified functions implementable across a wide range of existing and potential systems, including:
 - All of the current major systems that are ultimately derived from the original UNIX system code (Version 7 or later)
 - Compatible systems that are not derived from the original UNIX system code
 - Emulations hosted on entirely different operating systems
 - Networked systems
 - Distributed systems
 - Systems running on a broad range of hardware

No direct references to this goal appear in POSIX.1-2008, but some results of it are mentioned in the Rationale (Informative) volume.

- Minimal Changes to Historical Implementations – When the original version – IEEE Std 1003.1-1988 – was published, there were no known historical implementations that did not have to change. However, there was a broad consensus on a set of functions, types, definitions, and concepts that formed an interface that was common to most historical implementations.

The adoption of the 1988 and 1990 IEEE system interface standards, the 1992 IEEE shell and utilities standard, the various Open Group (formerly X/Open) specifications, and IEEE Std 1003.1-2001 and its technical corrigenda have consolidated this consensus, and this version reflects the significantly increased level of consensus arrived at since the original versions. The authors of the original versions tried, as much as possible, to follow the principles below when creating new specifications:

- By standardizing an interface like one in an historical implementation; for example, directories
- By specifying an interface that is readily implementable in terms of, and backwards-compatible with, historical implementations, such as the extended *tar* format defined in the *pax* utility
- By specifying an interface that, when added to an historical implementation, will not conflict with it; for example, the *sigaction()* function

POSIX.1-2008 is specifically not a codification of a particular vendor's product.

It should be noted that implementations will have different kinds of extensions. Some will reflect “historical usage” and will be preserved for execution of pre-existing applications. These functions should be considered “obsolescent” and the standard functions used for new applications. Some extensions will represent functions beyond the scope of POSIX.1-2008. These need to be used with careful management to be able to adapt to future extensions of POSIX.1-2008 and/or port to implementations that provide these services in a different manner.

- Minimal Changes to Existing Application Code – A goal of POSIX.1-2008 was to minimize additional work for application developers. However, because every known historical implementation will have to change at least slightly to conform, some applications will have to change.

POSIX.1-2008

POSIX.1-2008 defines the Portable Operating System Interface (POSIX) requirements and consists of the following topics arranged as a series of volumes within the standard:

- Base Definitions
- System Interfaces
- Shell and Utilities
- Rationale (Informative)

Base Definitions

The Base Definitions volume provides common definitions for this standard, therefore readers should be familiar with it before using the other volumes.

This volume is structured as follows:

- Chapter 1 is an introduction.
- Chapter 2 defines the conformance requirements.
- Chapter 3 defines general terms used.
- Chapter 4 describes general concepts used.
- Chapter 5 describes the notation used to specify file input and output formats in this volume and the Shell and Utilities volume.
- Chapter 6 describes the portable character set and the process of character set definition.
- Chapter 7 describes the syntax for defining internationalization locales as well as the POSIX locale provided on all systems.
- Chapter 8 describes the use of environment variables for internationalization and other purposes.
- Chapter 9 describes the syntax of pattern matching using regular expressions employed by many utilities and matched by the *regcomp()* and *regexexec()* functions.
- Chapter 10 describes files and devices found on all systems.
- Chapter 11 describes the asynchronous terminal interface for many of the functions in the System Interfaces volume and the *stty* utility in the Shell and Utilities volume.
- Chapter 12 describes the policies for command line argument construction and parsing.
- Chapter 13 defines the contents of headers which declare the functions and global variables, and define types, constants, macros, and data structures that are needed by programs using the services provided by the System Interfaces volume.

Comprehensive references are available in the index.

System Interfaces

The System Interfaces volume describes the interfaces offered to application programs by POSIX-conformant systems. Readers are expected to be experienced C language programmers, and to be familiar with the Base Definitions volume.

This volume is structured as follows:

- Chapter 1 explains the status of this volume and its relationship to other formal standards.
- Chapter 2 contains important concepts, terms, and caveats relating to the rest of this volume.
- Chapter 3 defines the functional interfaces to the POSIX-conformant system.

Comprehensive references are available in the index.

Shell and Utilities

The Shell and Utilities volume describes the commands and utilities offered to application programs on POSIX-conformant systems. Readers are expected to be familiar with the Base Definitions volume.

This volume is structured as follows:

- Chapter 1 explains the status of this volume and its relationship to other formal standards. It also describes the defaults used by the utility descriptions.
- Chapter 2 describes the command language used in POSIX-conformant systems, and special built-in utilities.
- Chapter 3 describes a set of services and utilities that are implemented on systems supporting the Batch Environment Services and Utilities option.
- Chapter 4 consists of reference pages for all utilities, other than the special built-in utilities described in Chapter 2, available on POSIX-conformant systems.

Comprehensive references are available in the index.

Rationale (Informative)

The Rationale volume is published to assist in the process of review. It contains historical information concerning the contents of this standard and why features were included or discarded by the standard developers. It also contains notes of interest to application programmers on recommended programming practices, emphasizing the consequences of some aspects of POSIX.1-2008 that may not be immediately apparent.

This volume is organized in parallel to the normative volumes of this standard, with a separate part for each of the three normative volumes.

Within this volume, the following terms are used:

- Base standard – The portions of POSIX.1-2008 that are not optional, equivalent to the definitions of *classic* POSIX.1 and POSIX.2.
- POSIX.0 – Although this term is not used in the normative text of POSIX.1-2008, it is used in this volume to refer to IEEE Std 1003.0™-1995.
- POSIX.1b – Although this term is not used in the normative text of POSIX.1-2008, it is used in this volume to refer to the elements of the POSIX Realtime Extension amendment. (This was earlier referred to as POSIX.4 during the standard development process.)
- POSIX.1c – Although this term is not used in the normative text of POSIX.1-2008, it is used in this volume to refer to the POSIX Threads Extension amendment. (This was earlier referred to as POSIX.4a during the standard development process.)
- Standard developers – The individuals and companies in the development organizations responsible for POSIX.1-2008: the IEEE P1003.1 working groups, The Open Group Base working group, advised by the hundreds of individual technical experts who balloted the draft standards within the Austin Group, and the member bodies and technical experts of ISO/IEC JTC 1/SC 22.
- XSI option – The portions of POSIX.1-2008 addressing the extension added for support of the Single UNIX Specification.

Typographical Conventions

The following typographical conventions are used throughout this standard. In the text, this standard is referred to as POSIX.1-2008, which is technically identical to The Open Group Base Specifications, Issue 7.

The typographical conventions listed here are for ease of reading only. Editorial inconsistencies in the use of typography are unintentional and have no normative meaning in POSIX.1-2008.

Reference	Example	Notes
C-Language Data Structure	aiocb	
C-Language Data Structure Member	<i>aio_lio_opcode</i>	
C-Language Data Type	long	
C-Language External Variable	<i>errno</i>	
C-Language Function	<i>system()</i>	
C-Language Function Argument	<i>arg</i>	
C-Language Function Family	<i>exec</i>	
C-Language Header	< sys/stat.h >	
C-Language Keyword	return	
C-Language Macro with Argument	<i>assert()</i>	
C-Language Macro with No Argument	NET_ADDRSTRLEN	
C-Language Preprocessing Directive	#define	
Commands within a Utility	a, c	
Conversion Specifier, Specifier/Modifier Character	%A, g, E	1
Environment Variable	<i>PATH</i>	
Error Number	[EINTR]	
Example Output	Hello, World	
Filename	/tmp	
Literal Character	'c', '\r'	2
Literal String	"abcde"	2
Optional Items in Utility Syntax	[]	
Parameter	<directory/pathname>	
Special Character	<newline>	3
Symbolic Constant	_POSIX_VDISABLE	
Symbolic Limit, Configuration Value	{LINE_MAX}	4
Syntax	#include <sys/stat.h>	
User Input and Example Code	echo Hello, World	5
Utility Name	<i>awk</i>	
Utility Operand	<i>file_name</i>	
Utility Option	-c	
Utility Option with Option-Argument	-w width	

Note that:

1. Conversion specifications, specifier characters, and modifier characters are used primarily in date-related functions and utilities and the *fprintf()* and *fscanf()* formatting functions.
2. Unless otherwise noted, the quotes shall not be used as input or output. When used in a list item, the quotes are omitted. The literal characters <apostrophe> (also known as single-quote) and <backslash> are either shown as the C constants '\ ' and '\\ ', respectively, or as the special characters <apostrophe>, single-quote, and <backslash> depending on context.
3. The style selected for some of the special characters, such as <newline>, matches the form of the input given to the *localedef* utility. Generally, the characters selected for this special treatment are those that are not visually distinct, such as the control characters <tab> or <newline>.
4. Names surrounded by braces represent symbolic limits or configuration values which may be declared in appropriate headers by means of the C **#define** construct.