



**Electronic Signatures and Infrastructures (ESI);  
Policy and security requirements for  
Trust Service Providers issuing certificates;  
Part 1: General requirements**

*Standard for Review*  
*Full standard available at: https://standards.iteh.ai/catalog/standards/sist/19-11-2017/etsi-en-319-411-1-2018-04*  
*https://standards.iteh.ai/catalog/standards/sist/19-11-2017/etsi-en-319-411-1-2018-04*

---

Reference

REN/ESI-0019411-1v121

---

Keywords

e-commerce, electronic signature, extended validation certificate, public key, security, trust services

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSI/DeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017.  
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and LTE™ are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	6
Foreword.....	6
Modal verbs terminology.....	6
Introduction .....	7
1 Scope.....	8
2 References .....	8
2.1 Normative references .....	8
2.2 Informative references.....	9
3 Definitions, abbreviations and notation.....	10
3.1 Definitions.....	10
3.2 Abbreviations .....	12
3.3 Notation.....	13
4 General concepts .....	14
4.1 General policy requirements concepts.....	14
4.2 Certificate policy and certification practice statement .....	14
4.2.1 Overview .....	14
4.2.2 Purpose .....	14
4.2.3 Level of specificity .....	15
4.2.4 Approach .....	15
4.2.5 Certificate Policy .....	15
4.3 Other Trust Service Providers statements .....	16
4.4 Certification services.....	16
5 General provisions on Certification Practice Statement and Certificate Policies.....	17
5.1 General requirements .....	17
5.2 Certification Practice Statement requirements .....	18
5.3 Certificate Policy name and identification .....	18
5.4 PKI participants.....	19
5.4.1 Certification Authority.....	19
5.4.2 Subscriber and subject .....	19
5.4.3 Others.....	20
5.5 Certificate usage .....	20
6 Trust Service Providers practice.....	20
6.1 Publication and repository responsibilities.....	20
6.2 Identification and authentication .....	21
6.2.1 Naming .....	21
6.2.2 Initial identity validation.....	21
6.2.3 Identification and authentication for Re-key requests .....	24
6.2.4 Identification and authentication for revocation requests .....	25
6.3 Certificate Life-Cycle operational requirements .....	26
6.3.1 Certificate application.....	26
6.3.2 Certificate application processing.....	26
6.3.3 Certificate issuance .....	26
6.3.4 Certificate acceptance .....	28
6.3.5 Key pair and certificate usage.....	29
6.3.6 Certificate renewal.....	30
6.3.7 Certificate Re-key.....	31
6.3.8 Certificate modification .....	31
6.3.9 Certificate revocation and suspension.....	31
6.3.10 Certificate status services.....	32
6.3.11 End of subscription .....	33
6.3.12 Key escrow and recovery.....	33

6.4	Facility, management, and operational controls .....	33
6.4.1	General .....	33
6.4.2	Physical security controls .....	34
6.4.3	Procedural controls .....	34
6.4.4	Personnel controls .....	34
6.4.5	Audit logging procedures .....	35
6.4.6	Records archival .....	35
6.4.7	Key changeover .....	35
6.4.8	Compromise and disaster recovery .....	35
6.4.9	Certification Authority or Registration Authority termination .....	37
6.5	Technical security controls .....	37
6.5.1	Key pair generation and installation .....	37
6.5.2	Private key protection and cryptographic module engineering controls .....	39
6.5.3	Other aspects of key pair management .....	40
6.5.4	Activation data .....	40
6.5.5	Computer security controls .....	40
6.5.6	Life cycle security controls .....	41
6.5.7	Network security controls .....	41
6.5.8	Timestamping .....	41
6.6	Certificate, CRL, and OCSP profiles .....	41
6.6.1	Certificate profile .....	41
6.6.2	CRL profile .....	42
6.6.3	OCSP profile .....	42
6.7	Compliance audit and other assessment .....	42
6.8	Other business and legal matters .....	42
6.8.1	Fees .....	42
6.8.2	Financial responsibility .....	43
6.8.3	Confidentiality of business information .....	43
6.8.4	Privacy of personal information .....	43
6.8.5	Intellectual property rights .....	43
6.8.6	Representations and warranties .....	43
6.8.7	Disclaimers of warranties .....	43
6.8.8	Limitations of liability .....	43
6.8.9	Indemnities .....	44
6.8.10	Term and termination .....	44
6.8.11	Individual notices and communications with participants .....	44
6.8.12	Amendments .....	44
6.8.13	Dispute resolution procedures .....	44
6.8.14	Governing law .....	44
6.8.15	Compliance with applicable law .....	44
6.8.16	Miscellaneous provisions .....	44
6.9	Other provisions .....	44
6.9.1	Organizational .....	44
6.9.2	Additional testing .....	45
6.9.3	Disabilities .....	45
6.9.4	Terms and conditions .....	45
7	Framework for the definition of other certificate policies .....	45
7.1	Certificate policy management .....	45
7.2	Additional requirements .....	46
<b>Annex A (informative):</b>	<b>Model PKI disclosure statement .....</b>	<b>47</b>
A.1	Introduction .....	47
A.2	The PDS structure .....	47
A.3	The PDS format .....	48
<b>Annex B (informative):</b>	<b>Conformity assessment checklist .....</b>	<b>49</b>
<b>Annex C (informative):</b>	<b>Change History .....</b>	<b>50</b>
<b>Annex D (informative):</b>	<b>Bibliography .....</b>	<b>51</b>

History .....52

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/1accb90b-e3f-426d-9a85-214a97ebbaab/etsi-en-319-411-1-v1.2.2-2018-04>

---

## Intellectual Property Rights

### Essential patents

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

### Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

## Foreword

This draft European Standard (EN) has been produced by ETSI Technical Committee Electronic Signatures and Infrastructures (ESI), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document is part 1 of a multi-part deliverable covering policy requirements for Trust Service Providers issuing certificates, as identified below:

**Part 1: "General requirements";**

Part 2: "Requirements for trust service providers issuing EU qualified certificates".

The present document is derived from the requirements specified in ETSI TS 102 042 [i.6] "Policy requirements for certification authorities issuing public key certificates" that has been updated as detailed in annex B.

<b>Proposed national transposition dates</b>	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

---

## Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

**"must"** and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

## Introduction

Electronic commerce, in its broadest sense, is a way of doing business and communicating across public and private networks. An important requirement of electronic commerce is the ability to identify the originator and protect the confidentiality of electronic exchanges. This is commonly achieved by using cryptographic mechanisms which are supported by a Trust Service Provider (TSP) issuing certificates, commonly called a Certification Authority (CA).

For participants of electronic commerce to have confidence in the security of these cryptographic mechanisms they need to have confidence that the TSP has properly established procedures and protective measure in order to minimize the operational and financial threats and risks associated with public key cryptographic systems.

The present document is aiming to meet the general requirements of the international community to provide trust and confidence in electronic transactions including, amongst others, applicable requirements from Regulation (EU) No 910/2014 [i.14] and those from CA/Browser Forum, BRG [5].

Bodies wishing to establish policy requirements for TSPs issuing certificates in a regulatory context other than the EU can base their requirements on those specified in the present document and specify any additional requirements in a manner similar to ETSI EN 319 411-2 [i.5], which builds on the present document requirements so as to benefit from the use of generally accepted global best practices.

**ITeH STANDARD PREVIEW**  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/1accb90b-e3f-426d-9a85-214a97ebbaab/etsi-en-319-411-1-v1.2.2-2018-04>

---

# 1 Scope

The present document specifies generally applicable policy and security requirements for Trust Service Providers (TSP) issuing public key certificates, including trusted web site certificates.

The policy and security requirements are defined in terms of requirements for the issuance, maintenance and life-cycle management of certificates. These policy and security requirements support six reference certificate policies, defined in clause 5.

A framework for the definition of policy requirements for TSPs issuing certificates in a specific context where particular requirements apply is defined in clause 7.

The present document covers requirements for CA hierarchies, however this is limited to supporting the policies as specified in the present document. It does not include requirements for root CAs and intermediate CAs for other purposes.

The present document is applicable to:

- the general requirements of certification in support of cryptographic mechanisms, including digital signatures and seals;
- the general requirements of certification authorities issuing TLS/SSL certificates;
- the general requirements of the use of cryptography for authentication and encryption.

The present document does not specify how the requirements identified can be assessed by an independent party, including requirements for information to be made available to such independent assessors, or requirements on such assessors.

NOTE: See ETSI EN 319 403 [i.2] for guidance on assessment of TSP's processes and services. The present document references ETSI EN 319 401 [8] for general policy requirements common to all classes of TSP's services.

The present document however provides in annex B, a checklist of the policy requirements specific to TSP issuing certificates (as expressed in the present document) including the generic requirements which are independent of the type of service (as expressed in ETSI EN 319 401 [8]).

The present document includes provisions consistent with the requirements from the CA/Browser Forum in EVCG [4] and BRG [5].

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ISO/IEC 15408 (parts 1 to 3): "Information technology - Security techniques - Evaluation criteria for IT security".

- [2] ETSI EN 319 412-4: "Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 4: Certificate profile for web site certificates".
- [3] ISO/IEC 19790:2012: "Information technology - Security techniques - Security requirements for cryptographic modules".
- [4] CA/Browser Forum (V1.6.1): "Guidelines for The Issuance and Management of Extended Validation Certificates".
- [5] CA/Browser Forum (V1.4.2): "Baseline Requirements Certificate Policy for the Issuance and Management of Publicly-Trusted Certificates".
- [6] ISO/IEC 9594-8/Recommendation ITU-T X.509: "Information technology - Open Systems Interconnection - The Directory - Part 8: Public-key and attribute certificate frameworks".
- [7] IETF RFC 5280: "Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile".
- [8] ETSI EN 319 401: "Electronic Signatures and Infrastructures (ESI); General Policy Requirements for Trust Service Providers".
- [9] ETSI EN 319 412-2: "Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 2: Certificate profile for certificates issued to natural persons".
- [10] ETSI EN 319 412-3: "Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons".
- [11] IETF RFC 6960: "X.509 Internet Public Key - Infrastructure Online Certificate Status Protocol - OCSP".
- [12] FIPS PUB 140-2 (2001): "Security Requirements for Cryptographic Modules".

## 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 1999/93/EC of the European Parliament and of the Council of 13 December 1999 on a Community framework for electronic signatures.
- [i.2] ETSI EN 319 403: "Electronic Signatures and Infrastructures (ESI); Trust Service Provider Conformity Assessment - Requirements for conformity assessment bodies assessing Trust Service Providers".
- [i.3] IETF RFC 3647: "Internet X.509 Public Key Infrastructure - Certificate Policy and Certification Practices Framework".
- [i.4] ISO 19005 (parts 1 to 3): "Document management - electronic document file format for long-term preservation".
- [i.5] ETSI EN 319 411-2: "Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 2: Requirements for trust service providers issuing EU qualified certificates".
- [i.6] ETSI TS 102 042: "Electronic Signatures and Infrastructures (ESI); Policy requirements for certification authorities issuing public key certificates".

- [i.7] ISO/IEC 27002:2013: "Information technology - Security techniques - Code of practice for information security management".
- [i.8] ISO/IEC 7498-2/Recommendation ITU-T X.800: "Data communications network - Open systems interconnection - Security, structure and applications: Security architecture for open systems interconnection for CCITT applications".
- [i.9] CEN TS 419 261: "Security requirements for trustworthy systems managing certificates and time stamps".
- [i.10] ETSI TS 119 312: "Electronic Signatures and Infrastructures (ESI); Cryptographic Suites".
- [i.11] IETF RFC 5246: "The Transport Layer Security Protocol Version 1.2".
- [i.12] ETSI TS 119 612: "Electronic Signatures and Infrastructures (ESI); Trusted Lists".
- [i.13] ETSI TS 101 533-1: "Electronic Signatures and Infrastructures (ESI); Data Preservation Systems Security; Part 1: Requirements for Implementation and Management".
- [i.14] Regulation (EU) No 910/2014 of the European Parliament and of the Council of 23 July 2014 on electronic identification and trust services for electronic transactions in the internal market and repealing Directive 1999/93/EC.
- [i.15] ETSI EN 319 421: "Electronic Signatures and Infrastructures (ESI); Policy and Security Requirements for Trust Service Providers issuing Time-Stamps".
- [i.16] CEN TS 419 221-2: "Protection profiles for TSP Cryptographic modules - Part 2: Cryptographic module for CSP signing operations with backup".
- [i.17] CEN TS 419 221-3: "Protection profiles for TSP Cryptographic modules - Part 3: Cryptographic module for Cryptographic module for CSP key generation services".
- [i.18] CEN TS 419 221-4: "Protection profiles for TSP Cryptographic modules - Part 4: Cryptographic module for CSP signing operations without backup".
- [i.19] CEN EN 419 221-5: "Protection profiles for TSP Cryptographic modules - Part 5: Cryptographic module for trust services".

---

## 3 Definitions, abbreviations and notation

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in ETSI EN 319 401 [8] and the following apply:

**auditor:** person who assesses conformity to requirements as specified in given requirements documents

NOTE: See ETSI EN 319 403 [i.2].

**certificate:** public key of a user, together with some other information, rendered un-forgable by encipherment with the private key of the certification authority which issued it

NOTE 1: The term certificate is used for public key certificate within the present document.

NOTE 2: See ISO/IEC 9594-8/Recommendation ITU-T X.509 [6].

**Certificate Policy (CP):** named set of rules that indicates the applicability of a certificate to a particular community and/or class of application with common security requirements

NOTE 1: See clause 4.2 for explanation of the relative role of certificate policies and certification practice statement.

NOTE 2: This is a specific type of trust service policy as specified in ETSI EN 319 401 [8].

NOTE 3: See ISO/IEC 9594-8/Recommendation ITU-T X.509 [6].

**Certificate Revocation List (CRL):** signed list indicating a set of certificates that have been revoked by the certificate issuer

NOTE 1: Within the scope of the present document the set of certificates is related to end user certificates.

NOTE 2: See ISO/IEC 9594-8/Recommendation ITU-T X.509 [6].

**Certification Authority (CA):** authority trusted by one or more users to create and assign certificates

NOTE 1: A CA can be:

- 1) a trust service provider that creates and assigns public key certificates; or
- 2) a technical certificate generation service that is used by a certification service provider that creates and assign public key certificates.

NOTE 2: See ISO/IEC 9594-8/Recommendation ITU-T X.509 [6].

**Certification Authority Revocation List (CARL):** revocation list containing a list of CA-certificates issued to certification authorities that have been revoked by the certificate issuer

NOTE: See ISO/IEC 9594-8/Recommendation ITU-T X.509 [6].

**Certification Practice Statement (CPS):** statement of the practices which a Certification Authority employs in issuing managing, revoking, and renewing or re-keying certificates

NOTE 1: See IETF RFC 3647 [i.3].

NOTE 2: This is a specific type of Trust Service practice statement as specified in ETSI EN 319 401 [8].

**Coordinated Universal Time (UTC):** As indicated in ETSI EN 319 401 [8].

**Cross Certificate:** certificate that is used to establish a trust relationship between two certification authorities

**digital signature:** data appended to, or a cryptographic transformation of a data unit that allows a recipient of the data unit to prove the source and integrity of the data unit and protect against forgery e.g. by the recipient

NOTE: See ISO/IEC 7498-2/Recommendation ITU-T X.800 [i.8].

**domain name:** the label assigned to a node in the Domain Name System

NOTE: See BRG [5].

**Domain Validation Certificate (DVC):** certificate which has no validated organizational identity information for the subject, only identifying the subject by its domain name

**EV certificate:** See Extended Validation certificate.

**Extended Validation Certificate (EVC):** As indicated in the EVCG [4].

**High security zone:** specific physical location of the security zone (see ETSI EN 319 401 [8], clause 7.8) where the Root CA key is held

**Individual Validation Certificate (IVC):** certificate that includes validated individual identity information for the subject

**Organizational Validation Certificate (OVC):** certificate that includes validated organizational identity information for the subject

**Publicly-Trusted Certificate (PTC):** certificate that is trusted by virtue of the fact that its corresponding Root Certificate is distributed as a trust anchor in widely-available application software

**Registration Authority (RA):** entity that is responsible for identification and authentication of subjects of certificates mainly

NOTE 1: An RA can assist in the certificate application process or revocation process or both.

NOTE 2: See IETF RFC 3647 [i.3].

**registration officer:** person responsible for verifying information that is necessary for certificate issuance and approval of certification requests

**revocation:** permanent termination of the certificate's validity before the expiry date indicated in the certificate

**revocation officer:** person responsible for operating certificate status changes [i.8]

**root CA:** certification authority which is at the highest level within TSP's domain and which is used to sign subordinate CA(s)

NOTE 1: A Root CA certificate is generally self-signed but the Root-CA can also be certified by a (Root)CA from another domain (e.g. cross-certification, Root-Signed in the context of a root-signing program, etc.).

NOTE 2: A Root CA can be used as the Trust Anchor for many applications (e.g. browsers) but nothing prevents the TSP to present subordinate CAs for this purpose, according to the business context.

**secure cryptographic device:** device which holds the user's private key, protects this key against compromise and performs signing or decryption functions on behalf of the user

**secure zone:** area (physical or logical) protected by physical and logical controls that appropriately protect the confidentiality, integrity, and availability of the systems used by the TSP

**subject:** entity identified in a certificate as the holder of the private key associated with the public key given in the certificate

NOTE: Relationship between subscriber and subject is described in clauses 5.4.2 and 6.3.5.

**subordinate CA:** certification authority whose Certificate is signed by the Root CA, or another Subordinate CA

NOTE: A subordinate CA normally either issues end user certificates or other subordinate CA certificates.

**trust anchor:** entity that is trusted by a relying party and used for validating certificates in certification paths

NOTE 1: See ISO/IEC 9594-8/Recommendation ITU-T X.509 [6].

NOTE 2: A Trust Anchor can also be a Root CA.

NOTE 3: Examples of trust anchors are as in a trusted List [i.12] or a list of trusted CA certificates distributed by an application software provider.

## 3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

BRG	Baseline Requirements Guidelines
CA	Certification Authority
CAB	CA/Browser
CAB Forum	CA/Browser Forum
CARL	Certification Authority Revocation List
CP	Certificate Policy
CPS	Certification Practice Statement
CRL	Certificate Revocation List
CSP	Certification Service Provider

NOTE: The more general term Trust Service Provider is used in preference to CSP in the present document except in relation to external references.

DVC	Domain Validation Certificate
DVCP	Domain Validation Certificate Policy
EAL	Evaluation Assurance Level
EV	Extended Validation
EVC	Extended Validation Certificate

EVCG	Extended Validation Certificate Guidelines
EVCP	Extended Validation Certificate Policy
IVC	Individual Validation Certificate
IVCP	Individual Validation Certificate Policy
LCP	Lightweight Certificate Policy
NCP	Normalized Certificate Policy
NCP+	Extended Normalized Certificate Policy
OCSP	Online Certificate Status Protocol
OID	Object Identifier
OVC	Organizational Validation Certificate
OVCP	Organizational Validation Certificate Policy
PDS	PKI Disclosure Statement
PIN	Personal Identification Number
PKI	Public Key Infrastructure
PTC	Publicly-Trusted Certificate

NOTE: Within the context of the present document PTC is used synonymously with EVC, DVC, IVC and OVC as per CAB Forum documents [4] and [5].

RA	Registration Authority
SSL	Secure Socket Layer
TLS	Transport Layer Security
TLS/SSL	Transport Layer Security/Secure Socket Layer protocol

NOTE: IETF RFC 5246 [i.11] or earlier equivalent Secure Socket Layer protocol.

TSP	Trust Service Provider
UTC	Coordinated Universal Time

### 3.3 Notation

The requirements identified in the present document include:

- a) requirements applicable to any CP. Such requirements are indicated by clauses without any additional marking;
- b) requirements applicable under certain conditions. Such requirements are indicated by clauses marked by "[CONDITIONAL]";
- c) requirements that include several choices which ought to be selected according to the applicable situation. Such requirements are indicated by clauses marked by "[CHOICE]";
- d) requirements applicable to the services offered under the applicable CP. Such requirements are indicated by clauses marked by the applicable CP as follows:
  - i) "[LCP]", "[NCP]", "[NCP+]", "[EVCP]", "[OVCP]", "[IVCP]" and "[DVCP]";
  - ii) [PTC] is used to denote requirements applicable to EVCP, OVCP, IVCP and DVCP for CAB Forum requirements.

Each requirement is identified as follows:

<3 letters service component> - < the clause number> - <2 digit number - incremental>.

The service components are:

- **OVR:** General requirement (requirement applicable to more than 1 component)
- **GEN:** Certificate Generation Services
- **REG:** Registration Services
- **REV:** Revocation Services