

INTERNATIONAL
STANDARD

ISO/IEC
14496-10

Fourth edition
2008-09-15

**Information technology — Coding of
audio-visual objects —**

**Part 10:
Advanced video coding**

Technologies de l'information — Codage des objets audiovisuels —

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 14496-10:2008](#)

[https://standards.iteh.ai/catalog/standards/sist/dbd63b2e-505e-44c1-9650-
99362a162b3d/iso-iec-14496-10-2008](https://standards.iteh.ai/catalog/standards/sist/dbd63b2e-505e-44c1-9650-99362a162b3d/iso-iec-14496-10-2008)

Reference number
ISO/IEC 14496-10:2008(E)



© ISO/IEC 2008

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 14496-10:2008](#)

<https://standards.iteh.ai/catalog/standards/sist/dbd63b2e-505e-44c1-9650-99362a162b3d/iso-iec-14496-10-2008>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	xiii
0 Introduction.....	xv
0.1 Prologue.....	xv
0.2 Purpose	xv
0.3 Applications	xv
0.4 Publication and versions of this specification.....	xv
0.5 Profiles and levels.....	xvi
0.6 Overview of the design characteristics	xvi
0.6.1 Predictive coding.....	xvii
0.6.2 Coding of progressive and interlaced video	xvii
0.6.3 Picture partitioning into macroblocks and smaller partitions.....	xvii
0.6.4 Spatial redundancy reduction.....	xviii
0.7 How to read this specification.....	xviii
1 Scope.....	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviations	9
5 Conventions	iTeh STANDARD PREVIEW 10
5.1 Arithmetic operators	10
5.2 Logical operators	10
5.3 Relational operators.....	11
5.4 Bit-wise operators	ISO/IEC 14496-10:2008 11
5.5 Assignment operators.....	https://standards.iteh.ai/catalog/standards/ist/dbd163b2c-505e-44c1-9650-11
5.6 Range notation	99362af162b3d/iso-iec-14496-10-2008 11
5.7 Mathematical functions.....	12
5.8 Variables, syntax elements, and tables.....	13
5.9 Text description of logical operations.....	13
5.10 Processes.....	14
6 Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships.....	15
6.1 Bitstream formats	15
6.2 Source, decoded, and output picture formats	15
6.3 Spatial subdivision of pictures and slices.....	20
6.4 Inverse scanning processes and derivation processes for neighbours	21
6.4.1 Inverse macroblock scanning process	21
6.4.2 Inverse macroblock partition and sub-macroblock partition scanning process	22
6.4.3 Inverse 4x4 luma block scanning process	23
6.4.4 Inverse 4x4 Cb or Cr block scanning process for ChromaArrayType equal to 3	23
6.4.5 Inverse 8x8 luma block scanning process	24
6.4.6 Inverse 8x8 Cb or Cr block scanning process for ChromaArrayType equal to 3	24
6.4.7 Derivation process of the availability for macroblock addresses	24
6.4.8 Derivation process for neighbouring macroblock addresses and their availability	24
6.4.9 Derivation process for neighbouring macroblock addresses and their availability in MBAFF frames	25
6.4.10 Derivation processes for neighbouring macroblocks, blocks, and partitions	26
6.4.11 Derivation process for neighbouring locations.....	31
7 Syntax and semantics.....	34
7.1 Method of specifying syntax in tabular form	34
7.2 Specification of syntax functions, categories, and descriptors.....	35
7.3 Syntax in tabular form.....	36
7.3.1 NAL unit syntax	36
7.3.2 Raw byte sequence payloads and RBSP trailing bits syntax	37
7.3.3 Slice header syntax.....	46

7.3.4	Slice data syntax	50
7.3.5	Macroblock layer syntax.....	51
7.4	<i>Semantics</i>	58
7.4.1	NAL unit semantics	58
7.4.2	Raw byte sequence payloads and RBSP trailing bits semantics	67
7.4.3	Slice header semantics	81
7.4.4	Slice data semantics	91
7.4.5	Macroblock layer semantics	92
8	Decoding process	104
8.1	<i>NAL unit decoding process</i>	105
8.2	<i>Slice decoding process</i>	106
8.2.1	Decoding process for picture order count	106
8.2.2	Decoding process for macroblock to slice group map	110
8.2.3	Decoding process for slice data partitioning.....	114
8.2.4	Decoding process for reference picture lists construction	114
8.2.5	Decoded reference picture marking process	121
8.3	<i>Intra prediction process</i>	125
8.3.1	Intra_4x4 prediction process for luma samples	126
8.3.2	Intra_8x8 prediction process for luma samples	132
8.3.3	Intra_16x16 prediction process for luma samples	140
8.3.4	Intra prediction process for chroma samples	142
8.3.5	Sample construction process for I_PCM macroblocks	147
8.4	<i>Inter prediction process</i>	147
8.4.1	Derivation process for motion vector components and reference indices.....	150
8.4.2	Decoding process for Inter prediction samples.....	163
8.4.3	Derivation process for prediction weights.....	172
8.5	<i>Transform coefficient decoding process and picture construction process prior to deblocking filter process</i>	174
8.5.1	Specification of transform decoding process for 4x4 luma residual blocks.....	174
8.5.2	Specification of transform decoding process for luma samples of Intra_16x16 macroblock prediction mode 175	175
8.5.3	Specification of transform decoding process for 8x8 luma residual blocks.....	176
8.5.4	Specification of transform decoding process for chroma samples.....	177
8.5.5	Specification of transform decoding process for chroma samples with ChromaArrayType equal to 3	179
8.5.6	Inverse scanning process for transform coefficients	179
8.5.7	Inverse scanning process for 8x8 transform coefficients	180
8.5.8	Derivation process for the chroma quantisation parameters and scaling function	182
8.5.9	Scaling and transformation process for DC transform coefficients for Intra_16x16 macroblock type	184
8.5.10	Scaling and transformation process for chroma DC transform coefficients	185
8.5.11	Scaling and transformation process for residual 4x4 blocks	186
8.5.12	Scaling and transformation process for residual 8x8 blocks	189
8.5.13	Picture construction process prior to deblocking filter process	193
8.5.14	Intra residual transform-bypass decoding process	194
8.6	<i>Decoding process for P macroblocks in SP slices or SI macroblocks</i>	195
8.6.1	SP decoding process for non-switching pictures	195
8.6.2	SP and SI slice decoding process for switching pictures	198
8.7	<i>Deblocking filter process</i>	200
8.7.1	Filtering process for block edges	204
8.7.2	Filtering process for a set of samples across a horizontal or vertical block edge	206
9	Parsing process	212
9.1	<i>Parsing process for Exp-Golomb codes</i>	212
9.1.1	Mapping process for signed Exp-Golomb codes	214
9.1.2	Mapping process for coded block pattern	214
9.2	<i>CAVLC parsing process for transform coefficient levels</i>	217
9.2.1	Parsing process for total number of transform coefficient levels and trailing ones	217
9.2.2	Parsing process for level information	221
9.2.3	Parsing process for run information.....	222
9.2.4	Combining level and run information	225
9.3	<i>CABAC parsing process for slice data</i>	225
9.3.1	Initialisation process	227

9.3.2	Binarization process	249
9.3.3	Decoding process flow	257
9.3.4	Arithmetic encoding process (informative)	278
Annex A Profiles and levels		285
<i>A.1 Requirements on video decoder capability</i>		285
<i>A.2 Profiles</i>		285
A.2.1	Baseline profile	285
A.2.2	Main profile	286
A.2.3	Extended profile	286
A.2.4	High profile	286
A.2.5	High 10 profile	287
A.2.6	High 4:2:2 profile	287
A.2.7	High 4:4:4 Predictive profile	288
A.2.8	High 10 Intra profile	288
A.2.9	High 4:2:2 Intra profile	289
A.2.10	High 4:4:4 Intra profile	289
A.2.11	CAVLC 4:4:4 Intra profile	290
<i>A.3 Levels</i>		290
A.3.1	Level limits common to the Baseline, Main, and Extended profiles	290
A.3.2	Level limits common to the High, High 10, High 4:2:2, High 4:4:4 Predictive, High 10 Intra, High 4:2:2 Intra, High 4:4:4 Intra, and CAVLC 4:4:4 Intra profiles	292
A.3.3	Profile-specific level limits	293
A.3.4	Effect of level limits on frame rate (informative)	298
Annex B Byte stream format		301
<i>B.1 Byte stream NAL unit syntax and semantics</i>		301
B.1.1	Byte stream NAL unit syntax	301
B.1.2	Byte stream NAL unit semantics	301
<i>B.2 Byte stream NAL unit decoding process</i>		302
<i>B.3 Decoder byte-alignment recovery (informative)</i>		302
Annex C Hypothetical reference decoder ISO/IEC 14496-10:2008		304
<i>C.1 Operation of the coded picture buffer (CPB)</i>		306
C.1.1	Timing of bitstream arrival	306
C.1.2	Timing of coded picture removal	308
<i>C.2 Operation of the decoded picture buffer (DPB)</i>		308
C.2.1	Decoding of gaps in frame_num and storage of "non-existing" frames	308
C.2.2	Picture decoding and output	309
C.2.3	Removal of pictures from the DPB before possible insertion of the current picture	309
C.2.4	Current decoded picture marking and storage	310
<i>C.3 Bitstream conformance</i>		310
<i>C.4 Decoder conformance</i>		312
C.4.1	Operation of the output order DPB	313
C.4.2	Decoding of gaps in frame_num and storage of "non-existing" pictures	313
C.4.3	Picture decoding	313
C.4.4	Removal of pictures from the DPB before possible insertion of the current picture	313
C.4.5	Current decoded picture marking and storage	314
Annex D Supplemental enhancement information		316
<i>D.1 SEI payload syntax</i>		316
D.1.1	Buffering period SEI message syntax	318
D.1.2	Picture timing SEI message syntax	318
D.1.3	Pan-scan rectangle SEI message syntax	319
D.1.4	Filler payload SEI message syntax	319
D.1.5	User data registered by ITU-T Rec. T.35 SEI message syntax	320
D.1.6	User data unregistered SEI message syntax	320
D.1.7	Recovery point SEI message syntax	320
D.1.8	Decoded reference picture marking repetition SEI message syntax	321
D.1.9	Spare picture SEI message syntax	321
D.1.10	Scene information SEI message syntax	322
D.1.11	Sub-sequence information SEI message syntax	322
D.1.12	Sub-sequence layer characteristics SEI message syntax	322

D.1.13	Sub-sequence characteristics SEI message syntax.....	323
D.1.14	Full-frame freeze SEI message syntax.....	323
D.1.15	Full-frame freeze release SEI message syntax.....	323
D.1.16	Full-frame snapshot SEI message syntax.....	323
D.1.17	Progressive refinement segment start SEI message syntax.....	324
D.1.18	Progressive refinement segment end SEI message syntax.....	324
D.1.19	Motion-constrained slice group set SEI message syntax	324
D.1.20	Film grain characteristics SEI message syntax	325
D.1.21	Deblocking filter display preference SEI message syntax.....	325
D.1.22	Stereo video information SEI message syntax.....	326
D.1.23	Post-filter hint SEI message syntax	326
D.1.24	Tone mapping information SEI message syntax.....	327
D.1.25	Reserved SEI message syntax.....	327
<i>D.2</i>	<i>SEI payload semantics.....</i>	<i>327</i>
D.2.1	Buffering period SEI message semantics.....	327
D.2.2	Picture timing SEI message semantics	328
D.2.3	Pan-scan rectangle SEI message semantics	332
D.2.4	Filler payload SEI message semantics	333
D.2.5	User data registered by ITU-T Rec. T.35 SEI message semantics.....	333
D.2.6	User data unregistered SEI message semantics	333
D.2.7	Recovery point SEI message semantics	333
D.2.8	Decoded reference picture marking repetition SEI message semantics	335
D.2.9	Spare picture SEI message semantics	335
D.2.10	Scene information SEI message semantics	337
D.2.11	Sub-sequence information SEI message semantics	339
D.2.12	Sub-sequence layer characteristics SEI message semantics	340
D.2.13	Sub-sequence characteristics SEI message semantics	341
D.2.14	Full-frame freeze SEI message semantics	342
D.2.15	Full-frame freeze release SEI message semantics	343
D.2.16	Full-frame snapshot SEI message semantics	343
D.2.17	Progressive refinement segment start SEI message semantics	343
D.2.18	Progressive refinement segment end SEI message semantics	344
D.2.19	Motion-constrained slice group set SEI message semantics	344
D.2.20	Film grain characteristics SEI message semantics	345
D.2.21	Deblocking filter display preference SEI message semantics	350
D.2.22	Stereo video information SEI message semantics	352
D.2.23	Post-filter hint SEI message semantics	353
D.2.24	Tone mapping information SEI message semantics	354
D.2.25	Reserved SEI message semantics	355
Annex E	Video usability information	356
<i>E.1</i>	<i>VUI syntax</i>	<i>357</i>
E.1.1	VUI parameters syntax	357
E.1.2	HRD parameters syntax	358
<i>E.2</i>	<i>VUI semantics</i>	<i>358</i>
E.2.1	VUI parameters semantics	358
E.2.2	HRD parameters semantics	371
Annex F	Patent Rights	373
Annex G	Scalable video coding	375
<i>G.1</i>	<i>Scope.....</i>	<i>375</i>
<i>G.2</i>	<i>Normative References.....</i>	<i>375</i>
<i>G.3</i>	<i>Definitions</i>	<i>375</i>
<i>G.4</i>	<i>Abbreviations.....</i>	<i>379</i>
<i>G.5</i>	<i>Conventions</i>	<i>379</i>
<i>G.6</i>	<i>Source, coded, decoded and output data formats, scanning processes, neighbouring and reference layer relationships</i>	<i>379</i>
G.6.1	Derivation process for reference layer macroblocks.....	379
G.6.2	Derivation process for reference layer partitions	383
G.6.3	Derivation process for reference layer sample locations in resampling.....	384
<i>G.7</i>	<i>Syntax and semantics.....</i>	<i>386</i>

G.7.1	Method of specifying syntax in tabular form	386
G.7.2	Specification of syntax functions, categories, and descriptors	386
G.7.3	Syntax in tabular form.....	386
G.7.4	Semantics	397
G.7.4.1	NAL unit semantics.....	398
G.8	<i>SVC decoding process</i>	423
G.8.1	SVC initialization and decoding processes	424
G.8.2	SVC reference picture lists construction and decoded reference picture marking process	441
G.8.3	SVC intra decoding processes.....	450
G.8.4	SVC Inter prediction process	459
G.8.5	SVC transform coefficient decoding and sample array construction processes	470
G.8.6	Resampling processes for prediction data, intra samples, and residual samples	488
G.8.7	SVC deblocking filter processes	514
G.8.8	Specification of bitstream subsets	525
G.9	<i>Parsing process</i>	526
G.9.1	Alternative parsing process for coded block pattern	526
G.9.2	Alternative CAVLC parsing process for transform coefficient levels	527
G.9.3	Alternative CABAC parsing process for slice data in scalable extension	531
G.10	<i>Profiles and levels</i>	534
G.10.1	Profiles	534
G.10.2	Levels	537
G.11	<i>Byte stream format</i>	541
G.12	<i>Hypothetical reference decoder</i>	541
G.13	<i>Supplemental enhancement information</i>	541
G.13.1	SEI payload syntax.....	542
G.13.2	SEI payload semantics.....	549
G.14	<i>SVC video usability information extension</i>	565
G.14.1	SVC VUI parameters extension syntax	565
G.14.2	SVC VUI parameters extension semantics	565

**ISO/IEC 14496-10:2008
STANDARD PREVIEW
(standards.iteh.ai)**

ISO/IEC 14496-10:2008
<https://standards.iteh.ai/catalog/standards/sist/dbd63b2e-505e-44c1-9650-99362a162b3d/iso-iec-14496-10-2008>

LIST OF FIGURES

Figure 6-1 – Nominal vertical and horizontal locations of 4:2:0 luma and chroma samples in a frame	16
Figure 6-2 – Nominal vertical and horizontal sampling locations of 4:2:0 samples in top and bottom fields	17
Figure 6-3 – Nominal vertical and horizontal locations of 4:2:2 luma and chroma samples in a frame	17
Figure 6-4 – Nominal vertical and horizontal sampling locations of 4:2:2 samples top and bottom fields	18
Figure 6-5 – Nominal vertical and horizontal locations of 4:4:4 luma and chroma samples in a frame	18
Figure 6-6 – Nominal vertical and horizontal sampling locations of 4:4:4 samples top and bottom fields	19
Figure 6-7 – A picture with 11 by 9 macroblocks that is partitioned into two slices	20
Figure 6-8 – Partitioning of the decoded frame into macroblock pairs	20
Figure 6-9 – Macroblock partitions, sub-macroblock partitions, macroblock partition scans, and sub-macroblock partition scans	22
Figure 6-10 – Scan for 4x4 luma blocks	23
Figure 6-11 – Scan for 8x8 luma blocks	23
Figure 6-12 – Neighbouring macroblocks for a given macroblock.....	24
Figure 6-13 – Neighbouring macroblocks for a given macroblock in MBAFF frames	25
Figure 6-14 – Determination of the neighbouring macroblock, blocks, and partitions (informative).....	26

Figure 7-1 – Structure of an access unit not containing any NAL units with nal_unit_type equal to 0, 7, 8, or in the range of 12 to 18, inclusive, or in the range of 20 to 31, inclusive.....	61
Figure 8-1 – Intra_4x4 prediction mode directions (informative).....	122
Figure 8-2 – Example for temporal direct-mode motion vector inference (informative)	152
Figure 8-3 – Directional segmentation prediction (informative).....	153
Figure 8-4 – Integer samples (shaded blocks with upper-case letters) and fractional sample positions (un-shaded blocks with lower-case letters) for quarter sample luma interpolation	159
Figure 8-5 – Fractional sample position dependent variables in chroma interpolation and surrounding integer position samples A, B, C, and D	161
Figure 8-6 – Assignment of the indices of dcY to luma4x4BlkIdx	167
Figure 8-7 – Assignment of the indices of dcC to chroma4x4BlkIdx: (a) ChromaArrayType equal to 1, (b) ChromaArrayType equal to 2	169
Figure 8-8 – 4x4 block scans. (a) Zig-zag scan. (b) Field scan (informative)	171
Figure 8-9 – 8x8 block scans. (a) 8x8 zig-zag scan. (b) 8x8 field scan (informative).....	172
Figure 8-10 – Boundaries in a macroblock to be filtered	191
Figure 8-11 – Convention for describing samples across a 4x4 block horizontal or vertical boundary	195
Figure 9-1 – Illustration of CABAC parsing process for a syntax element SE (informative)	216
Figure 9-2 – Overview of the arithmetic decoding process for a single bin (informative).....	261
Figure 9-3 – Flowchart for decoding a decision.....	262
Figure 9-4 – Flowchart of renormalization.....	264
Figure 9-5 – Flowchart of bypass decoding process.....	265
Figure 9-6 – Flowchart of decoding a decision before termination https://standards.iteh.ai/catalog/standards/sist/dbd63b2e-505e-44c1-9650-99362a162b3d/iso-iec-14496-10-2008	266
Figure 9-7 – Flowchart for encoding a decision	267
Figure 9-8 – Flowchart of renormalization in the encoder	268
Figure 9-9 – Flowchart of PutBit(B)	268
Figure 9-10 – Flowchart of encoding bypass.....	269
Figure 9-11 – Flowchart of encoding a decision before termination	270
Figure 9-12 – Flowchart of flushing at termination.....	270
Figure C-1 – Structure of byte streams and NAL unit streams for HRD conformance checks	290
Figure C-2 – HRD buffer model.....	291
Figure E-1 – Location of chroma samples for top and bottom fields as a function of chroma_sample_loc_type_top_field and chroma_sample_loc_type_bottom_field	352

LIST OF TABLES

Table 6-1 – SubWidthC, and SubHeightC values derived from chroma_format_idc and separate_colour_plane_flag	15
Table 6-2 – Specification of input and output assignments for subclauses 6.4.10.1 to 6.4.10.7	26
Table 6-3 – Specification of mbAddrN	31
Table 6-4 – Specification of mbAddrN and yM	33
Table 7-1 – NAL unit type codes, syntax element categories, and NAL unit type classes.....	59

Table 7-2 – Assignment of mnemonic names to scaling list indices and specification of fall-back rule	70
Table 7-3 – Specification of default scaling lists Default_4x4_Intra and Default_4x4_Inter	70
Table 7-4 – Specification of default scaling lists Default_8x8_Intra and Default_8x8_Inter	71
Table 7-5 – Meaning of primary_pic_type	78
Table 7-6 – Name association to slice_type	81
Table 7-7 – reordering_of_pic_nums_idc operations for reordering of reference picture lists	87
Table 7-8 – Interpretation of adaptive_ref_pic_marking_mode_flag	89
Table 7-9 – Memory management control operation (memory_management_control_operation) values	90
Table 7-10 – Allowed collective macroblock types for slice_type	92
Table 7-11 – Macroblock types for I slices	93
Table 7-12 – Macroblock type with value 0 for SI slices	94
Table 7-13 – Macroblock type values 0 to 4 for P and SP slices	95
Table 7-14 – Macroblock type values 0 to 22 for B slices	96
Table 7-15 – Specification of CodedBlockPatternChroma values	98
Table 7-16 – Relationship between intra_chroma_pred_mode and spatial prediction modes	99
Table 7-17 – Sub-macroblock types in P macroblocks	100
Table 7-18 – Sub-macroblock types in B macroblocks	101
Table 8-1 – Refined slice group map type (standards.iteh.ai)	111
Table 8-2 – Specification of Intra4x4PredMode[luma4x4BlkIdx] and associated names	127
Table 8-3 – Specification of Intra8x8PredMode[luma8x8BlkIdx] and associated names	133
Table 8-4 – Specification of Intra16x16PredMode[luma16x16BlkIdx] and associated names	141
Table 8-5 – Specification of Intra chroma prediction modes and associated names	143
Table 8-6 – Specification of the variable colPic	152
Table 8-7 – Specification of PicCodingStruct(X)	153
Table 8-8 – Specification of mbAddrCol, yM, and vertMvScale	154
Table 8-9 – Assignment of prediction utilization flags	156
Table 8-10 – Derivation of the vertical component of the chroma vector in field coding mode	162
Table 8-11 – Differential full-sample luma locations	167
Table 8-12 – Assignment of the luma prediction sample predPartLX _L [x _L , y _L]	169
Table 8-13 – Specification of mapping of idx to c _{ij} for zig-zag and field scan	180
Table 8-14 – Specification of mapping of idx to c _{ij} for 8x8 zig-zag and 8x8 field scan	181
Table 8-15 – Specification of QP _C as a function of qP _I	182
Table 8-16 – Derivation of offset dependent threshold variables α' and β' from indexA and indexB	209
Table 8-17 – Value of variable t' _{C0} as a function of indexA and bS	211
Table 9-1 – Bit strings with “prefix” and “suffix” bits and assignment to codeNum ranges (informative)	213
Table 9-2 – Exp-Golomb bit strings and codeNum in explicit form and used as ue(v) (informative)	213
Table 9-3 – Assignment of syntax element to codeNum for signed Exp-Golomb coded syntax elements se(v)	214
Table 9-4 – Assignment of codeNum to values of coded_block_pattern for macroblock prediction modes	215

Table 9-5 – coeff_token mapping to TotalCoeff(coeff_token) and TrailingOnes(coeff_token)	219
Table 9-6 – Codeword table for level_prefix (informative)	222
Table 9-7 – total_zeros tables for 4x4 blocks with tzVlcIndex 1 to 7	223
Table 9-8 – total_zeros tables for 4x4 blocks with tzVlcIndex 8 to 15	224
Table 9-9 – total_zeros tables for chroma DC 2x2 and 2x4 blocks	224
Table 9-10 – Tables for run_before	225
Table 9-11 – Association of ctxIdx and syntax elements for each slice type in the initialisation process.....	228
Table 9-12 – Values of variables m and n for ctxIdx from 0 to 10.....	229
Table 9-13 – Values of variables m and n for ctxIdx from 11 to 23	229
Table 9-14 – Values of variables m and n for ctxIdx from 24 to 39	230
Table 9-15 – Values of variables m and n for ctxIdx from 40 to 53	230
Table 9-16 – Values of variables m and n for ctxIdx from 54 to 59, and 399 to 401	230
Table 9-17 – Values of variables m and n for ctxIdx from 60 to 69	231
Table 9-18 – Values of variables m and n for ctxIdx from 70 to 104	231
Table 9-19 – Values of variables m and n for ctxIdx from 105 to 165	232
Table 9-20 – Values of variables m and n for ctxIdx from 166 to 226	233
Table 9-21 – Values of variables m and n for ctxIdx from 227 to 275	234
Table 9-22 – Values of variables m and n for ctxIdx from 277 to 337	235
Table 9-23 – Values of variables m and n for ctxIdx from 338 to 398	236
Table 9-24 – Values of variables m and n for ctxIdx from 402 to 459	237
Table 9-25 – Values of variables m and n for ctxIdx from 460 to 483	238
Table 9-26 – Values of variables m and n for ctxIdx from 484 to 571	239
Table 9-27 – Values of variables m and n for ctxIdx from 572 to 659	241
Table 9-28 – Values of variables m and n for ctxIdx from 660 to 717	242
Table 9-29 – Values of variables m and n for ctxIdx from 718 to 775	244
Table 9-30 – Values of variables m and n for ctxIdx from 776 to 863	245
Table 9-31 – Values of variables m and n for ctxIdx from 864 to 951	246
Table 9-32 – Values of variables m and n for ctxIdx from 952 to 1011	248
Table 9-33 – Values of variables m and n for ctxIdx from 1012 to 1023	249
Table 9-34 – Syntax elements and associated types of binarization, maxBinIdxCtx, and ctxIdxOffset	250
Table 9-35 – Bin string of the unary binarization (informative)	253
Table 9-36 – Binarization for macroblock types in I slices	255
Table 9-37 – Binarization for macroblock types in P, SP, and B slices	256
Table 9-38 – Binarization for sub-macroblock types in P, SP, and B slices	257
Table 9-39 – Assignment of ctxIdxInc to binIdx for all ctxIdxOffset values except those related to the syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1	259
Table 9-40 – Assignment of ctxIdxBlockCatOffset to ctxBlockCat for syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1	260

Table 9-41 – Specification of ctxIdxInc for specific values of ctxIdxOffset and binIdx	269
Table 9-42 – Specification of ctxBlockCat for the different blocks.....	269
Table 9-43 – Mapping of scanning position to ctxIdxInc for ctxBlockCat = = 5, 9, or 13	270
Table 9-44 – Specification of rangeTabLPS depending on pStateIdx and qCodIRangeIdx	275
Table 9-45 – State transition table	276
Table A-1 – Level limits	292
Table A-2 – Specification of cpbBrVclFactor and cpbBrNalFactor	295
Table A-3 – Baseline profile level limits	295
Table A-4 – Main, High, High 10, High 4:2:2, High 4:4:4 Predictive, High 10 Intra, High 4:2:2 Intra, High 4:4:4 Intra, and CAVLC 4:4:4 Intra profile level limits	296
Table A-5 – Extended profile level limits	297
Table A-6 – Maximum frame rates (frames per second) for some example frame sizes	298
Table D-1 – Interpretation of pic_struct.....	329
Table D-2 – Mapping of ct_type to source picture scan	330
Table D-3 – Definition of counting_type values.....	330
Table D-4 – scene_transition_type values	337
Table D-5 – model_id values.....	345
Table D-6 – blending_mode_id values.....	346
Table D-7 – filter_hint_type values	353
Table E-1 – Meaning of sample aspect ratio indicator _{14496-10:2008}	359
Table E-2 – Meaning of video_format _{https://standards.iteh.ai/catalog/standards/sist/dbd63b2e-505e-44c1-9650-99362a162b3d/iso-iec-14496-10-2008}	360
Table E-3 – Colour primaries.....	361
Table E-4 – Transfer characteristics.....	362
Table E-5 – Matrix coefficients	366
Table E-6 – Divisor for computation of $\Delta t_{fi,dpb}(n)$	368
Table F-1 – Organizations providing patent rights licensing notices	373
Table G-1 – Name association to slice_type for NAL units with nal_unit_type equal to 20	411
Table G-2 – Memory management control operation (memory_management_control_operation) values.....	419
Table G-3 – Allowed collective macroblock types for slice_type.	421
Table G-4 – Macroblock types for EI slices.....	421
Table G-5 – Scale values cS for transform coefficient level scaling.....	479
Table G-6 – Macroblock type predictors mbTypeILPred	497
Table G-7 – Sub-macroblock type predictors subMbTypeILPred[mbPartIdx].....	497
Table G-8 – 16-phase luma interpolation filter for resampling in Intra_Base prediction	505
Table G-9 – Mapping of (nX, nY) to coeffTokenIdx and vice versa	528
Table G-10 - Association of ctxIdx and syntax elements for each slice type in the initialisation process	532
Table G-11 - Values of variables m and n for ctxIdx from 1024 to 1026	532
Table G-12 - Values of variables m and n for ctxIdx from 1027 to 1029	532

Table G-13 - Syntax elements and associated types of binarization, maxBinIdxCtx, and ctxIdxOffset	533
Table G-14 - Assignment of ctxIdxInc to binIdx for the ctxIdxOffset values related to the syntax elements base_mode_flag and residual_prediction_flag	533
Table G-15 – Scalable Baseline profile level limits	541
Table G-16 – Specification of cpbBrVclFactor and cpbBrNalFactor.....	541

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 14496-10:2008](#)

<https://standards.iteh.ai/catalog/standards/sist/dbd63b2e-505e-44c1-9650-99362a162b3d/iso-iec-14496-10-2008>

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 14496-10 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and information* in collaboration with ITU-T.

(standards.iteh.ai)

This part of ISO/IEC 14496 is technically aligned with ITU-T Rec. H.264 but is not published as identical text.

This fourth edition cancels and replaces the third edition which has been technically revised.
<https://standards.iteh.ai/catalog/standards/sist/dbd63b2e-505e-44c1-9650-99362a162b3d/iso-iec-14496-10-2008>

ISO/IEC 14496 consists of the following parts, under the general title *Information technology — Coding of audio-visual objects*:

- *Part 1: Systems*
- *Part 2: Visual*
- *Part 3: Audio*
- *Part 4: Conformance testing*
- *Part 5: Reference software*
- *Part 6: Delivery Multimedia Integration Framework (DMIF)*
- *Part 7: Optimized reference software for coding of audio-visual objects* [Technical Report]
- *Part 8: Carriage of ISO/IEC 14496 contents over IP networks*
- *Part 9: Reference hardware description* [Technical Report]
- *Part 10: Advanced video coding*
- *Part 11: Scene description and application engine*
- *Part 12: ISO base media file format*

- *Part 13: Intellectual Property Management and Protection (IPMP) extensions*
- *Part 14: MP4 file format*
- *Part 15: Advanced Video Coding (AVC) file format*
- *Part 16: Animation Framework eXtension (AFX)*
- *Part 17: Streaming text format*
- *Part 18: Font compression and streaming*
- *Part 19: Synthesized texture stream*
- *Part 20: Lightweight Application Scene Representation (LASER) and Simple Aggregation Format (SAF)*
- *Part 21: MPEG-J Graphics Framework eXtensions (GFX)*
- *Part 22: Open Font Format*
- *Part 23: Symbolic Music Representation*
- *Part 24: Audio and systems interaction*

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 14496-10:2008](#)

<https://standards.iteh.ai/catalog/standards/sist/dbd63b2e-505e-44c1-9650-99362a162b3d/iso-iec-14496-10-2008>

0 Introduction

This clause does not form an integral part of this International Standard.

0.1 Prologue

This subclause does not form an integral part of this International Standard.

As the costs for both processing power and memory have reduced, network support for coded video data has diversified, and advances in video coding technology have progressed, the need has arisen for an industry standard for compressed video representation with substantially increased coding efficiency and enhanced robustness to network environments. Toward these ends the ITU-T Video Coding Experts Group (VCEG) and the ISO/IEC Moving Picture Experts Group (MPEG) formed a Joint Video Team (JVT) in 2001 for development of a new International Standard.

0.2 Purpose

This subclause does not form an integral part of this International Standard.

This International Standard was developed in response to the growing need for higher compression of moving pictures for various applications such as videoconferencing, digital storage media, television broadcasting, internet streaming, and communication. It is also designed to enable the use of the coded video representation in a flexible manner for a wide variety of network environments. The use of this International Standard allows motion video to be manipulated as a form of computer data and to be stored on various storage media, transmitted and received over existing and future networks and distributed on existing and future broadcasting channels.

0.3 Applications

**iTEH STANDARD PREVIEW
(standards.iteh.ai)**

This subclause does not form an integral part of this International Standard.

This International Standard is designed to cover a broad range of applications for video content including but not limited to the following:

CATV	Cable TV on optical networks, copper, etc.
DBS	Direct broadcast satellite video services
DSL	Digital subscriber line video services
DTTB	Digital terrestrial television broadcasting
ISM	Interactive storage media (optical disks, etc.)
MMM	Multimedia mailing
MSPN	Multimedia services over packet networks
RTC	Real-time conversational services (videoconferencing, videophone, etc.)
RVS	Remote video surveillance
SSM	Serial storage media (digital VTR, etc.)

0.4 Publication and versions of this specification

This subclause does not form an integral part of this International Standard.

This specification has been jointly developed by ITU-T Video Coding Experts Group (VCEG) and the ISO/IEC Moving Picture Experts Group. It is published as technically-aligned twin text in both organizations ITU-T and ISO/IEC.

ITU-T Rec. H.264 | ISO/IEC 14496-10 version 1 refers to the first approved version of this International Standard.

ITU-T Rec. H.264 | ISO/IEC 14496-10 version 2 refers to the integrated text containing the corrections specified in the first technical corrigendum.

ITU-T Rec. H.264 | ISO/IEC 14496-10 version 3 refers to the integrated text containing both the first technical corrigendum (2004) and the first amendment, which is referred to as the "Fidelity range extensions".