



**Universal Mobile Telecommunications System (UMTS);
LTE;**

**Universal Terrestrial Radio Access (UTRA)
and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC);
User Equipment (UE) conformance specification for UE
positioning;**

**Part 3: Implementation Conformance Statement (ICS)
(3GPP TS 37.571-3 version 13.0.0 Release 13)**



ReferenceRTS/TSGR-0537571-3vd00

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	4
Introduction	4
1 Scope	5
2 References	5
3 Definitions, symbols and abbreviations	6
3.1 Definitions	6
3.2 Symbols.....	6
3.3 Abbreviations	6
4 Recommended Test Case Applicability	7
Annex A (normative): ICS proforma for E-UTRA/EPC Generation User Equipment.....	34
A.1 Guidance for completing the ICS proforma	34
A.1.1 Purposes and structure	34
A.1.2 Abbreviations and conventions.....	34
A.1.3 Instructions for completing the ICS proforma	35
A.2 Identification of the User Equipment	35
A.2.1 Date of the statement	35
A.2.2 User Equipment Under Test (UEUT) identification	35
A.2.3 Product supplier	35
A.2.4 Client	36
A.2.5 ICS contact person	36
A.3 Identification of the protocol	37
A.4 ICS proforma tables.....	37
A.4.1 UE Implementation Types	37
A.4.2 Baseline Implementation Capabilities	37
A.4.3 UE Positioning Capabilities.....	38
A.4.4 Additional information	44
Annex B (informative): Change history	45
History	47

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a telecommunication specification. Such a statement is called an Implementation Conformance Statement (ICS).

The present document is part 3 of a multi-parts TS:

3GPP TS 37.571-1: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 1: Conformance test specification.

3GPP TS 37.571-2: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 2: Protocol conformance.

3GPP TS 37.571-3: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 3: Implementation Conformance Statement (ICS).

3GPP TS 37.571-4: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 4: Test suites.

3GPP TS 37.571-5: Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 5: Test scenarios and assistance data.

1 Scope

The present document provides the Implementation Conformance Statement (ICS) proforma for 3rd Generation UTRAN and E-UTRAN User Equipment (UE) supporting UE positioning, in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-1 [7] and ISO/IEC 9646-7 [8].

The present document also specifies a recommended applicability statement for the test cases included in 3GPP TS 37.571-1 [5] and 3GPP TS 37.571-2 [6]. These applicability statements are based on the features implemented in the UE.

Special conformance testing functions can be found in 3GPP TS 34.109 [10] for UTRA and 3GPP TS 36.509 [2] for E-UTRA. The common test environments are included in 3GPP TS 34.108 [9] for UTRA and in 3GPP TS 36.508 [3] for E-UTRA.

The present document is valid for UE supporting UE positioning implemented according to 3GPP releases starting from Release 99 up to the Release indicated on the cover page of the present document.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document unless the context in which the reference is made suggests a different Release is relevant (information on the applicable release in a particular context can be found in e.g. test case title, description or applicability, message description or content).

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 36.509: "Special conformance testing functions for User Equipment".
- [3] 3GPP TS 36.508: "Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Packet Core (EPC); Common Test Environments for User Equipment (UE) Conformance Testing".
- [4] 3GPP TS 36.355: "Evolved Universal Terrestrial Radio Access (E-UTRA); LTE Positioning Protocol (LPP)".
- [5] 3GPP TS 37. 571-1: "Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 1: Conformance test specification".
- [6] 3GPP TS 37. 571-2: " Universal Terrestrial Radio Access (UTRA) and Evolved UTRA (E-UTRA) and Evolved Packet Core (EPC); User Equipment (UE) conformance specification for UE positioning; Part 2: Protocol conformance".
- [7] ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [8] ISO/IEC 9646-7: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".
- [9] 3GPP TS 34.108: "Common Test Environments for User Equipment (UE) Conformance Testing".
- [10] 3GPP TS 34.109: "Terminal logical test interface; Special conformance testing functions".

- [11] 3GPP TS 36.523-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".
- [12] 3GPP TS 34.123-2: "User Equipment (UE) conformance specification; Part 2: Implementation Conformance Statement (ICS) proforma specification".
- [13] 3GPP TS 36.306: "Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio access capabilities".

3 Definitions, symbols and abbreviations

For the purposes of the present document, the following terms, definitions, symbols and abbreviations apply:

- such given in TR 21.905[1]
- such given in ISO/IEC 9646-1 [7] and ISO/IEC 9646-7 [8]

NOTE: Some terms and abbreviations defined in [7] and [8] are explicitly included below with small modification to reflect the terminology used in 3GPP.

3.1 Definitions

Implementation Conformance Statement (ICS): A statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented.

ICS proforma: A document, in the form of a questionnaire, which when completed for an implementation or system becomes an ICS.

Implementation eXtra Information for Testing (IXIT): A statement made by a supplier or implementer of an UEUT which contains or references all of the information (in addition to that given in the ICS) related to the UEUT and its testing environment, which will enable the test laboratory to run an appropriate test suite against the UEUT.

IXIT proforma: A document, in the form of a questionnaire, which when completed for an UEUT becomes an IXIT.

Protocol Implementation Conformance Statement (PICS): An ICS for an implementation or system claimed to conform to a given protocol specification.

Protocol Implementation eXtra Information for Testing (PIXIT): An IXIT related to testing for conformance to a given protocol specification.

static conformance review: A review of the extent to which the static conformance requirements are claimed to be supported by the UEUT, by comparing the answers in the ICS(s) with the static conformance requirements expressed in the relevant specification(s).

3.2 Symbols

No specific symbols have been identified so far.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

A-BDS	Assisted-BeiDou Navigation Satellite System
A-Galileo	Assisted- Galileo
A-GANSS	Assisted- Galileo and Additional Navigation Satellite Systems
A-GLONASS	Assisted- GLOBAL'naya NAVigatsionnaya Sputnikovaya Sistema (English: Global Navigation Satellite System)
A-GNSS	Assisted - Global Navigation Satellite System
A-GPS	Assisted - Global Positioning System
A-QZSS	Assisted- Quasi-Zenith Satellite System

A-SBAS	Assisted- Space Based Augmentation System
BDS	BeiDou Navigation Satellite System
C/A	Coarse/Acquisition
DUT	Device Under Test
E-CID	Enhanced Cell-ID (positioning method)
eFDD	Enhanced Frequency Division Duplex
ENB	Evolved Node B
eTDD	Enhanced Time Division Duplex
E-UTRA	Evolved UMTS Terrestrial Radio Access
E-UTRAN	Evolved UMTS Terrestrial Radio Access Network
FDD	Frequency Division Duplex
FFS	For Further Study
GNSS	Galileo and Additional Navigation Satellite Systems
GLONASS	GLOBAL'naya Navigatsionnaya Sputnikovaya Sistema (English: Global Navigation Satellite System)
GNSS	Global Navigation Satellite System
GPS	Global Positioning System
ICS	Implementation Conformance Statement
IXIT	Implementation eXtra Information for Testing
LPP	LTE Positioning Protocol
MBS	Metropolitan Beacon System
MO-LR	Mobile Originated Location Request
MT-LR	Mobile Terminated Location Request
OTDOA	Observed Time Difference Of Arrival
PICS	Protocol Implementation Conformance Statement
PIXIT	Protocol Implementation eXtra Information for Testing
QZSS	Quasi-Zenith Satellite System
RRC	Radio Resource Control
RSTD	Reference Signal Time Difference
SBAS	Space Based Augmentation System
SCS	System Conformance Statement
TC	Test Case
TDD	Time Division Duplex
UE	User Equipment
UEUT	User Equipment Under Test
UTRA	Universal Terrestrial Radio Access
UTRAN	Universal Terrestrial Radio Access Network

4 Recommended Test Case Applicability

The applicability of each individual test is identified in Table 4-1 (UTRA) and 4-3 (E-UTRA) for test cases in TS 37.571-1 [5] and in Table 4-5 (UTRA) and 4-7 (E-UTRA) for test cases in TS 37.571-2 [6]. This is just a recommendation based on the purpose for which the test case was written.

The applicability of every test is formally expressed by the use of Boolean expression that are based on parameters (ICS) included in annex A of the present document.

Additional information related to the Test Case (TC), e.g. affecting its dynamic behaviour or its execution may be provided as well

The columns in Tables 4-1, 4-3, 4-5, and 4-7 have the following meaning:

Clause

The clause column indicates the clause number in TS 37.571-1 [5] and TS 37.571-2 [6] that contains the test body.

Title

The title column describes the name of the test and contains the clause title of the clause in TS 37.571-1 [5] and TS 37.571-2 [6] that contains the test body.

Applicability - Condition

The following notations are used for the applicability column:

R	recommended - the test case is recommended
O	optional - the test case is optional
N/A	not applicable - in the given context, the test case is not recommended.
Ci	conditional - the test is recommended ("R") or not ("N/A") depending on the support of other items. "i" is an integer identifying a unique conditional status expression which is defined immediately following the table. For nested conditional expressions, the syntax "IF ... THEN (IF ... THEN ... ELSE...) ELSE ..." is used to avoid ambiguities.

NOTE: The conditions are defined in Table 4-2, 4-4, 4-6, and 4-8.

Applicability - Comments

This column contains a verbal description of the condition.

Additional Information - Specific ICS

This column contains the mnemonics of ICS(s) affecting the dynamic behaviour of the TC.

NOTE: ICS items specified in 3GPP TS 36.523-2 [11] can be referred, to avoid redundant definitions.

Additional Information - Specific IXIT

This column contains the mnemonics of IXIT(s) affecting the dynamic behaviour of the TC.

The columns in Tables 4-1 and 4-5 have the following meaning:

Release

The release column indicates the earliest release from which the test case is applicable.

The columns in Tables 4-3 and 4-7 have the following meaning:

Release of LPP

The Release of LPP column indicates the earliest release of the positioning functionality in LPP (3GPP TS 36.355 [4]) from which the test case is applicable. Note that the release of the positioning functionality does not have to align with that of the RAT bearer.

Release RAT

The Release RAT column indicates the earliest release of the RAT bearer over which the test should be conducted. Note that the release of the positioning functionality does not have to align with that of the RAT bearer.

Table 4-1: Applicability of tests and additional information for testing for test cases in TS 37.571-1 [5] for UTRA

Clause	Title	Release	Applicability	Comments
5.2.1	Sensitivity Coarse Time Assistance	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.2.2	Sensitivity Fine Time Assistance	Rel-6	C02ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only and Fine Time Assistance
5.3	Nominal Accuracy	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.4	Dynamic Range	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.5	Multi-path Performance	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
5.6	Moving Scenario and Periodic Update Performance	Rel-6	C01ur	All UEs supporting FDD and UE-Based A-GPS L1 C/A only or UE-Assisted A-GPS L1 C/A only
6.2.1-1	Sensitivity Coarse Time Assistance: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.2.1-2	Sensitivity Coarse Time Assistance: Sub-Test 2	Rel-12	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.2.1-3	Sensitivity Coarse Time Assistance: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.2.1-4	Sensitivity Coarse Time Assistance: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.2.1-8	Sensitivity Coarse Time Assistance: Sub-Test 8	Rel-12	C03-8ur	All UEs supporting UE-Based A-GPS and A-GANSS with Galileo only or UE-Assisted A-GPS and A-GANSS with Galileo only
6.2.1-9	Sensitivity Coarse Time Assistance: Sub-Test 9	Rel-12	C03-9ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with BDS only
6.2.1-10	Sensitivity Coarse Time Assistance: Sub-Test 10	Rel-12	C03-10ur	All UEs supporting UE-Based A-GPS and A-GANSS with BDS only or UE-Assisted A-GPS and A-GANSS with BDS only
6.2.2-1	Sensitivity Fine Time Assistance: Sub-Test 1	Rel-10	C04-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only and Fine Time Assistance
6.2.2-2	Sensitivity Fine Time Assistance: Sub-Test 2	Rel-12	C04-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only and Fine Time Assistance
6.2.2-3	Sensitivity Fine Time Assistance: Sub-Test 3	Rel-10	C04-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only and Fine Time Assistance
6.2.2-4	Sensitivity Fine Time Assistance: Sub-Test 4	Rel-10	C04-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only and Fine Time Assistance
6.2.2-8	Sensitivity Fine Time Assistance: Sub-Test 8	Rel-12	C04-8ur	All UEs supporting UE-Based A-GPS and A-GANSS with Galileo only or UE-Assisted A-GPS and A-GANSS with Galileo only and Fine Time Assistance
6.2.2-9	Sensitivity Fine Time Assistance: Sub-Test 9	Rel-12	C04-9ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with BDS only and Fine Time Assistance

Clause	Title	Release	Applicability	Comments
6.2.2-10	Sensitivity Fine Time Assistance: Sub-Test 10	Rel-12	C04-10ur	All UEs supporting UE-Based A-GPS and A-GANSS with BDS only or UE-Assisted A-GPS and A-GANSS with BDS only and Fine Time Assistance
6.3-1	Nominal Accuracy: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.3-2	Nominal Accuracy: Sub-Test 2	Rel-12	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.3-3	Nominal Accuracy: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.3-4	Nominal Accuracy: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.3-8	Nominal Accuracy: Sub-Test 8	Rel-12	C03-8ur	All UEs supporting UE-Based A-GPS and A-GANSS with Galileo only or UE-Assisted A-GPS and A-GANSS with Galileo only
6.3-9	Nominal Accuracy: Sub-Test 9	Rel-12	C03-9ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with BDS only
6.3-10	Nominal Accuracy: Sub-Test 10	Rel-12	C03-10ur	All UEs supporting UE-Based A-GPS and A-GANSS with BDS only or UE-Assisted A-GPS and A-GANSS with BDS only
6.4-1	Dynamic Range: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.4-2	Dynamic Range: Sub-Test 2	Rel-12	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.4-3	Dynamic Range: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.4-4	Dynamic Range: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.4-8	Dynamic Range: Sub-Test 8	Rel-12	C03-8ur	All UEs supporting UE-Based A-GPS and A-GANSS with Galileo only or UE-Assisted A-GPS and A-GANSS with Galileo only
6.4-9	Dynamic Range: Sub-Test 9	Rel-12	C03-9ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with BDS only
6.4-10	Dynamic Range: Sub-Test 10	Rel-12	C03-10ur	All UEs supporting UE-Based A-GPS and A-GANSS with BDS only or UE-Assisted A-GPS and A-GANSS with BDS only
6.5-1	Multi-path Performance: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.5-2	Multi- path Performance: Sub-Test 2	Rel-12	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.5-3	Multi- path Performance: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.5-4	Multi- path Performance: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.5-8	Multi- path Performance: Sub-Test 8	Rel-12	C03-8ur	All UEs supporting UE-Based A-GPS and A-GANSS with Galileo only or UE-Assisted A-GPS and A-GANSS with Galileo only
6.5-9	Multi- path Performance: Sub-Test 9	Rel-12	C03-9ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with BDS only

Clause	Title	Release	Applicability	Comments
6.5-10	Multi- path Performance: Sub-Test 10	Rel-12	C03-10ur	All UEs supporting UE-Based A-GPS and A-GANSS with BDS only or UE-Assisted A-GPS and A-GANSS with BDS only
6.6-1	Moving Scenario and Periodic Update Performance: Sub-Test 1	Rel-10	C03-1ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with GLONASS only
6.6-2	Moving Scenario and Periodic Update Performance: Sub-Test 2	Rel-12	C03-2ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with Galileo only
6.6-3	Moving Scenario and Periodic Update Performance: Sub-Test 3	Rel-10	C03-3ur	All UEs supporting UE-Based A-GPS and A-GANSS with Modernized GPS only or UE-Assisted A-GPS and A-GANSS with Modernized GPS only
6.6-4	Moving Scenario and Periodic Update Performance: Sub-Test 4	Rel-10	C03-4ur	All UEs supporting UE-Based A-GPS and A-GANSS with GLONASS only or UE-Assisted A-GPS and A-GANSS with GLONASS only
6.6-8	Moving Scenario and Periodic Update Performance: Sub-Test 8	Rel-12	C03-8ur	All UEs supporting UE-Based A-GPS and A-GANSS with Galileo only or UE-Assisted A-GPS and A-GANSS with Galileo only
6.6-9	Moving Scenario and Periodic Update Performance: Sub-Test 9	Rel-12	C03-9ur	All UEs supporting UE-Based A-GANSS or UE-Assisted A-GANSS with BDS only
6.6-10	Moving Scenario and Periodic Update Performance: Sub-Test 10	Rel-12	C03-10ur	All UEs supporting UE-Based A-GPS and A-GANSS with BDS only or UE-Assisted A-GPS and A-GANSS with BDS only

Table 4-2: Applicability of tests Conditions for test cases in TS 37.571-1 [5] for UTRA

C01ur	IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/5 OR A.4.3-1/6) THEN R ELSE N/A
C02ur	IF A.4.1-1/3 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/5 OR A.4.3-1/6) AND A.4.3-1/12 THEN R ELSE N/A
C03-1ur	IF A.4.3-1/7 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) AND NOT A.4.3-1/13 THEN R ELSE N/A
C03-2ur	IF A.4.3-1/9 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8) AND NOT A.4.3-1/13 THEN R ELSE N/A
C03-3ur	IF A.4.3-1/8 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/9) AND NOT A.4.3-1/13 THEN R ELSE N/A
C03-4ur	IF A.4.3-1/7 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) AND NOT A.4.3-1/13 THEN R ELSE N/A
C03-8ur	IF A.4.3-1/9 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/7) AND NOT A.4.3-1/13 THEN R ELSE N/A
C03-9ur	IF A.4.3-1/13 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C03-10ur	IF A.4.3-1/13 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/9) THEN R ELSE N/A
C04-1ur	IF A.4.3-1/7 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) AND NOT A.4.3-1/13 AND A.4.3-1/12 THEN R ELSE N/A
C04-2ur	IF A.4.3-1/9 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8) AND NOT A.4.3-1/13 AND A.4.3-1/12 THEN R ELSE N/A
C04-3ur	IF A.4.3-1/8 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/9) AND NOT A.4.3-1/13 AND A.4.3-1/12 THEN R ELSE N/A
C04-4ur	IF A.4.3-1/7 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/9) AND NOT A.4.3-1/13 AND A.4.3-1/12 THEN R ELSE N/A
C04-8ur	IF A.4.3-1/9 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/8 OR A.4.3-1/7) AND NOT A.4.3-1/13 AND A.4.3-1/12 THEN R ELSE N/A
C04-9ur	IF A.4.3-1/13 AND NOT (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/9) AND A.4.3-1/12 THEN R ELSE N/A
C04-10ur	IF A.4.3-1/13 AND (A.4.3-1/10 OR A.4.3-1/11) AND NOT (A.4.3-1/7 OR A.4.3-1/8 OR A.4.3-1/9) AND A.4.3-1/12 THEN R ELSE N/A