

SLOVENSKI STANDARD SIST EN 301 489-53 V1.1.1:2019

01-junij-2019

Standard elektromagnetne združljivosti (EMC) za radijsko opremo in storitve - 53. del: Posebni pogoji za oddajnike v storitvi prizemne zvokovne in digitalne TV radiodifuzije in pripadajočo pomožno opremo - Harmonizirani standard, ki zajema bistvene zahteve člena 3.1(b) direktive 2014/53/EU

ElectroMagnetic Compatibility (EMC) standard for radio equipment and services - Part 53: Specific conditions for terrestrial sound broadcasting and digital TV broadcasting service transmitters and associated ancillary equipment - Harmonised standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EUV

(standards.iteh.ai)

SIST EN 301 489-53 V1.1.1:2019 https://standards.iteh.ai/catalog/standards/sist/96ba9046-afff-4e86-86a5-e7d10547cdad/sist-en-301-489-53-v1-1-2019

Ta slovenski standard je istoveten z: ETSI EN 301 489-53 V1.1.1 (2019-04)

ICS:

33.060.01	Radijske komunikacije na splošno	Radiocommunications in general
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general
33.170	Televizijska in radijska difuzija	Television and radio broadcasting

SIST EN 301 489-53 V1.1.1:2019 en

SIST EN 301 489-53 V1.1.1:2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 301 489-53 V1.1.1.2019</u> https://standards.iteh.ai/catalog/standards/sist/96ba9046-afff-4e86-86a5-e7d10547cdad/sist-en-301-489-53-v1-1-1-2019 SIST EN 301 489-53 V1.1.1:2019

ETSI EN 301 489-53 V1.1.1 (2019-04)



ElectroMagnetic Compatibility (EMC)
standard for radio equipment and services;
Part 53: Specific conditions for terrestrial sound broadcasting and digital TV broadcasting service transmitters and associated ancillary equipment;
Harmonised standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU

2

Reference DEN/ERM-EMC-358

Keywords

broadcasting, EMC, harmonised standard

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la

Teh Sous-Préfecture de Grasse (06) N° 7803/88/ IEW

(standards.iteh.ai)

Important notice

https://standards.iteh.ai/catalog/standards/sist/96ba9046-afff-4e86-86a5-The present document can be downloaded from: http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommitteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019. All rights reserved.

DECTTM, **PLUGTESTS**TM, **UMTS**TM and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**TM and **LTE**TM are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M[™] logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intell	ectual Property Rights	5
Forev	word	5
Moda	al verbs terminology	5
1	Scope	6
2 2.1	References	
2.2	Informative references	
3	Definitions, symbols and abbreviations	
3.1	Definitions	
3.2 3.3	Symbols	
4 4.1	Test conditions	
4.1	Arrangements for test signals	
4.2.0	General	
4.2.1	Arrangements for test signals at the input of the broadcast service transmitter	10
4.2.2	Arrangements for test signals at the output of broadcast service transmitters	
4.3	RF exclusion bands	
4.3.1 4.3.2	Introduction	11 11
4.3.2 4.4	Narrow band responses of receivers	11
4.5	Narrow band responses of receivers	11
5	Performance assessment	
5.1	General SIST EN 301 489-53 VI 1.1:2019	12
5.2	Equipment which can/provide a continuous communication link as a broadcasting transmission	
5.3	Equipment which does not provide a continuous communication link as a broadcasting transmission	12
5.4	Ancillary equipment	
5.5	Equipment classification	13
6	Performance criteria	13
6.0	Introduction	
6.1	Performance criteria for continuous phenomena applied to transmitters (CT)	
6.2	Performance criteria for transient phenomena applied to Transmitters (TT)	14
7	Applicability overview	
7.1	Emission	
7.1.1	General	
7.1.2 7.1.3	Special conditions Enclosure Port (Cabinet Radiation)	
7.1.3 7.1.3.		
7.1.3.		
7.2	Immunity	
7.2.1	General	
7.2.2	Special conditions	16
Anne	ex A (informative): Relationship between the present document and the essential requirements of Directive 2014/53/EU	18
Anne	ex B (informative): Types of broadcasting service equipment covered by the present document	20
B.1	AM sound broadcasting transmitters	20
B.2	FM sound broadcasting transmitters and power amplifiers	
B.3	DRM sound broadcasting transmitters	

ETSI EN 301 489-53 V	1.1.1	(2019-04)
----------------------	-------	-----------

		d broadcasting transmitters, power amplifiers, and On-Channel repeaters	20
В.5	0	smitters, power amplifiers, active deflectors, transposers, and on-channel	20
Ann	ex C (informative):	Bibliography	22
Ann	ex D (informative):	Change history	23
Histo	nrv		24

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 489-53 V1.1.1.2019 https://standards.iteh.ai/catalog/standards/sist/96ba9046-afff-4e86-86a5-e7d10547cdad/sist-en-301-489-53-v1-1-1-2019

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.4] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1]. https://standards.iteh.ai/catalog/standards/sist/96ba9046-afff-4e86-86a5-

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

The present document is part 53 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

National transposition dates	
Date of adoption of this EN:	20 June 2017
Date of latest announcement of this EN (doa):	31 July 2019
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 January 2020
Date of withdrawal of any conflicting National Standard (dow):	31 January 2021

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

[&]quot;must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document specifies technical characteristic and methods of measurements for terrestrial sound broadcasting and digital TV broadcasting service transmitters, exciters, repeaters, active deflectors, On-Channel repeaters and any associated ancillary equipment.

The present document covers the essential requirements of article 3.1(b) of Directive 2014/53/EU [i.1] under the conditions identified in annex A.

Technical specifications related to the antenna port emissions are not included in the present document. Such technical specifications are found in the relevant product standards of ETSI for the effective use of the radio spectrum.

In case of differences (for instance concerning special conditions, definitions, abbreviations) between the present document and ETSI EN 301 489-1 [1], the provisions of the present document take precedence.

The present document may not cover those cases where a potential source of interference which is producing individually repeated transient phenomena or continuous phenomena is permanently present, e.g. a radar site in the near vicinity. In such a case it may be necessary to use special protection applied to either the source of interference or the interfered part or both.

2 References

2.1 Normative references

References are specific, identified by date of publication and/or edition number or version number. Only the cited version applies.

(standards.iteh.ai)

Referenced documents which are not found to be publicly available in the expected location might be found at https://docbox.etsi.org/Reference/. SIST EN 301 489-53 V1.1.1.2019

NOTE: https://standards.iteh.ai/catalog/standards/sist/96ba9046-afff-4e86-86a5-While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1]	ETSI EN 301 489-1 (V2.2.0) (03-2017): "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU and the essential requirements of article 6 of Directive 2014/30/EU".
[2]	CENELEC EN 55011 (2007): "Industrial, scientific and medical (ISM) radio-frequency equipment - Radio disturbance characteristics - Limits and methods of measurement".
[3]	CENELEC EN 55016-1-1 (2010): "Specification for radio disturbance and immunity measuring apparatus and methods. Radio disturbance and immunity measuring apparatus.
[4]	ETSI TS 102 820 (V4.1.1) (03-2016): "Digital Radio Mondiale (DRM); Multiplex Distribution Interface (MDI)".
[5]	ETSI EN 300 799 (edition 1) (09-1997): "Digital Audio Broadcasting (DAB); Distribution interfaces; Ensemble Transport Interface (ETI)".
[6]	ETSI EN 300 744 (V1.6.2) (10-2015): "Digital Video Broadcasting (DVB); Framing structure, channel coding and modulation for digital terrestrial television".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1]	Directive 2014/53/EU of the European Parliament and of the council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
[i.2]	Recommendation ITU-R SM.329-10: "Unwanted emissions in the spurious domain".
[i.3]	Recommendation ITU-R BT.500-13 (01/2012): "Methodology for the subjective assessment of the quality of television pictures".
[i.4]	Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.

3 Definitions, symbols and abbreviations

(standards.iteh.ai)

3.1 Definitions

SIST EN 301 489-53 V1.1.1:2019

For the purposes of the present document, the definitions given in ETSI EN 301 489 1 1 and the following apply: e7d10547cdad/sist-en-301-489-53-v1-1-1-2019

active deflector: simple low power RF amplifier which receives an input signal off-air, and then directly amplifies and re-broadcasts the same signal on the same frequency

broadcasting service: radiocommunication service in which the transmissions are intended for direct reception by the general public

NOTE: This service may include sound transmission, television transmission, or other types of transmission.

broadcast service transmitter: device used to transmit the broadcast service

NOTE: It may or may not be fitted with an integral band pass filter.

enclosure port: also known as cabinet radiation




Figure 3.1

exciter/modulator: low level encoding and RF power stage of a broadcasting transmitter

modulation error ratio: single "figure of merit" analysis of the transmitted signal

8

Multi-channel COFDM (MCOFDM): transmission system that generates more than one OFDM block with an overall system filter spanning all blocks

necessary bandwidth: As defined in Recommendation ITU-R SM.329-10 [i.2].

on-channel repeater: complex low to medium power transmitter which receives an input signal off-air, then using echo-cancellation techniques (designed to minimize parasitic feedback between the input and output), amplifies and re-broadcasts the reconstructed signal on the same frequency

rated output power: conducted power that the broadcast service transmitter delivers at its final output under specific conditions of operation into the antenna

re-transmitter: transmitter which receives an input signal off air, demodulates the signal into baseband, re encodes the signal, then re-broadcasts the signal on another channel

RF power amplifier: transmitter which comprises an amplifier, declared by the manufacturer to be capable of being connected to a terrestrial broadcasting antenna system via a RF band pass filter

transmitter: device which comprises an integral RF exciter and RF amplifier stage. It may or may not be fitted with an integral band pass filter

transposer: Tx/Rx which receives an broadcast signal off-air, and re-broadcast on a different frequency

NOTE: The incoming off-air signal is not decoded or regenerated in this system.

3.2 Symbols

For the purposes of the present document, the symbols given in ETSLEN 301 489-1 [1] and the following apply:

percent % (standards.iteh.ai) micro, 10⁻⁶ μ Α Ampere Hertz (cycles per second TEN 301 489-53 V1.1.12019 Hz Megal (file:/176)dards.iteh.ai/catalog/standards/sist/96ba9046-afff-4e86-86a5-M e7d10547cdad/sist-en-301-489-53-v1-1-1-2019 metre m W Watt

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI EN 301 489-1 [1] and the following apply:

AC Alternating Current
AM Amplitude Modulation
BER Bit Error Ratio

CISPR Comité International Spécial des Perturbations Radioélectriques (International Special Committee

On Radio Interference)

COFDM Coded Orthogonal Frequency Division Multiplex CT Continuous phenomena applied to Transmitters

DC Direct Current

DRM Digital Radio Mondiale
DVB Digital Video Broadcasting

DVB-T2 Second generation Digital Video Broadcasting

EMC ElectroMagnetic Compatibility
EUT Equipment Under Test
ETI Ensemble Transport Interface
FM Frequency Modulation
HF High Frequency

Low Frequency

IF Intermediate Frequency

LF

MCOFDM Multi-channel Coded Orthogonal Frequency Division Multiplex

MER Modulation Error Ratio MF Medium Frequency 9

OFDM Orthogonal Frequency Division Multiplex QAM Quadrature Amplitude Modulation

RDS Radio Data System
RF Radio Frequency
rms root mean square

Rx Receiver

SNR Signal to Noise Ratio

T-DAB Terrestrial-Digital Audio Broadcast

TS Transport Stream

TT Transient phenomena applied to Transmitters

TV Television Tx Transmitter

UHF Ultra High Frequency
VA Volt Amperes
VHF Very High Frequency

4 Test conditions

4.1 General

For the purposes of the present document, the test conditions of ETSI EN 301 489-1 [1], clause 4, shall apply as appropriate. Further provisions related to test conditions for broadcasting service transmitters are specified in the present document.

For emission and immunity tests the test modulation, test arrangements, etc., as specified in the present document, clauses 4.1 to 4.5, shall apply.

(standards.iteh.ai)

For immunity tests, the output of the broadcast service transmitter shall be monitored as specified in the present document, clause 4.2.2.

SIST EN 301 489-53 V1.1.12019

https://standards.iteh.ai/catalog/standards/sist/96ba9046-afff-4e86-86a5-

4.2 Arrangements for test signals -53-v1-1-1-2019

4.2.0 General

The provisions of ETSI EN 301 489-1 [1], clause 4.2 shall apply with the following modifications.

Typical test arrangements to assess the performance of the broadcast service transmitter are shown in figure 4.1 for all transmitter equipment types.