INTERNATIONAL STANDARD

ISO/IEC 29109-10

First edition 2010-12-15

Information technology — Conformance testing methodology for biometric data interchange formats defined in ISO/IEC 19794 —

Part 10:

Hand geometry silhouette data iTeh STANDARD PREVIEW

Technologies de l'information — Méthodologie d'essai de conformité pour formats d'interéchange de données biométriques définis dans l'ISO/CEI 19794 —

https://standards.iteh.a/catalog/standards/sist/4160426d-4e0d-4be2-aa0e-ab7fd6d0a4db/iso-iec-29109-10-2010



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 29109-10:2010 https://standards.iteh.ai/catalog/standards/sist/4160426d-4e0d-4be2-aa0e-ab7fd6d0a4db/iso-iec-29109-10-2010



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents		Page
Fore	eword	iv
Intro	oduction	v
1	Scope	1
	Conformance	
3	Normative references	
4	Terms and definitions	2
5	Symbols and abbreviated terms	3
6	Conformance testing methodology	3
Ann	ex A (informative) Guidance for Level 3B testing	10

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 29109-10:2010 https://standards.iteh.ai/catalog/standards/sist/4160426d-4e0d-4be2-aa0e-ab7fd6d0a4db/iso-iec-29109-10-2010

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 29109 consists of the following parts, under the general title *Information technology* — *Conformance* testing methodology for biometric data interchange formats defined in ISO/IEC 19794;

- Part 1: Generalized conformance testing methodology site and
- Part 2: Finger minutiae data

ISO/IEC 29109-10:2010

Part 4: Finger image data https://standards.iteh.ai/catalog/standards/sist/4160426d-4e0d-4be2-aa0e-

ab7fd6d0a4db/iso-jec-29109-10-2010

- Part 5: Face image data
- Part 6: Iris image data
- Part 8: Finger pattern skeletal data
- Part 9: Vascular image data
- Part 10: Hand geometry silhouette data

The following parts are under preparation:

- Part 7: Signature/sign time series data
- Part 14: DNA data

Introduction

ISO/IEC 19794-10:2007 specifies a data record interchange format for recording, storing, and transmitting one or more hand geometry silhouette records. This part of ISO/IEC 29109 establishes tests for checking the correctness of the binary record.

The objective of ISO/IEC 19794-10:2007 cannot be completely achieved until biometric products can be tested to determine whether they conform to those specifications. Conforming implementations are a necessary prerequisite for achieving interoperability among implementations; therefore there is a need for a standardized conformance testing methodology, test assertions, and test procedures as applicable to specific modalities addressed by each part of ISO/IEC 19794. The test assertions will cover as much as practical of the ISO/IEC 19794 requirements (covering the most critical features), so that the conformity results produced by the test suites will reflect the real degree of conformity of the implementations to ISO/IEC 19794 Data Interchange Format records. This is the motivation for the development of this conformance testing methodology.

This part of ISO/IEC 29109 supports those applications that require use of hand geometry silhouette data according to ISO/IEC 19794-10:2007. It defines a testing methodology to ensure conformance of a vendor's application or service to ISO/IEC 19794-10:2007. Thus this part of ISO/IEC 29109 is intended to:

- establish elements of the Conformance Testing Methodology framework that are specific to the Hand Geometry Silhouette-based Data Record requirements of ISO/IEC 19794-10:2007 conformance testing,
- define requirements and guidelines for specifying conformance test suites and related test methods for measuring conformity of products and services to the Hand Geometry Silhouette Data Record requirements of ISO/IEC 19794-10:2007, and 109-10:2010 https://standards.iteh.ai/catalog/standards/sist/4160426d-4e0d-4be2-aa0e-
- define testing and reporting procedures to be followed before, during, and after conformance testing.

This part of ISO/IEC 29109 is applicable to the development and use of conformity test method specifications, conformity test suites for ISO/IEC 19794-10:2007 records, and conformance testing programs for ISO/IEC 19794-10:2007 conformant products. It is intended primarily for use by testing organizations, but may be applied by developers and users of test method specifications and test method implementations. The table of assertions in Clause 6 specifies levels of testing for the conformance requirements of ISO/IEC 19794-10:2007.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 29109-10:2010

 $https://standards.iteh.ai/catalog/standards/sist/4\overline{160426d-4e0d-4be2-aa0e-ab7fd6d0a4db/iso-iec-29109-10-2010}$

Information technology — Conformance testing methodology for biometric data interchange formats defined in ISO/IEC 19794 —

Part 10:

Hand geometry silhouette data

1 Scope

This part of ISO/IEC 29109 specifies elements of conformance testing methodology, test assertions, and test procedures as applicable to ISO/IEC 19794-10.

This part of ISO/IEC 29109 establishes

- test assertions of the structure of the hand geometry silhouette data format as specified in ISO/IEC 19794-10:2007 (Type A Level 1 as defined in ISO/IEC 29109-1:2009),
- test assertions of internal consistency by checking the types of values that may be contained within each field (Type A Level 2 as defined in ISO/IEC 29109-1:2009),
- informative guidance for testing the consistency of selected encoded data fields with the input biometric data (Type B Level 3 as defined in ISO/IEC 29109-1:2009).

This part of ISO/IEC 29109 does not establish

- test of conformance of CBEFF structures required by ISO/IEC 19794-10:2007,
- test of consistency with input biometric data record (Level 3 as defined in ISO/IEC 29109-1:2009),
- test of other characteristics of biometric products or other types of testing of biometric products (e.g. acceptance, performance, robustness, security),
- test of conformance of systems that do not produce ISO/IEC 19794-10:2007 records.

2 Conformance

Biometric data interchange format Conformance Test Suites (CTS) conform to this part of ISO/IEC 29109 if they satisfy all of the normative requirements related to Clause 6. Additionally, implementations of Level 1 or Level 2 tests shall use the assertions defined in Table 2 and fill out an Implementation Conformance Statement (ICS) based on Table 1.

Implementations of ISO/IEC 19794-10:2007 tested according to the methodology specified shall be able to claim conformance only to those Biometric Data Record (BDR) requirements specified in ISO/IEC 19794-10:2007 that are tested by the test methods established by this methodology.

ISO/IEC 29109-10:2010(E)

Implementations of ISO/IEC 19794-10:2007 do not necessarily need to conform to all possible aspects of ISO/IEC 19794-10:2007, but only to those ISO/IEC 19794-10:2007 requirements that are claimed to be supported by the implementation in an Implementation Conformance Statement, filled out in accordance with Clause 8 of ISO/IEC 29109-1:2009 and Table 1 of this part of ISO/IEC 29109.

A system does not need to be capable of using biometric data records that cover all possible aspects of ISO/IEC 19794-10:2007, but only those that are claimed to be supported by the system in an Implementation Conformance Statement, filled out using the template provided in A.2.

NOTE Level 3 and higher are not tested.

Normative references 3

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 19794-10:2007, Information technology — Biometric data interchange formats — Part 10: Hand geometry silhouette data

ISO/IEC 29109-1:2009, Information technology — Conformance testing methodology for biometric data interchange formats defined in ISO/IEC 19794 — Part 1: Generalized conformance testing methodology

Terms and definitions Teh STANDARD PREVIEW

For the purposes of this document, the following terms and definitions apply.

4.1

ISO/IEC 29109-10:2010

biometric data interchange record biomet

ab7fd6d0a4db/iso-jec-29109-10-2010 data package containing biometric data that claims to be in the form prescribed by a base standard

[ISO/IEC 29109-1]

4.2

Freeman Chain Code

FCC

compact method for representing the contours of an object

NOTE First made popular by Herbert Freeman.

[ISO/IEC 19794-10]

4.3

hand geometry view record

block of data that contains a hand silhouette captured from one camera point of view during one hand placement

NOTE The block contains metadata, silhouette data, and optional extended data.

[ISO/IEC 19794-10]

4.4

implementation under test

that which implements the base standard being tested

NOTE Depending on the conformance requirements of the base standard, this may simply be a set of biometric data interchange records or it may be a computer algorithm in the form of an implementation under test that creates the BDIR and/or uses the data contained in the BDIR.

[ISO/IEC 29109-1]

5 Symbols and abbreviated terms

For the purposes of this document, the symbols and abbreviated terms given in ISO/IEC 29109-1 apply.

6 Conformance testing methodology

The testing methodology specified in Clauses 6, 7 and 8 of ISO/IEC 29109-1:2009 shall apply. The content of the tables below is based on the conformance testing methodology outlined in ISO/IEC 29109-1:2009 and shall only be used in the context of that testing methodology.

Table 1 — Requirements of ISO/IEC 19794-10:2007

Require- ment ID	Reference in base standard	Requirement Summary	Level	Status (see note)	IUT Support	Supported Range	Test Result
R-1	Forward	ISO shall not be held responsible for identifying any or all such patent rights.	3C	O-1		N/A	N/A
R-2	5.2	To conserve space, the hand silhouette shall be recorded using a Freeman Chain Code (FCC).	i) 2	M		N/A	
R-3	5.2.1 _h	Each element of the FCC2shall be stored immediately following its predecessor without regard to byte boundaries b/iso-iec-29109-10-20		lbe <mark>M</mark> aa0	e-	N/A	
R-4	5.2.1	If necessary, the silhouette shall be padded with trailing zeros to ensure that the BDB is an integral number of octets.	2	М		N/A	
R-5	5.2.1	Silhouette data contained in BDBs conforming to this part of ISO/IEC 19794 (see clause 2) shall be body centric.	3B	М		N/A	
R-6	5.3	The BDB format specified in this part of ISO/IEC 19794 shall be embedded in a CBEFF-compliant Biometric Information Record (BIR) according to ISO/IEC 19785-1.	3C	O-1		N/A	N/A
R-7	5.3	The CBEFF Format Owner identifier assigned by the CBEFF Registration Authority to ISO/IEC JTC 1/SC 37 shall be used in [] This is the sixteen-bit value 0x0101 (hexadecimal 101 or decimal 257).	3C	O-1		N/A	N/A
R-8	5.3	The sixteen-bit [CBEFF Type Code] 0x0018 (hexadecimal 18 or decimal 24) shall be used for data records specified in this part of 19794.	3C	O-1		N/A	N/A
R-9	6.1	after data acquisition and processing, each silhouette shall have the orientation shown in Figure 3a for top-view images, or Figure 3b for side-view images.	3B	M		N/A	