



Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; RESTful protocols specification for the Os-Ma-nfvo Reference Point

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference

DGS/NFV-SOL005

Keywords

API, NFV, protocol

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	17
Foreword.....	17
Modal verbs terminology.....	17
1 Scope	18
2 References	18
2.1 Normative references	18
2.2 Informative references.....	20
3 Abbreviations	20
4 General Aspects.....	21
4.1 Overview	21
4.2 URI structure and supported content formats.....	22
4.3 Common procedures.....	22
4.3.1 Introduction.....	22
4.3.2 Attribute-based filtering.....	22
4.3.2.1 Overview and example (informative).....	22
4.3.2.2 Specification.....	23
4.3.3 Attribute selectors	24
4.3.3.1 Overview and example.....	24
4.3.3.2 Specification.....	25
4.3.3.2.1 GET request.....	25
4.3.3.2.2 GET response	25
4.3.4 Usage of HTTP header fields.....	26
4.3.4.1 Introduction.....	26
4.3.4.2 Request header fields	26
4.3.4.3 Response header fields	26
4.3.5 Error reporting	27
4.3.5.1 Introduction.....	27
4.3.5.2 General mechanism.....	27
4.3.5.3 Type: ProblemDetails.....	27
4.3.5.4 Common error situations.....	28
4.3.5.5 Overview of HTTP error status codes.....	29
4.4 Common data types	30
4.4.1 Structured data types.....	30
4.4.1.1 Introduction.....	30
4.4.1.2 Type: Object.....	30
4.4.1.3 Type: Link.....	30
4.4.1.4 Type: KeyValuePairs	30
4.4.1.5 Type: NsInstanceSubscriptionFilter.....	31
4.4.2 Simple data types.....	31
4.5 Authorization of API requests and notifications	32
4.5.1 Introduction.....	32
4.5.2 Flows (informative)	32
4.5.2.0 General	32
4.5.2.1 Authorization of API requests using OAuth 2.0 access tokens.....	32
4.5.2.1a Authorization of API requests using TLS certificates.....	34
4.5.2.2 Authorization of notifications using the HTTP Basic authentication scheme.....	35
4.5.2.3 Authorization of notifications using OAuth 2.0 access tokens.....	36
4.5.2.4 Authorization of notifications using TLS certificates	38
4.5.3 Specification	40
4.5.3.1 Introduction.....	40
4.5.3.2 General mechanism.....	40
4.5.3.3 Authorizing API requests.....	40
4.5.3.4 Authorizing the sending of notifications	41
4.5.3.5 Client roles	42

4.5.3.6	Negotiation of authorization method.....	43
4.5.3.6.1	Authorization of API requests	43
4.5.3.6.2	Authorization of notification requests	45
5	NSD Management interface	45
5.1	Description	45
5.2	Resource structure and methods	46
5.3	Sequence diagrams (informative).....	47
5.3.1	Flow of the creation of an individual NS descriptor resource.....	47
5.3.2	Flow of the uploading of NSD content	48
5.3.3	Flow of the fetching of NSD content	48
5.3.4	Flow of the update of an individual NS descriptor resource.....	49
5.3.5	Flow of the deletion of an individual NS descriptor resource.....	50
5.3.6	Flow of the querying/reading of NS descriptor resources.....	51
5.3.7	Flow of the creation of an individual PNF descriptor resource	52
5.3.8	Flow of the uploading of PNFD content	53
5.3.9	Flow of the fetching of PNFD content.....	54
5.3.10	Flow of the deletion of an individual PNF descriptor resource	54
5.3.11	Flow of the querying/reading of PNF descriptor resources	55
5.3.12	Flow of managing subscriptions	56
5.3.13	Flow of sending notifications.....	58
5.4	Resources	59
5.4.1	Introduction.....	59
5.4.2	Resource: NS Descriptors	59
5.4.2.1	Description	59
5.4.2.2	Resource definition	59
5.4.2.3	Resource methods	59
5.4.2.3.1	POST	59
5.4.2.3.2	GET	60
5.4.2.3.3	PUT	61
5.4.2.3.4	PATCH.....	61
5.4.2.3.5	DELETE.....	61
5.4.3	Resource: Individual NS Descriptor	61
5.4.3.1	Description	61
5.4.3.2	Resource definition	62
5.4.3.3	Resource methods	62
5.4.3.3.1	POST	62
5.4.3.3.2	GET	62
5.4.3.3.3	PUT	63
5.4.3.3.4	PATCH.....	63
5.4.3.3.5	DELETE.....	64
5.4.4	Resource: NSD Content.....	65
5.4.4.1	Description	65
5.4.4.2	Resource definition	65
5.4.4.3	Resource methods	66
5.4.4.3.1	POST	66
5.4.4.3.2	GET	66
5.4.4.3.3	PUT	67
5.4.4.3.4	PATCH.....	69
5.4.4.3.5	DELETE.....	69
5.4.5	Resource: PNF Descriptors.....	69
5.4.5.1	Description	69
5.4.5.2	Resource definition	69
5.4.5.3	Resource methods	69
5.4.5.3.1	POST	69
5.4.5.3.2	GET	70
5.4.5.3.3	PUT	71
5.4.5.3.4	PATCH.....	71
5.4.5.3.5	DELETE.....	71
5.4.6	Resource: Individual PNF Descriptor	71
5.4.6.1	Description	71
5.4.6.2	Resource definition	71

5.4.6.3	Resource methods	72
5.4.6.3.1	POST	72
5.4.6.3.2	GET	72
5.4.6.3.3	PUT	72
5.4.6.3.4	PATCH	72
5.4.6.3.5	DELETE	73
5.4.7	Resource: PNFD Content	74
5.4.7.1	Description	74
5.4.7.2	Resource definition	74
5.4.7.3	Resource methods	74
5.4.7.3.1	POST	74
5.4.7.3.2	GET	74
5.4.7.3.3	PUT	75
5.4.7.3.4	PATCH	76
5.4.7.3.5	DELETE	76
5.4.8	Resource: Subscriptions	76
5.4.8.1	Description	76
5.4.8.2	Resource definition	76
5.4.8.3	Resource methods	76
5.4.8.3.1	POST	76
5.4.8.3.2	GET	77
5.4.8.3.3	PUT	78
5.4.8.3.4	PATCH	78
5.4.8.3.5	DELETE	78
5.4.9	Resource: Individual subscription	78
5.4.9.1	Description	78
5.4.9.2	Resource definition	78
5.4.9.3	Resource methods	79
5.4.9.3.1	POST	79
5.4.9.3.2	GET	79
5.4.9.3.3	PUT	79
5.4.9.3.4	PATCH	79
5.4.9.3.5	DELETE	80
5.4.10	Resource: Notification endpoint	80
5.4.10.1	Description	80
5.4.10.2	Resource definition	80
5.4.10.3	Resource methods	80
5.4.10.3.1	POST	80
5.4.10.3.2	GET	81
5.4.10.3.3	PUT	82
5.4.10.3.4	PATCH	82
5.4.10.3.5	DELETE	82
5.5	Data model	82
5.5.1	Introduction	82
5.5.2	Resource and notification data types	82
5.5.2.1	Type: NsdInfoModifications	82
5.5.2.2	Type: NsdInfo	83
5.5.2.3	Type: CreateNsdInfoRequest	84
5.5.2.4	Type: PnfdInfoModifications	84
5.5.2.5	Type: PnfdInfo	84
5.5.2.6	Type: CreatePnfdInfoRequest	85
5.5.2.7	Type: NsdmSubscriptionRequest	85
5.5.2.8	Type: NsdmSubscription	86
5.5.2.9	Type: NsdOnboardingNotification	86
5.5.2.10	Type: NsdOnboardingFailureNotification	87
5.5.2.11	Type: NsdChangeNotification	87
5.5.2.12	Type: NsdDeletionNotification	88
5.5.2.13	Type: PnfdOnboardingNotification	88
5.5.2.14	Type: PnfdOnboardingFailureNotification	88
5.5.2.15	Type: PnfdDeletionNotification	89
5.5.3	Referenced structured data types	89
5.5.3.1	Introduction	89

5.5.3.2	Type: NsdmNotificationsFilter	89
5.5.3.3	Type: NsdmLinks.....	90
5.5.3.4	Type: PnfdmLinks.....	91
5.5.4	Referenced simple data types and enumerations	91
5.5.4.1	Introduction.....	91
5.5.4.2	Simple data types	91
5.5.4.3	Enumeration: NsdOperationalStateType.....	91
5.5.4.4	Enumeration: NsdUsageStateType	91
5.5.4.5	Enumeration: NsdOnboardingStateType	92
5.5.4.6	Enumeration: PnfdOnboardingStateType	92
5.5.4.7	Enumeration: PnfdUsageStateType	92
6	NS Lifecycle Management interface	92
6.1	Description	92
6.2	Resource structure and methods.....	93
6.3	Sequence diagrams (informative).....	94
6.3.1	Flow of the creation of a NS instance resource.....	94
6.3.2	Flow of the deletion of a NS instance resource.....	95
6.3.3	Flow of NS lifecycle management operations triggered by task resources.....	96
6.3.4	Flow of the get operations status operation	98
6.3.5	Flow of managing subscriptions	99
6.3.6	Flow of sending notifications.....	101
6.3.7	Flow of retrying a NS lifecycle management operation	102
6.3.8	Flow of rolling back a NS lifecycle management operation.....	103
6.3.9	Flow of continuing a NS lifecycle management operation.....	104
6.3.10	Flow of failing a NS lifecycle management operation.....	106
6.3.11	Flow of cancelling a NS lifecycle management operation.....	107
6.4	Resources	108
6.4.1	Introduction.....	108
6.4.2	Resource: NS Instances	108
6.4.2.1	Description	108
6.4.2.2	Resource definition	108
6.4.2.3	Resource methods	108
6.4.2.3.1	POST	108
6.4.2.3.2	GET	109
6.4.2.3.3	PUT	110
6.4.2.3.4	PATCH.....	110
6.4.2.3.5	DELETE.....	110
6.4.3	Resource: Individual NS Instance.....	110
6.4.3.1	Description	110
6.4.3.2	Resource definition	110
6.4.3.3	Resource methods	111
6.4.3.3.1	POST	111
6.4.3.3.2	GET	111
6.4.3.3.3	PUT	111
6.4.3.3.4	PATCH.....	111
6.4.3.3.5	DELETE.....	111
6.4.4	Resource: Instantiate NS task	112
6.4.4.1	Description	112
6.4.4.2	Resource definition	112
6.4.4.3	Resource methods	113
6.4.4.3.1	POST	113
6.4.4.3.2	GET	113
6.4.4.3.3	PUT	113
6.4.4.3.4	PATCH.....	114
6.4.4.3.5	DELETE.....	114
6.4.5	Resource: Scale NS task	114
6.4.5.1	Description	114
6.4.5.2	Resource definition	114
6.4.5.3	Resource methods	114
6.4.5.3.1	POST	114
6.4.5.3.2	GET	115

6.4.5.3.3	PUT	115
6.4.5.3.4	PATCH.....	115
6.4.5.3.5	DELETE.....	115
6.4.6	Resource: Update NS task	115
6.4.6.1	Description.....	115
6.4.6.2	Resource definition	116
6.4.6.3	Resource methods	116
6.4.6.3.1	POST	116
6.4.6.3.2	GET	117
6.4.6.3.3	PUT	117
6.4.6.3.4	PATCH.....	117
6.4.6.3.5	DELETE.....	117
6.4.7	Resource: Heal NS task	117
6.4.7.1	Description.....	117
6.4.7.2	Resource definition	117
6.4.7.3	Resource methods	117
6.4.7.3.1	POST	117
6.4.7.3.2	GET	118
6.4.7.3.3	PUT	118
6.4.7.3.4	PATCH.....	118
6.4.7.3.5	DELETE.....	118
6.4.8	Resource: Terminate NS task.....	118
6.4.8.1	Description	118
6.4.8.2	Resource definition	119
6.4.8.3	Resource methods	119
6.4.8.3.1	POST	119
6.4.8.3.2	GET	120
6.4.8.3.3	PUT	120
6.4.8.3.4	PATCH.....	120
6.4.8.3.5	DELETE.....	120
6.4.9	Resource: NS LCM occurrences.....	120
6.4.9.1	Description.....	120
6.4.9.2	Resource definition	121
6.4.9.3	Resource methods	121
6.4.9.3.1	POST	121
6.4.9.3.2	GET	121
6.4.9.3.3	PUT	122
6.4.9.3.4	PATCH.....	122
6.4.9.3.5	DELETE.....	122
6.4.10	Resource: Individual NS LCM occurrence.....	122
6.4.10.1	Description.....	122
6.4.10.2	Resource definition	122
6.4.10.3	Resource methods	123
6.4.10.3.1	POST	123
6.4.10.3.2	GET	123
6.4.10.3.3	PUT	123
6.4.10.3.4	PATCH.....	123
6.4.10.3.5	DELETE.....	124
6.4.11	Resource: Retry operation task	124
6.4.11.1	Description.....	124
6.4.11.2	Resource definition	124
6.4.11.3	Resource methods	124
6.4.11.3.1	POST	124
6.4.11.3.2	GET	125
6.4.11.3.3	PUT	125
6.4.11.3.4	PATCH.....	125
6.4.11.3.5	DELETE.....	126
6.4.12	Resource: Rollback operation task.....	126
6.4.12.1	Description.....	126
6.4.12.2	Resource definition	126
6.4.12.3	Resource methods	126
6.4.12.3.1	POST	126

6.4.12.3.2	GET	127
6.4.12.3.3	PUT	127
6.4.12.3.4	PATCH	127
6.4.12.3.5	DELETE	128
6.4.13	Resource: Continue operation task	128
6.4.13.1	Description	128
6.4.13.2	Resource definition	128
6.4.13.3	Resource methods	128
6.4.13.3.1	POST	128
6.4.13.3.2	GET	129
6.4.13.3.3	PUT	129
6.4.13.3.4	PATCH	129
6.4.13.3.5	DELETE	129
6.4.14	Resource: Fail operation task	130
6.4.14.1	Description	130
6.4.14.2	Resource definition	130
6.4.14.3	Resource methods	130
6.4.14.3.1	POST	130
6.4.14.3.2	GET	131
6.4.14.3.3	PUT	131
6.4.14.3.4	PATCH	131
6.4.14.3.5	DELETE	132
6.4.15	Resource: Cancel operation task	132
6.4.15.1	Description	132
6.4.15.2	Resource definition	132
6.4.15.3	Resource methods	132
6.4.15.3.1	POST	132
6.4.15.3.2	GET	133
6.4.15.3.3	PUT	133
6.4.15.3.4	PATCH	133
6.4.15.3.5	DELETE	134
6.4.16	Resource: Subscriptions	134
6.4.16.1	Description	134
6.4.16.2	Resource definition	134
6.4.16.3	Resource methods	134
6.4.16.3.1	POST	134
6.4.16.3.2	GET	135
6.4.16.3.3	PUT	136
6.4.16.3.4	PATCH	136
6.4.16.3.5	DELETE	136
6.4.17	Resource: Individual subscription	136
6.4.17.1	Description	136
6.4.17.2	Resource definition	136
6.4.17.3	Resource methods	137
6.4.17.3.1	POST	137
6.4.17.3.2	GET	137
6.4.17.3.3	PUT	137
6.4.17.3.4	PATCH	137
6.4.17.3.5	DELETE	137
6.4.18	Resource: Notification endpoint	138
6.4.18.1	Description	138
6.4.18.2	Resource definition	138
6.4.18.3	Resource methods	138
6.4.18.3.1	POST	138
6.4.18.3.2	GET	139
6.4.18.3.3	PUT	139
6.4.18.3.4	PATCH	139
6.4.18.3.5	DELETE	140
6.5	Data model	140
6.5.1	Introduction	140
6.5.2	Resource and notification data types	140
6.5.2.1	Introduction	140

6.5.2.2	Type: LccnSubscriptionRequest	140
6.5.2.3	Type: NsLcmOpOcc	140
6.5.2.4	Type: LccnSubscription	142
6.5.2.5	Type: NsLcmOperationOccurrenceNotification	142
6.5.2.6	Type: NsIdentifierCreationNotification	143
6.5.2.7	Type: NsIdentifierDeletionNotification	144
6.5.2.8	Type: NsChangeNotification	144
6.5.2.9	Type: CreateNsRequest	145
6.5.2.10	Type: NsInstance	145
6.5.2.11	Type: InstantiateNsRequest	146
6.5.2.12	Type: UpdateNsRequest	147
6.5.2.13	Type: HealNsRequest	149
6.5.2.14	Type: ScaleNsRequest	149
6.5.2.15	Type: TerminateNsRequest	149
6.5.2.16	Type: CancelMode	150
6.5.3	Referenced structured data types	150
6.5.3.1	Introduction	150
6.5.3.2	Type: AffectedVnf	150
6.5.3.3	Type: AffectedPnf	151
6.5.3.4	Type: AffectedVirtualLink	151
6.5.3.5	Type: AffectedVnffg	152
6.5.3.6	Type: AffectedNs	152
6.5.3.7	Type: AffectedSap	153
6.5.3.8	Type: LifecycleChangeNotificationsFilter	153
6.5.3.9	Type: LccnLinks	154
6.5.3.10	Type: SapData	155
6.5.3.11	Type: CpProtocolData	155
6.5.3.12	Type: IpOverEthernetAddressData	155
6.5.3.13	Type: PnfInfo	156
6.5.3.14	Type: AddPnfData	156
6.5.3.15	Type: ModifyPnfData	157
6.5.3.16	Type: PnfExtCpData	157
6.5.3.17	Type: PnfExtCpInfo	157
6.5.3.18	Type: IpOverEthernetAddressInfo	157
6.5.3.19	Type: VnfInstanceData	158
6.5.3.20	Type: VnfLocationConstraint	158
6.5.3.21	Type: LocationConstraints	159
6.5.3.22	Type: ParamsForVnf	159
6.5.3.23	Type: AffinityOrAntiAffinityRule	159
6.5.3.24	Type: InstantiateVnfData	160
6.5.3.25	Type: ChangeVnfFlavourData	161
6.5.3.26	Type: ExtVirtualLinkData	161
6.5.3.27	Type: ExtManagedVirtualLinkData	162
6.5.3.28	Type: ExtLinkPortData	162
6.5.3.29	Type: VnfExtCpData	162
6.5.3.30	Type: VnfExtCpConfig	162
6.5.3.31	Type: OperateVnfData	163
6.5.3.32	Type: ModifyVnfInfoData	163
6.5.3.33	Type: ChangeExtVnfConnectivityData	164
6.5.3.34	Type: AssocNewNsdVersionData	164
6.5.3.35	Type: MoveVnfInstanceData	165
6.5.3.36	Type: AddVnffgData	165
6.5.3.37	Type: UpdateVnffgData	165
6.5.3.38	Type: NfpData	166
6.5.3.39	Type: ChangeNsFlavourData	166
6.5.3.40	Type: NfpRule	166
6.5.3.41	Type: Mask	167
6.5.3.42	Type: PortRange	168
6.5.3.43	Type: HealNsData	168
6.5.3.44	Type: HealVnfData	168
6.5.3.45	Type: ScaleNsData	169
6.5.3.46	Type: ScaleNsByStepsData	169

6.5.3.47	Type: ScaleNsToLevelData	170
6.5.3.48	Type: NsScaleInfo	170
6.5.3.49	Type: ScaleVnfData	170
6.5.3.50	Type: ScaleToLevelData	171
6.5.3.51	Type: VnfScaleInfo	171
6.5.3.52	Type: ScaleByStepData	171
6.5.3.53	Type: NsVirtualLinkInfo	171
6.5.3.54	Type: ResourceHandle	172
6.5.3.55	Type: NsLinkPortInfo	172
6.5.3.56	Type: NsCpHandle	173
6.5.3.57	Type: VnfInstance	173
6.5.3.58	Type: CpProtocolInfo	175
6.5.3.59	Type: ExtManagedVirtualLinkInfo	176
6.5.3.60	Type: VnfcResourceInfo	176
6.5.3.61	Type: VnfVirtualLinkResourceInfo	177
6.5.3.62	Type: ExtVirtualLinkInfo	177
6.5.3.63	Type: ExtLinkPortInfo	177
6.5.3.64	Type: VnfLinkPortInfo	178
6.5.3.65	Type: VnffgInfo	178
6.5.3.66	Type: NfpInfo	179
6.5.3.67	Type: SapInfo	179
6.5.4	Referenced simple data types and enumerations	179
6.5.4.1	Introduction	179
6.5.4.2	Simple data types	179
6.5.4.3	Enumeration: NsLcmOpType	179
6.5.4.4	Enumeration: NsLcmOperationStateType	180
6.5.4.5	Enumeration: NsComponentType	180
6.5.4.6	Enumeration: LcmOpNameForChangeNotificationType	180
6.5.4.7	Enumeration: LcmOpOccStatusForChangeNotificationType	181
6.5.4.8	Enumeration: OperationalStates	181
6.5.4.9	Enumeration: StopType	181
6.5.4.10	Enumeration: CancelModeType	181
6.6	Handling of errors during NS lifecycle management operations	182
6.6.1	Basic concepts (informative)	182
6.6.1.1	Motivation	182
6.6.1.2	Failure resolution strategies: Retry, Rollback, and Continue	182
6.6.1.3	Error handling at NFVO and OSS/BSS	183
6.6.2	States and state transitions of a NS lifecycle management operation occurrence	184
6.6.2.1	General	184
6.6.2.2	States of a NS lifecycle management operation occurrence	184
6.6.2.3	Error handling operations that change the state of a NS lifecycle operation	187
6.6.3	Detailed flows	188
6.6.3.1	Immediate failure	188
6.6.3.2	Failure during actual NS LCM operation execution	188
6.6.3.3	LCM operation cancellation	189
7	NS Performance Management interface	190
7.1	Description	190
7.2	Resource structure and methods	190
7.3	Sequence diagrams (informative)	191
7.3.1	Flow of creating a PM job	191
7.3.2	Flow of querying/reading PM jobs	192
7.3.3	Flow of deleting a PM job	193
7.3.4	Flow of obtaining performance reports	193
7.3.5	Flow of creating a threshold	194
7.3.6	Flow of querying/reading thresholds	195
7.3.7	Flow of deleting thresholds	195
7.3.8	Flow of managing subscriptions	196
7.3.9	Flow of sending notifications	198
7.4	Resources	199
7.4.1	Introduction	199
7.4.2	Resource: PM jobs	199

7.4.2.1	Description	199
7.4.2.2	Resource definition	199
7.4.2.3	Resource methods	199
7.4.2.3.1	POST	199
7.4.2.3.2	GET	200
7.4.2.3.3	PUT	201
7.4.2.3.4	PATCH	201
7.4.2.3.5	DELETE	201
7.4.3	Resource: Individual PM job	201
7.4.3.1	Description	201
7.4.3.2	Resource definition	201
7.4.3.3	Resource methods	202
7.4.3.3.1	POST	202
7.4.3.3.2	GET	202
7.4.3.3.3	PUT	202
7.4.3.3.4	PATCH	202
7.4.3.3.5	DELETE	203
7.4.4	Resource: Individual performance report	203
7.4.4.1	Description	203
7.4.4.2	Resource definition	203
7.4.4.3	Resource methods	204
7.4.4.3.1	POST	204
7.4.4.3.2	GET	204
7.4.4.3.3	PUT	204
7.4.4.3.4	PATCH	204
7.4.4.3.5	DELETE	204
7.4.5	Resource: Thresholds	204
7.4.5.1	Description	204
7.4.5.2	Resource definition	205
7.4.5.3	Resource methods	205
7.4.5.3.1	POST	205
7.4.5.3.2	GET	205
7.4.5.3.3	PUT	206
7.4.5.3.4	PATCH	206
7.4.5.3.5	DELETE	206
7.4.6	Resource: Individual threshold	206
7.4.6.1	Description	206
7.4.6.2	Resource definition	207
7.4.6.3	Resource methods	207
7.4.6.3.1	POST	207
7.4.6.3.2	GET	207
7.4.6.3.3	PUT	208
7.4.6.3.4	PATCH	208
7.4.6.3.5	DELETE	208
7.4.7	Resource: Subscriptions	208
7.4.7.1	Description	208
7.4.7.2	Resource definition	208
7.4.7.3	Resource methods	209
7.4.7.3.1	POST	209
7.4.7.3.2	GET	209
7.4.7.3.3	PUT	210
7.4.7.3.4	PATCH	210
7.4.7.3.5	DELETE	210
7.4.8	Resource: Individual subscription	210
7.4.8.1	Description	210
7.4.8.2	Resource definition	211
7.4.8.3	Resource methods	211
7.4.8.3.1	POST	211
7.4.8.3.2	GET	211
7.4.8.3.3	PUT	212
7.4.8.3.4	PATCH	212
7.4.8.3.5	DELETE	212

7.4.9	Resource: Notification endpoint	212
7.4.9.1	Description	212
7.4.9.2	Resource definition	212
7.4.9.3	Resource methods	213
7.4.9.3.1	POST	213
7.4.9.3.2	GET	213
7.4.9.3.3	PUT	214
7.4.9.3.4	PATCH	214
7.4.9.3.5	DELETE	214
7.5	Data Model	214
7.5.1	Introduction	214
7.5.2	Resource and notification data types	214
7.5.2.1	Introduction	214
7.5.2.2	Type: PmSubscriptionRequest	214
7.5.2.3	Type: PmSubscription	215
7.5.2.4	Type: ThresholdCrossedNotification	215
7.5.2.5	Type: PerformanceInformationAvailableNotification	216
7.5.2.6	Type: CreatePmJobRequest	216
7.5.2.7	Type: PmJob	217
7.5.2.8	Type: CreateThresholdRequest	217
7.5.2.9	Type: Threshold	217
7.5.2.10	Type: PerformanceReport	218
7.5.3	Referenced structured data types	218
7.5.3.1	Introduction	218
7.5.3.2	Type: PmNotificationsFilter	218
7.5.3.3	Type: PmJobCriteria	219
7.5.3.4	Type: ThresholdCriteria	219
7.5.4	Referenced simple data types and enumerations	220
7.5.4.1	Introduction	220
7.5.4.2	Simple data types	220
7.5.4.3	Enumeration: CrossingDirectionType	220
8	NS Fault Management interface	220
8.1	Description	220
8.2	Resource structure and methods	221
8.3	Sequence diagrams (informative)	222
8.3.1	Flow of the Get Alarm List operation	222
8.3.2	Flow of acknowledging alarm	222
8.3.3	Flow of managing subscriptions	223
8.3.4	Flow of sending notifications	225
8.4	Resources	225
8.4.1	Introduction	225
8.4.2	Resource: Alarms	226
8.4.2.1	Description	226
8.4.2.2	Resource definition	226
8.4.2.3	Resource methods	226
8.4.2.3.1	POST	226
8.4.2.3.2	GET	226
8.4.2.3.3	PUT	227
8.4.2.3.4	PATCH	227
8.4.2.3.5	DELETE	227
8.4.3	Resource: Individual alarm	227
8.4.3.1	Description	227
8.4.3.2	Resource definition	227
8.4.3.3	Resource methods	228
8.4.3.3.1	POST	228
8.4.3.3.2	GET	228
8.4.3.3.3	PUT	228
8.4.3.3.4	PATCH	228
8.4.3.3.5	DELETE	229
8.4.4	Resource: Subscriptions	229
8.4.4.1	Description	229

8.4.4.2	Resource definition	229
8.4.4.3	Resource methods	230
8.4.4.3.1	POST	230
8.4.4.3.2	GET	230
8.4.4.3.3	PUT	231
8.4.4.3.4	PATCH	231
8.4.4.3.5	DELETE	231
8.4.5	Resource: Individual subscription.....	231
8.4.5.1	Description	231
8.4.5.2	Resource definition	232
8.4.5.3	Resource methods	232
8.4.5.3.1	POST	232
8.4.5.3.2	GET	232
8.4.5.3.3	PUT	232
8.4.5.3.4	PATCH	233
8.4.5.3.5	DELETE	233
8.4.6	Resource: Notification endpoint	233
8.4.6.1	Description	233
8.4.6.2	Resource definition	233
8.4.6.3	Resource methods	234
8.4.6.3.1	POST	234
8.4.6.3.2	GET	234
8.4.6.3.3	PUT	235
8.4.6.3.4	PATCH	235
8.4.6.3.5	DELETE	235
8.5	Data Model.....	235
8.5.1	Introduction.....	235
8.5.2	Resource and notification data types	235
8.5.2.1	Introduction.....	235
8.5.2.2	Type: FmSubscriptionRequest.....	235
8.5.2.3	Type: FmSubscription.....	236
8.5.2.4	Type: Alarm.....	236
8.5.2.5	Type: AlarmNotification.....	237
8.5.2.6	Type: AlarmClearedNotification.....	237
8.5.2.7	Type: AlarmListRebuiltNotification.....	238
8.5.2.8	Type: AlarmModifications.....	238
8.5.3	Referenced structured data types.....	238
8.5.3.1	Introduction.....	238
8.5.3.2	Type: FmNotificationsFilter.....	238
8.5.3.3	Type: FaultyResourceInfo.....	239
8.5.3.4	Type: FaultyComponentInfo.....	239
8.5.4	Referenced simple data types and enumerations	239
8.5.4.1	Introduction.....	239
8.5.4.2	Simple data types	239
8.5.4.3	Enumeration: PerceivedSeverityType.....	240
8.5.4.4	Enumeration: EventType	240
8.5.4.5	Enumeration: FaultyResourceType.....	240
9	VNF Package Management interface.....	241
9.1	Description	241
9.2	Resource structure and methods.....	241
9.3	Sequence diagrams (informative).....	243
9.3.1	Flow of the creation of an individual VNF package resource.....	243
9.3.2	Flow of the uploading of VNF package content	243
9.3.3	Flow of querying/reading VNF package information.....	245
9.3.4	Flow of reading the VNFD of an on-boarded VNF package	245
9.3.5	Flow of updating information of a VNF package	246
9.3.6	Flow of deleting a VNF package resource.....	247
9.3.7	Flow of fetching an on-boarded VNF package.....	248
9.3.8	Flow of fetching a VNF package artifact.....	249
9.3.9	Flow of managing subscriptions	250
9.3.10	Flow of sending notifications.....	252