



ETSI STANDARD

**Methods for Testing and Specification (MTS);
The Testing and Test Control Notation version 3;
Part 1: TTCN-3 Core Language**

iTeh STANdard PREVIEW
(Standard PREVIEW)
Full standard
<https://standards.iteh.ai/catalog/standards/standard/602147-d84e-421c-b2e4-d30336326d77/etsi-es-201-873-1-v4.10.1-2018-03>

Reference

RES/MTS-201873-1v4A1

Keywords

language, methodology, testing, TTCN-3

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à a
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and LTE™ are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.
GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	13
Foreword.....	13
Modal verbs terminology.....	13
1 Scope	14
2 References	14
2.1 Normative references	14
2.2 Informative references.....	15
3 Definitions and abbreviations.....	16
3.1 Definitions	16
3.2 Abbreviations	21
4 Introduction	22
4.0 General	22
4.1 The core language and presentation formats	23
4.2 Unanimity of the specification	24
4.3 Conformance	24
5 Basic language elements	24
5.0 General	24
5.1 Identifiers and keywords	25
5.2 Scope rules	26
5.2.0 General.....	26
5.2.1 Scope of formal parameters	28
5.2.2 Uniqueness of identifiers	28
5.3 Ordering of language elements.....	29
5.4 Parameterization.....	29
5.4.0 General.....	29
5.4.1 Formal parameters	30
5.4.1.0 General	30
5.4.1.1 Formal parameters of kind value.....	30
5.4.1.2 Formal parameters of kind template.....	33
5.4.2 Actual parameters	35
5.5 Cyclic Definitions.....	40
6 Types and values	41
6.0 General	41
6.1 Basic types and values.....	42
6.1.0 Simple basic types and values.....	42
6.1.1 Basic string types and values	43
6.1.1.0 General.....	43
6.1.1.1 Accessing individual string elements	45
6.1.2 Subtyping of basic types	46
6.1.2.0 General.....	46
6.1.2.1 Lists of templates	46
6.1.2.2 Lists of types	46
6.1.2.3 Ranges.....	47
6.1.2.4 String length restrictions	47
6.1.2.5 Pattern subtyping of character string types	48
6.1.2.6 Mixing subtyping mechanisms.....	48
6.1.2.6.1 Mixing patterns, lists and ranges	48
6.1.2.6.2 Using length restriction with other constraints	49
6.2 Structured types and values.....	49
6.2.0 General.....	49
6.2.1 Record type and values	51
6.2.1.0 General	51
6.2.1.1 Referencing fields of a record type	53

6.2.1.2	Optional elements in a record.....	55
6.2.1.3	Nested type definitions for field types	55
6.2.2	Set type and values	55
6.2.2.0	General.....	55
6.2.2.1	Referencing fields of a set type	56
6.2.2.2	Optional elements in a set	56
6.2.2.3	Nested type definition for field types	56
6.2.3	Records and sets of single types	56
6.2.3.0	General.....	56
6.2.3.1	Nested type definitions.....	59
6.2.3.2	Referencing elements of record of and set of types	59
6.2.4	Enumerated type and values	60
6.2.5	Unions.....	61
6.2.5.0	General.....	61
6.2.5.1	Referencing fields of a union type	63
6.2.5.2	Option and union.....	64
6.2.5.3	Nested type definition for field types	64
6.2.6	The anytype	64
6.2.7	Arrays	65
6.2.8	The default type	66
6.2.9	Communication port types.....	67
6.2.10	Component types	69
6.2.10.1	Component type definition.....	69
6.2.10.2	Reuse of component types	70
6.2.11	Component references	72
6.2.12	Addressing entities inside the SUT.....	74
6.2.13	Subtyping of structured types	76
6.2.13.0	General.....	76
6.2.13.1	Length subtyping of record ofs and set ofs	76
6.2.13.2	List subtyping of structured types and anytype	77
6.2.13.3	Subtyping of the iterated type of record ofs and set ofs	79
6.2.13.4	Mixing subtyping mechanisms.....	81
6.2.14	The timer type	81
6.3	Type compatibility	81
6.3.0	General.....	81
6.3.1	Compatibility of non-structured types	81
6.3.2	Compatibility of structured types.....	83
6.3.2.0	General	83
6.3.2.1	Compatibility of enumerated types	83
6.3.2.2	Compatibility of record and record of types	83
6.3.2.3	Compatibility of set and set of types.....	85
6.3.2.4	Compatibility of union types.....	85
6.3.2.5	Compatibility of anytype types	86
6.3.2.6	Compatibility between sub-structures	87
6.3.3	Compatibility of component types.....	87
6.3.4	Type compatibility of communication and connection operations	88
6.3.5	Type conversion.....	88
6.3.6	Type compatibility of port types.....	89
6.3.7	Type compatibility of timer types.....	89
6.4	Type synonym.....	89
7	Expressions.....	89
7.0	General	89
7.1	Operators	90
7.1.0	General.....	90
7.1.1	Arithmetic operators	91
7.1.2	List operator.....	92
7.1.3	Relational operators	92
7.1.4	Logical operators	95
7.1.5	Bitwise operators	95
7.1.6	Shift operators.....	96
7.1.7	Rotate operators	97

7.2	Field references and list elements.....	98
7.3	Decoded field reference.....	98
8	Modules.....	99
8.0	General	99
8.1	Definition of a module	99
8.2	Module definitions part	100
8.2.0	General.....	100
8.2.1	Module parameters	101
8.2.2	Groups of definitions	102
8.2.3	Importing from modules	103
8.2.3.0	General	103
8.2.3.1	General format of import	103
8.2.3.2	Importing single definitions	110
8.2.3.3	Importing groups.....	111
8.2.3.4	Importing definitions of the same kind	112
8.2.3.5	Importing all definitions of a module.....	113
8.2.3.6	Import definitions from other TTCN-3 editions and from non-TTCN-3 modules.....	113
8.2.3.7	Importing of import statements from TTCN-3 modules	115
8.2.3.8	Compatibility of language specifications in imports	116
8.2.4	Definition of friend modules.....	117
8.2.5	Visibility of definitions	117
8.3	Module control part	119
9	Port types, component types and test configurations	119
9.0	General	119
9.1	Communication ports	120
9.2	Test system interface	122
10	Declaring constants	124
11	Declaring variables.....	124
11.0	General	124
11.1	Value variables.....	125
11.2	Template variables	126
12	Declaring timers	127
13	Declaring messages	128
14	Declaring procedure signatures	129
15	Declaring templates.....	130
15.0	General	130
15.1	Declaring message templates	131
15.2	Declaring signature templates	132
15.3	Global and local templates	134
15.4	In-line Templates.....	135
15.5	Modified templates	136
15.6	Referencing elements of templates or template fields	139
15.6.0	General.....	139
15.6.1	Referencing individual string elements.....	139
15.6.2	Referencing record and set fields.....	140
15.6.3	Referencing record of and set of elements	141
15.6.4	Referencing signature parameters.....	144
15.6.5	Referencing union alternatives.....	145
15.7	Template matching mechanisms	146
15.7.0	General.....	146
15.7.1	Specific values	147
15.7.2	Special symbols that can be used instead of values	148
15.7.3	Special symbols that can be used inside values	149
15.7.4	Special symbols which describe attributes of values	149
15.8	Template Restrictions	150
15.9	Match Operation.....	152

15.10	Valueof Operation	154
15.11	Concatenating templates of string and list types	154
16	Functions, altsteps and testcases	157
16.0	General	157
16.1	Functions	157
16.1.0	General.....	157
16.1.1	Invoking functions	160
16.1.2	Predefined functions	161
16.1.3	External functions	163
16.1.4	Invoking functions from specific places	164
16.2	Altsteps.....	165
16.2.0	General.....	165
16.2.1	Invoking altsteps	166
16.3	Test cases.....	168
17	Void.....	169
18	Overview of program statements and operations	169
19	Basic program statements.....	171
19.0	General	171
19.1	Assignments	172
19.2	The If-else statement	174
19.3	The Select statements	174
19.3.1	The Select case statement	174
19.3.2	The Select union statement	175
19.4	The For statement	176
19.5	The While statement.....	177
19.6	The Do-while statement	177
19.7	The Label statement	178
19.8	The Goto statement	178
19.9	The Stop execution statement.....	179
19.10	The Return statement.....	180
19.11	The Log statement	181
19.12	The Break statement	182
19.13	The Continue statement.....	183
19.14	Statement block	184
20	Statement and operations for alternative behaviours.....	184
20.0	General	184
20.1	The snapshot mechanism.....	185
20.2	The Alt statement	185
20.3	The Repeat statement	189
20.4	The Interleave statement	190
20.5	Default Handling	192
20.5.0	General.....	192
20.5.1	The default mechanism.....	193
20.5.2	The Activate operation.....	193
20.5.3	The Deactivate operation.....	194
21	Configuration Operations	195
21.0	General	195
21.1	Connection Operations	196
21.1.0	General.....	196
21.1.1	The Connect and Map operations	197
21.1.2	The Disconnect and Unmap operations	199
21.2	Test case operations.....	201
21.2.0	General.....	201
21.2.1	Test case stop operation	201
21.3	Test Component Operations	201
21.3.0	General.....	201
21.3.1	The Create operation.....	201
21.3.2	The Start test component operation	203

21.3.3	The Stop test behaviour operation	204
21.3.4	The Kill test component operation.....	205
21.3.5	The Alive operation	206
21.3.6	The Running operation	207
21.3.7	The Done operation	208
21.3.8	The Killed operation	210
21.3.9	Summary of the use of any and all with components	212
22	Communication operations.....	212
22.0	General	212
22.1	The communication mechanisms	213
22.1.0	General.....	213
22.1.1	Principles of message-based communication.....	213
22.1.2	Principles of procedure-based communication	214
22.1.3	Principles of unicast, multicast and broadcast communication.....	214
22.1.4	General format of communication operations	215
22.1.4.0	General	215
22.1.4.1	General format of the sending operations	215
22.1.4.2	General format of the receiving operations	216
22.2	Message-based communication.....	217
22.2.0	General.....	217
22.2.1	The Send operation	217
22.2.2	The Receive operation	218
22.2.3	The Trigger operation	222
22.3	Procedure-based communication.....	225
22.3.0	General.....	225
22.3.1	The Call operation	225
22.3.2	The Getcall operation.....	229
22.3.3	The Reply operation.....	232
22.3.4	The Getreply operation	233
22.3.5	The Raise operation	236
22.3.6	The Catch operation.....	237
22.4	The Check operation	240
22.5	Controlling communication ports.....	243
22.5.0	General.....	243
22.5.1	The Clear port operation.....	243
22.5.2	The Start port operation	243
22.5.3	The Stop port operation	244
22.5.4	The Halt port operation	244
22.5.5	The Checkstate port operation	245
22.6	Use of any and all with ports	247
23	Timer operations	247
23.0	General	247
23.1	The timer mechanism	247
23.2	The Start timer operation.....	248
23.3	The Stop timer operation.....	248
23.4	The Read timer operation	249
23.5	The Running timer operation.....	249
23.6	The Timeout operation	250
23.7	Summary of use of any and all with timers	251
24	Test verdict operations	252
24.0	General	252
24.1	The Verdict mechanism.....	252
24.2	The Setverdict operation	253
24.3	The Getverdict operation.....	254
25	External actions	254
26	Module control	255
26.0	General	255
26.1	The Execute statement.....	255
26.2	The Control part	257

27	Specifying attributes	259
27.0	General	259
27.1	The Attribute mechanism	259
27.1.0	General.....	259
27.1.1	Scope of attributes	260
27.1.2	Overwriting rules for attributes.....	261
27.1.2.0	General	261
27.1.2.1	Additional default overwriting rules for variant attributes	263
27.1.2.2	Overwriting rules for multiple encoding	264
27.1.3	Changing attributes of imported language elements	264
27.2	The With statement	265
27.3	Display attributes.....	266
27.4	Encoding attributes.....	266
27.5	Variant attributes	268
27.6	Extension attributes	270
27.7	Optional attributes	270
27.8	Retrieving attribute values.....	272
27.9	Dynamic configuration of encoding used by ports.....	273

Annex A (normative):	BNF and static semantics	275
-----------------------------	---------------------------------------	------------

A.1	TTCN-3 BNF	275
A.1.0	General	275
A.1.1	Conventions for the syntax description	275
A.1.2	Statement terminator symbols	275
A.1.3	Identifiers	275
A.1.4	Comments.....	276
A.1.5	TTCN-3 terminals	276
A.1.5.0	General.....	276
A.1.5.1	Use of whitespaces and newlines.....	278
A.1.6	TTCN-3 syntax BNF productions	279
A.1.6.0	TTCN-3 module.....	279
A.1.6.1	Module definitions part.....	279
A.1.6.1.0	General	279
A.1.6.1.1	Typedef definitions	279
A.1.6.1.2	Constant definitions	281
A.1.6.1.3	Template definitions.....	281
A.1.6.1.4	Function definitions	283
A.1.6.1.5	Signature definitions	284
A.1.6.1.6	Testcase definitions	284
A.1.6.1.7	Altstep definitions	284
A.1.6.1.8	Import definitions.....	284
A.1.6.1.9	Group definitions	285
A.1.6.1.10	External function definitions	285
A.1.6.1.11	External constant definitions	285
A.1.6.1.12	Module parameter definitions	285
A.1.6.1.13	Friend module definitions	286
A.1.6.2	Control part.....	286
A.1.6.3	Local definitions	286
A.1.6.3.1	Variable instantiation	286
A.1.6.3.2	Timer instantiation	286
A.1.6.4	Operations.....	286
A.1.6.4.1	Component operations	286
A.1.6.4.2	Port operations	287
A.1.6.4.3	Timer operations	289
A.1.6.4.4	Testcase operation.....	289
A.1.6.5	Type	289
A.1.6.6	Value.....	290
A.1.6.7	Parameterization	291
A.1.6.8	Statements.....	291
A.1.6.8.1	With statement	291
A.1.6.8.2	Behaviour statements	292

*Initial Standard Review
https://standards.etsi.org/Full%20catalog/standards/sift623154/d8c/
a21c/b24-d032632d7/etsi-es-201-873-1-v10-1-2018-03*

A.1.6.8.3	Basic statements	293
A.1.6.9	Miscellaneous productions	295

Annex B (normative): Matching values 296

B.1	Template matching mechanisms	296
B.1.0	General	296
B.1.1	Matching specific values	296
B.1.2	Matching mechanisms instead of values	296
B.1.2.0	General.....	296
B.1.2.1	Template list	296
B.1.2.2	Complemented template list	297
B.1.2.3	Any value.....	298
B.1.2.4	Any value or none.....	299
B.1.2.5	Value range.....	300
B.1.2.6	SuperSet.....	300
B.1.2.7	SubSet	301
B.1.2.8	Omitting optional fields	303
B.1.2.9	Matching decoded content	303
B.1.2.10	Matching enumerated value with value list	305
B.1.3	Matching mechanisms inside values	305
B.1.3.0	General.....	305
B.1.3.1	Any element.....	305
B.1.3.1.0	General.....	305
B.1.3.1.1	Using single character wildcards.....	305
B.1.3.2	Any number of elements or no element	306
B.1.3.2.0	General.....	306
B.1.3.2.1	Using multiple character wildcards.....	306
B.1.3.3	Permutation.....	306
B.1.4	Matching attributes of values	308
B.1.4.0	General.....	308
B.1.4.1	Length restrictions	308
B.1.4.2	The IfPresent indicator.....	309
B.1.5	Matching character pattern	310
B.1.5.0	General.....	310
B.1.5.1	Set expression	312
B.1.5.2	Reference expression	312
B.1.5.3	Match expression n times	314
B.1.5.4	Match a referenced character set.....	314
B.1.5.5	Type compatibility rules for patterns	315
B.1.5.6	Case insensitive pattern matching.....	315

Annex C (normative): Predefined TTCN-3 functions..... 316

C.0	General exception handling procedures	316
C.1	Conversion functions.....	316
C.1.1	Integer to character	316
C.1.2	Integer to universal character	316
C.1.3	Integer to bitstring	316
C.1.4	Integer to enumerated	317
C.1.5	Integer to hexstring.....	317
C.1.6	Integer to octetstring.....	317
C.1.7	Integer to charstring.....	318
C.1.8	Integer to float	318
C.1.9	Float to integer	318
C.1.10	Character to integer	318
C.1.11	Character to octetstring	318
C.1.12	Universal character to integer.....	319
C.1.13	Bitstring to integer.....	319
C.1.14	Bitstring to hexstring	319
C.1.15	Bitstring to octetstring	320
C.1.16	Bitstring to charstring	320

C.1.17	Hexstring to integer	320
C.1.18	Hexstring to bitstring	320
C.1.19	Hexstring to octetstring	321
C.1.20	Hexstring to charstring	321
C.1.21	Octetstring to integer	321
C.1.22	Octetstring to bitstring	322
C.1.23	Octetstring to hexstring	322
C.1.24	Octetstring to character string	322
C.1.25	Octetstring to character string, version II	322
C.1.26	Charstring to integer	323
C.1.27	Character string to hexstring	323
C.1.28	Character string to octetstring	323
C.1.29	Character string to float	324
C.1.30	Enumerated to integer	324
C.1.31	Octetstring to universal character string	325
C.1.32	Universal character string to octetstring	325
C.1.33	Value or template to universal charstring	326
C.2	Length/size functions	327
C.2.1	Length of strings and lists	327
C.2.2	Number of elements in a structured value	328
C.3	Presence checking functions	329
C.3.1	The IsPresent function	329
C.3.2	The IsChosen function	330
C.3.3	The IsValue function	331
C.3.4	The IsBound function	333
C.3.5	Matching mechanism detection	334
C.4	String/list handling functions	335
C.4.1	The Regexp function	335
C.4.2	The Substring function	336
C.4.3	The Replace function	337
C.5	Codec functions	338
C.5.1	The encoding function	338
C.5.2	The decoding function	338
C.5.3	The encoding to universal charstring function	339
C.5.4	The decoding from universal charstring function	340
C.5.5	The encoding to octetstring function	341
C.5.6	The decoding from octetstring function	341
C.5.7	Retrieving the type of string encoding	342
C.5.8	Removing BOMs of UCS encoding schemes	342
C.6	Other functions	343
C.6.1	The random number generator function	343
C.6.2	The testcasename function	343
C.6.3	The hostId function	344
Annex D (normative):	Preprocessing macros	345
D.0	General	345
D.1	Preprocessing macro <code>_MODULE_</code>	345
D.2	Preprocessing macro <code>_FILE_</code>	345
D.3	Preprocessing macro <code>_BFILE_</code>	345
D.4	Preprocessing macro <code>_LINE_</code>	345
D.5	Preprocessing macro <code>_SCOPE_</code>	346
Annex E (informative):	Library of Useful Types	348
E.1	Limitations	348

E.2	Useful TTCN-3 types	348
E.2.1	Useful simple basic types	348
E.2.1.0	Signed and unsigned single byte integers	348
E.2.1.1	Signed and unsigned short integers.....	348
E.2.1.2	Signed and unsigned long integers	349
E.2.1.3	Signed and unsigned longlong integers	349
E.2.1.4	IEEE 754™ floats	349
E.2.2	Useful character string types	350
E.2.2.0	UTF-8 character string "utf8string"	350
E.2.2.1	BMP character string "bmpstring"	350
E.2.2.2	UTF-16 character string "utf16string"	350
E.2.2.3	ISO/IEC 10646 character string "iso8859string"	350
E.2.2.4	Status values for TTCN-3 objects.....	351
E.2.2.5	Template kinds of TTCN-3 objects	351
E.2.3	Useful structured types	351
E.2.3.0	Fixed-point decimal literal	351
E.2.4	Useful atomic string types	352
E.2.4.1	Single Recommendation ITU-T T.50 character type.....	352
E.2.4.2	Single universal character type	352
E.2.4.3	Single bit type	352
E.2.4.4	Single hex type	352
E.2.4.5	Single octet type	352
Annex F (informative):	Operations on TTCN-3 active objects.....	353
F.0	General	353
F.1	Test components.....	353
F.1.1	Test component references	353
F.1.2	Dynamic behaviour of PTCs	354
F.1.3	Dynamic behaviour of the MTC.....	356
F.2	Timers.....	356
F.3	Ports.....	357
F.3.0	General	357
F.3.1	Configuration Operations	357
F.3.2	Port Controlling Operations	358
F.3.3	Communication Operations.....	359
Annex G (informative):	Deprecated language features.....	360
G.1	Group style definition of module parameters	360
G.2	Recursive import	360
G.3	Using a11 in port type definitions.....	360
G.4	sizeof for length of lists	360
G.5	sizeoftype predefined function	360
G.6	Mixed ports	360
G.7	External constants	361
G.8	Prefixing enumerated values	361
G.9	Record of/arrays not compatible to record; set of not compatible with set.....	361
G.10	The "UCS-2" predefined variant attribute string.....	361
G.11	Prefixing identifiers of local definitions with module identifiers.....	361
G.12	Matching expressions of incompatible types	361
G.13	Assignment of less restrictive templates to more restrictive templates.....	362

G.14 Mixing case and case else branches in select statements	362
Annex H (informative): Bibliography	363
History	364

iTeh STANDARD PREVIEW
(Standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/66231547-d84e-421c-b2e4-d30336326d77/etsi-es-201-873-1-v4.10.1-2018-05>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This final draft ETSI Standard (ES) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS), and is now submitted for the ETSI standards Membership Approval Procedure.

The present document is part 1 of a multi-part deliverable covering the Testing and Test Control Notation version 3, as identified below:

Part 1: "TTCN-3 Core Language";

Part 2: "TTCN-3 Tabular presentation Format (TFT)";

NOTE: Part 2 of this multi-part deliverable is in status "historical" and is not maintained.

Part 3: "TTCN-3 Graphical presentation Format (GFT)";

Part 4: "TTCN-3 Operational Semantics";

Part 5: "TTCN-3 Runtime Interface (TRI)";

Part 6: "TTCN-3 Control Interface (TCI)";

Part 7: "Using ASN.1 with TTCN-3";

Part 8: "The IDL to TTCN-3 Mapping";

Part 9: "Using XML schema with TTCN-3";

Part 10: "TTCN-3 Documentation Comment Specification";

Part 11: "Using JSON with TTCN-3".

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.