



Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 1: TTCN-3 Core Language

Standard for Review
(standards.iteh.ai)
Full standard available at
<https://standards.iteh.ai/catalog/standards/sls/6622647-d84e-421c-b2e4-d30336326d77/etsi-es-201-873-1-v4.10.1-2018-05>

ReferenceRES/MTS-201873-1v4A1

Keywordslanguage, methodology, testing, TTCN-3

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	13
Foreword.....	13
Modal verbs terminology.....	13
1 Scope	14
2 References	14
2.1 Normative references	14
2.2 Informative references.....	15
3 Definitions and abbreviations.....	16
3.1 Definitions.....	16
3.2 Abbreviations	21
4 Introduction	22
4.0 General	22
4.1 The core language and presentation formats	23
4.2 Unanimity of the specification	24
4.3 Conformance	24
5 Basic language elements	24
5.0 General	24
5.1 Identifiers and keywords	25
5.2 Scope rules	26
5.2.0 General.....	26
5.2.1 Scope of formal parameters	28
5.2.2 Uniqueness of identifiers	28
5.3 Ordering of language elements.....	29
5.4 Parameterization.....	29
5.4.0 General.....	29
5.4.1 Formal parameters	30
5.4.1.0 General.....	30
5.4.1.1 Formal parameters of kind value.....	30
5.4.1.2 Formal parameters of kind template.....	33
5.4.2 Actual parameters	35
5.5 Cyclic Definitions.....	40
6 Types and values	41
6.0 General	41
6.1 Basic types and values.....	42
6.1.0 Simple basic types and values.....	42
6.1.1 Basic string types and values	43
6.1.1.0 General	43
6.1.1.1 Accessing individual string elements	45
6.1.2 Subtyping of basic types	46
6.1.2.0 General	46
6.1.2.1 Lists of templates	46
6.1.2.2 Lists of types	46
6.1.2.3 Ranges.....	47
6.1.2.4 String length restrictions	47
6.1.2.5 Pattern subtyping of character string types	48
6.1.2.6 Mixing subtyping mechanisms.....	48
6.1.2.6.1 Mixing patterns, lists and ranges	48
6.1.2.6.2 Using length restriction with other constraints	49
6.2 Structured types and values	49
6.2.0 General.....	49
6.2.1 Record type and values	51
6.2.1.0 General.....	51
6.2.1.1 Referencing fields of a record type	53

6.2.1.2	Optional elements in a record.....	55
6.2.1.3	Nested type definitions for field types	55
6.2.2	Set type and values	55
6.2.2.0	General	55
6.2.2.1	Referencing fields of a set type	56
6.2.2.2	Optional elements in a set	56
6.2.2.3	Nested type definition for field types	56
6.2.3	Records and sets of single types	56
6.2.3.0	General	56
6.2.3.1	Nested type definitions.....	59
6.2.3.2	Referencing elements of record of and set of types	59
6.2.4	Enumerated type and values	60
6.2.5	Unions.....	61
6.2.5.0	General	61
6.2.5.1	Referencing fields of a union type	63
6.2.5.2	Option and union.....	64
6.2.5.3	Nested type definition for field types	64
6.2.6	The anytype	64
6.2.7	Arrays	65
6.2.8	The default type	66
6.2.9	Communication port types.....	67
6.2.10	Component types	69
6.2.10.1	Component type definition.....	69
6.2.10.2	Reuse of component types	70
6.2.11	Component references	72
6.2.12	Addressing entities inside the SUT.....	74
6.2.13	Subtyping of structured types	76
6.2.13.0	General	76
6.2.13.1	Length subtyping of record ofs and set ofs	76
6.2.13.2	List subtyping of structured types and anytype	77
6.2.13.3	Subtyping of the iterated type of record ofs and set ofs	79
6.2.13.4	Mixing subtyping mechanisms.....	81
6.2.14	The timer type.....	81
6.3	Type compatibility	81
6.3.0	General.....	81
6.3.1	Compatibility of non-structured types	81
6.3.2	Compatibility of structured types.....	83
6.3.2.0	General	83
6.3.2.1	Compatibility of enumerated types	83
6.3.2.2	Compatibility of record and record of types	83
6.3.2.3	Compatibility of set and set of types.....	85
6.3.2.4	Compatibility of union types.....	85
6.3.2.5	Compatibility of anytype types	86
6.3.2.6	Compatibility between sub-structures	87
6.3.3	Compatibility of component types.....	87
6.3.4	Type compatibility of communication and connection operations	88
6.3.5	Type conversion.....	88
6.3.6	Type compatibility of port types.....	89
6.3.7	Type compatibility of timer types.....	89
6.4	Type synonym.....	89
7	Expressions.....	89
7.0	General	89
7.1	Operators	90
7.1.0	General.....	90
7.1.1	Arithmetic operators	91
7.1.2	List operator.....	92
7.1.3	Relational operators	92
7.1.4	Logical operators	95
7.1.5	Bitwise operators	95
7.1.6	Shift operators.....	96
7.1.7	Rotate operators	97

7.2	Field references and list elements.....	98
7.3	Decoded field reference.....	98
8	Modules.....	99
8.0	General.....	99
8.1	Definition of a module.....	99
8.2	Module definitions part.....	100
8.2.0	General.....	100
8.2.1	Module parameters.....	101
8.2.2	Groups of definitions.....	102
8.2.3	Importing from modules.....	103
8.2.3.0	General.....	103
8.2.3.1	General format of import.....	103
8.2.3.2	Importing single definitions.....	110
8.2.3.3	Importing groups.....	111
8.2.3.4	Importing definitions of the same kind.....	112
8.2.3.5	Importing all definitions of a module.....	113
8.2.3.6	Import definitions from other TTCN-3 editions and from non-TTCN-3 modules.....	113
8.2.3.7	Importing of import statements from TTCN-3 modules.....	115
8.2.3.8	Compatibility of language specifications in imports.....	116
8.2.4	Definition of friend modules.....	117
8.2.5	Visibility of definitions.....	117
8.3	Module control part.....	119
9	Port types, component types and test configurations.....	119
9.0	General.....	119
9.1	Communication ports.....	120
9.2	Test system interface.....	122
10	Declaring constants.....	124
11	Declaring variables.....	124
11.0	General.....	124
11.1	Value variables.....	125
11.2	Template variables.....	126
12	Declaring timers.....	127
13	Declaring messages.....	128
14	Declaring procedure signatures.....	129
15	Declaring templates.....	130
15.0	General.....	130
15.1	Declaring message templates.....	131
15.2	Declaring signature templates.....	132
15.3	Global and local templates.....	134
15.4	In-line Templates.....	135
15.5	Modified templates.....	136
15.6	Referencing elements of templates or template fields.....	139
15.6.0	General.....	139
15.6.1	Referencing individual string elements.....	139
15.6.2	Referencing record and set fields.....	140
15.6.3	Referencing record of and set of elements.....	141
15.6.4	Referencing signature parameters.....	144
15.6.5	Referencing union alternatives.....	145
15.7	Template matching mechanisms.....	146
15.7.0	General.....	146
15.7.1	Specific values.....	147
15.7.2	Special symbols that can be used instead of values.....	148
15.7.3	Special symbols that can be used inside values.....	149
15.7.4	Special symbols which describe attributes of values.....	149
15.8	Template Restrictions.....	150
15.9	Match Operation.....	152

15.10	Value of Operation	154
15.11	Concatenating templates of string and list types	154
16	Functions, altsteps and testcases	157
16.0	General	157
16.1	Functions	157
16.1.0	General	157
16.1.1	Invoking functions	160
16.1.2	Predefined functions	161
16.1.3	External functions	163
16.1.4	Invoking functions from specific places	164
16.2	Altsteps	165
16.2.0	General	165
16.2.1	Invoking altsteps	166
16.3	Test cases	168
17	Void	169
18	Overview of program statements and operations	169
19	Basic program statements	171
19.0	General	171
19.1	Assignments	172
19.2	The If-else statement	174
19.3	The Select statements	174
19.3.1	The Select case statement	174
19.3.2	The Select union statement	175
19.4	The For statement	176
19.5	The While statement	177
19.6	The Do-while statement	177
19.7	The Label statement	178
19.8	The Goto statement	178
19.9	The Stop execution statement	179
19.10	The Return statement	180
19.11	The Log statement	181
19.12	The Break statement	182
19.13	The Continue statement	183
19.14	Statement block	184
20	Statement and operations for alternative behaviours	184
20.0	General	184
20.1	The snapshot mechanism	185
20.2	The Alt statement	185
20.3	The Repeat statement	189
20.4	The Interleave statement	190
20.5	Default Handling	192
20.5.0	General	192
20.5.1	The default mechanism	193
20.5.2	The Activate operation	193
20.5.3	The Deactivate operation	194
21	Configuration Operations	195
21.0	General	195
21.1	Connection Operations	196
21.1.0	General	196
21.1.1	The Connect and Map operations	197
21.1.2	The Disconnect and Unmap operations	199
21.2	Test case operations	201
21.2.0	General	201
21.2.1	Test case stop operation	201
21.3	Test Component Operations	201
21.3.0	General	201
21.3.1	The Create operation	201
21.3.2	The Start test component operation	203

21.3.3	The Stop test behaviour operation	204
21.3.4	The Kill test component operation.....	205
21.3.5	The Alive operation	206
21.3.6	The Running operation	207
21.3.7	The Done operation	208
21.3.8	The Killed operation	210
21.3.9	Summary of the use of any and all with components	212
22	Communication operations.....	212
22.0	General	212
22.1	The communication mechanisms	213
22.1.0	General.....	213
22.1.1	Principles of message-based communication.....	213
22.1.2	Principles of procedure-based communication	214
22.1.3	Principles of unicast, multicast and broadcast communication.....	214
22.1.4	General format of communication operations	215
22.1.4.0	General	215
22.1.4.1	General format of the sending operations	215
22.1.4.2	General format of the receiving operations	216
22.2	Message-based communication.....	217
22.2.0	General.....	217
22.2.1	The Send operation	217
22.2.2	The Receive operation	218
22.2.3	The Trigger operation.....	222
22.3	Procedure-based communication.....	225
22.3.0	General.....	225
22.3.1	The Call operation	225
22.3.2	The Getcall operation.....	229
22.3.3	The Reply operation.....	232
22.3.4	The Getreply operation.....	233
22.3.5	The Raise operation	236
22.3.6	The Catch operation.....	237
22.4	The Check operation	240
22.5	Controlling communication ports.....	243
22.5.0	General.....	243
22.5.1	The Clear port operation.....	243
22.5.2	The Start port operation	243
22.5.3	The Stop port operation	244
22.5.4	The Halt port operation.....	244
22.5.5	The Checkstate port operation.....	245
22.6	Use of any and all with ports.....	247
23	Timer operations	247
23.0	General	247
23.1	The timer mechanism.....	247
23.2	The Start timer operation.....	248
23.3	The Stop timer operation.....	248
23.4	The Read timer operation	249
23.5	The Running timer operation.....	249
23.6	The Timeout operation	250
23.7	Summary of use of any and all with timers	251
24	Test verdict operations	252
24.0	General	252
24.1	The Verdict mechanism.....	252
24.2	The Setverdict operation	253
24.3	The Getverdict operation.....	254
25	External actions	254
26	Module control	255
26.0	General	255
26.1	The Execute statement.....	255
26.2	The Control part	257

27	Specifying attributes.....	259
27.0	General.....	259
27.1	The Attribute mechanism.....	259
27.1.0	General.....	259
27.1.1	Scope of attributes.....	260
27.1.2	Overwriting rules for attributes.....	261
27.1.2.0	General.....	261
27.1.2.1	Additional default overwriting rules for variant attributes.....	263
27.1.2.2	Overwriting rules for multiple encoding.....	264
27.1.3	Changing attributes of imported language elements.....	264
27.2	The With statement.....	265
27.3	Display attributes.....	266
27.4	Encoding attributes.....	266
27.5	Variant attributes.....	268
27.6	Extension attributes.....	270
27.7	Optional attributes.....	270
27.8	Retrieving attribute values.....	272
27.9	Dynamic configuration of encoding used by ports.....	273
Annex A (normative): BNF and static semantics		275
A.1	TTCN-3 BNF.....	275
A.1.0	General.....	275
A.1.1	Conventions for the syntax description.....	275
A.1.2	Statement terminator symbols.....	275
A.1.3	Identifiers.....	275
A.1.4	Comments.....	276
A.1.5	TTCN-3 terminals.....	276
A.1.5.0	General.....	276
A.1.5.1	Use of whitespaces and newlines.....	278
A.1.6	TTCN-3 syntax BNF productions.....	279
A.1.6.0	TTCN-3 module.....	279
A.1.6.1	Module definitions part.....	279
A.1.6.1.0	General.....	279
A.1.6.1.1	Typedef definitions.....	279
A.1.6.1.2	Constant definitions.....	281
A.1.6.1.3	Template definitions.....	281
A.1.6.1.4	Function definitions.....	283
A.1.6.1.5	Signature definitions.....	284
A.1.6.1.6	Testcase definitions.....	284
A.1.6.1.7	Altstep definitions.....	284
A.1.6.1.8	Import definitions.....	284
A.1.6.1.9	Group definitions.....	285
A.1.6.1.10	External function definitions.....	285
A.1.6.1.11	External constant definitions.....	285
A.1.6.1.12	Module parameter definitions.....	285
A.1.6.1.13	Friend module definitions.....	286
A.1.6.2	Control part.....	286
A.1.6.3	Local definitions.....	286
A.1.6.3.1	Variable instantiation.....	286
A.1.6.3.2	Timer instantiation.....	286
A.1.6.4	Operations.....	286
A.1.6.4.1	Component operations.....	286
A.1.6.4.2	Port operations.....	287
A.1.6.4.3	Timer operations.....	289
A.1.6.4.4	Testcase operation.....	289
A.1.6.5	Type.....	289
A.1.6.6	Value.....	290
A.1.6.7	Parameterization.....	291
A.1.6.8	Statements.....	291
A.1.6.8.1	With statement.....	291
A.1.6.8.2	Behaviour statements.....	292

A.1.6.8.3	Basic statements	293
A.1.6.9	Miscellaneous productions	295

Annex B (normative): Matching values296

B.1	Template matching mechanisms	296
B.1.0	General	296
B.1.1	Matching specific values	296
B.1.2	Matching mechanisms instead of values	296
B.1.2.0	General.....	296
B.1.2.1	Template list	296
B.1.2.2	Complemented template list	297
B.1.2.3	Any value.....	298
B.1.2.4	Any value or none.....	299
B.1.2.5	Value range.....	300
B.1.2.6	SuperSet.....	300
B.1.2.7	SubSet.....	301
B.1.2.8	Omitting optional fields	303
B.1.2.9	Matching decoded content	303
B.1.2.10	Matching enumerated value with value list	305
B.1.3	Matching mechanisms inside values	305
B.1.3.0	General.....	305
B.1.3.1	Any element.....	305
B.1.3.1.0	General	305
B.1.3.1.1	Using single character wildcards.....	305
B.1.3.2	Any number of elements or no element	306
B.1.3.2.0	General.....	306
B.1.3.2.1	Using multiple character wildcards.....	306
B.1.3.3	Permutation.....	306
B.1.4	Matching attributes of values	308
B.1.4.0	General.....	308
B.1.4.1	Length restrictions	308
B.1.4.2	The IfPresent indicator.....	309
B.1.5	Matching character pattern	310
B.1.5.0	General.....	310
B.1.5.1	Set expression	312
B.1.5.2	Reference expression	312
B.1.5.3	Match expression n times	314
B.1.5.4	Match a referenced character set.....	314
B.1.5.5	Type compatibility rules for patterns	315
B.1.5.6	Case insensitive pattern matching.....	315

Annex C (normative): Predefined TTCN-3 functions.....316

C.0	General exception handling procedures	316
C.1	Conversion functions.....	316
C.1.1	Integer to character	316
C.1.2	Integer to universal character	316
C.1.3	Integer to bitstring	316
C.1.4	Integer to enumerated.....	317
C.1.5	Integer to hexstring.....	317
C.1.6	Integer to octetstring.....	317
C.1.7	Integer to charstring.....	318
C.1.8	Integer to float	318
C.1.9	Float to integer	318
C.1.10	Character to integer	318
C.1.11	Character to octetstring	318
C.1.12	Universal character to integer.....	319
C.1.13	Bitstring to integer.....	319
C.1.14	Bitstring to hexstring.....	319
C.1.15	Bitstring to octetstring.....	320
C.1.16	Bitstring to charstring.....	320

C.1.17	Hexstring to integer	320
C.1.18	Hexstring to bitstring	320
C.1.19	Hexstring to octetstring	321
C.1.20	Hexstring to charstring	321
C.1.21	Octetstring to integer	321
C.1.22	Octetstring to bitstring	322
C.1.23	Octetstring to hexstring	322
C.1.24	Octetstring to character string	322
C.1.25	Octetstring to character string, version II	322
C.1.26	Charstring to integer	323
C.1.27	Character string to hexstring	323
C.1.28	Character string to octetstring	323
C.1.29	Character string to float	324
C.1.30	Enumerated to integer	324
C.1.31	Octetstring to universal character string	325
C.1.32	Universal character string to octetstring	325
C.1.33	Value or template to universal charstring	326
C.2	Length/size functions	327
C.2.1	Length of strings and lists	327
C.2.2	Number of elements in a structured value	328
C.3	Presence checking functions	329
C.3.1	The IsPresent function	329
C.3.2	The IsChosen function	330
C.3.3	The IsValue function	331
C.3.4	The IsBound function	333
C.3.5	Matching mechanism detection	334
C.4	String/list handling functions	335
C.4.1	The Regexp function	335
C.4.2	The Substring function	336
C.4.3	The Replace function	337
C.5	Codec functions	338
C.5.1	The encoding function	338
C.5.2	The decoding function	338
C.5.3	The encoding to universal charstring function	339
C.5.4	The decoding from universal charstring function	340
C.5.5	The encoding to octetstring function	341
C.5.6	The decoding from octetstring function	341
C.5.7	Retrieving the type of string encoding	342
C.5.8	Removing BOMs of UCS encoding schemes	342
C.6	Other functions	343
C.6.1	The random number generator function	343
C.6.2	The testcasename function	343
C.6.3	The hostId function	344
Annex D (normative):	Preprocessing macros	345
D.0	General	345
D.1	Preprocessing macro <code>__MODULE__</code>	345
D.2	Preprocessing macro <code>__FILE__</code>	345
D.3	Preprocessing macro <code>__BFILE__</code>	345
D.4	Preprocessing macro <code>__LINE__</code>	345
D.5	Preprocessing macro <code>__SCOPE__</code>	346
Annex E (informative):	Library of Useful Types	348
E.1	Limitations	348

E.2	Useful TTCN-3 types	348
E.2.1	Useful simple basic types	348
E.2.1.0	Signed and unsigned single byte integers	348
E.2.1.1	Signed and unsigned short integers.....	348
E.2.1.2	Signed and unsigned long integers	349
E.2.1.3	Signed and unsigned longlong integers	349
E.2.1.4	IEEE 754™ floats.....	349
E.2.2	Useful character string types	350
E.2.2.0	UTF-8 character string "utf8string"	350
E.2.2.1	BMP character string "bmpstring".....	350
E.2.2.2	UTF-16 character string "utf16string"	350
E.2.2.3	ISO/IEC 10646 character string "iso8859string"	350
E.2.2.4	Status values for TTCN-3 objects.....	351
E.2.2.5	Template kinds of TTCN-3 objects	351
E.2.3	Useful structured types.....	351
E.2.3.0	Fixed-point decimal literal.....	351
E.2.4	Useful atomic string types.....	352
E.2.4.1	Single Recommendation ITU-T T.50 character type.....	352
E.2.4.2	Single universal character type.....	352
E.2.4.3	Single bit type.....	352
E.2.4.4	Single hex type	352
E.2.4.5	Single octet type	352
Annex F (informative):	Operations on TTCN-3 active objects.....	353
F.0	General	353
F.1	Test components.....	353
F.1.1	Test component references	353
F.1.2	Dynamic behaviour of PTCs	354
F.1.3	Dynamic behaviour of the MTC.....	356
F.2	Timers.....	356
F.3	Ports.....	357
F.3.0	General	357
F.3.1	Configuration Operations	357
F.3.2	Port Controlling Operations	358
F.3.3	Communication Operations.....	359
Annex G (informative):	Deprecated language features.....	360
G.1	Group style definition of module parameters.....	360
G.2	Recursive import	360
G.3	Using all in port type definitions.....	360
G.4	sizeof for length of lists.....	360
G.5	sizeoftype predefined function	360
G.6	Mixed ports	360
G.7	External constants	361
G.8	Prefixing enumerated values	361
G.9	Record of/arrays not compatible to record; set of not compatible with set.....	361
G.10	The "UCS-2" predefined variant attribute string.....	361
G.11	Prefixing identifiers of local definitions with module identifiers.....	361
G.12	Matching expressions of incompatible types	361
G.13	Assignment of less restrictive templates to more restrictive templates.....	362

G.14 Mixing case and case else branches in select statements	362
Annex H (informative): Bibliography	363
History	364

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/66231547-d84e-421c-b2e4-d30336326d77/etsi-es-201-873-1-v4.10.1-2018-05>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS).

The present document is part 1 of a multi-part deliverable covering the Testing and Test Control Notation version 3, as identified below:

- Part 1:** "TTCN-3 Core Language";
- Part 2: "TTCN-3 Tabular presentation Format (TFT)";
- NOTE: Part 2 of this multi-part deliverable is in status "historical" and is not maintained.
- Part 3: "TTCN-3 Graphical presentation Format (GFT)";
- Part 4: "TTCN-3 Operational Semantics";
- Part 5: "TTCN-3 Runtime Interface (TRI)";
- Part 6: "TTCN-3 Control Interface (TCI)";
- Part 7: "Using ASN.1 with TTCN-3";
- Part 8: "The IDL to TTCN-3 Mapping";
- Part 9: "Using XML schema with TTCN-3";
- Part 10: "TTCN-3 Documentation Comment Specification";
- Part 11: "Using JSON with TTCN-3".

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.