



Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 6: TTCN-3 Control Interface (TCI)

iTeh STANDARD PREVIEW
(Standard is available)
Full standard
<https://standards.iteh.ai/catalog/standards/standard/44-2ac&457e-87cd-c900de037d04/etsi-es-201-873-6-v4.10.1-2018-05>

ReferenceRES/MTS-201873-6 T3ed4A1

Keywords

control, interface, methodology, TCI, testing,
TTCN-3**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.
GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	16
Foreword.....	16
Modal verbs terminology.....	16
1 Scope	17
2 References	17
2.1 Normative references	17
2.2 Informative references.....	18
3 Definitions and abbreviations.....	18
3.1 Definitions	18
3.2 Abbreviations	19
4 Introduction	20
5 Compliance.....	20
6 General structure of a TTCN-3 test system.....	20
6.1 Entities in a TTCN-3 test system.....	20
6.1.0 Types of entities.....	20
6.1.1 Test Management and Control (TMC).....	22
6.1.1.0 Test Management and Control Entities	22
6.1.1.1 Test Management (TM)	22
6.1.1.2 Coding and Decoding (CD)	22
6.1.1.3 Component Handling (CH)	23
6.1.1.4 Test Logging (TL).....	24
6.1.2 TTCN-3 Executable (TE)	24
6.1.3 SUT Adaptor (SA).....	24
6.1.4 Platform Adaptor (PA).....	24
6.2 Execution requirements for a TTCN-3 test system.....	24
7 TTCN-3 control interface and operations.....	24
7.1 Overview of the TCI.....	24
7.1.0 TCI role in a TTCN-3 test system.....	24
7.1.1 Correlation between TTCN-3 and TCI operation invocations	25
7.1.1.0 Mapping of TTCN-3 operations to TCI operations.....	25
7.1.1.1 TTCN-3 operations with TCI operation equivalent	25
7.1.1.2 TTCN-3 operations with TCI operation pair equivalent	26
7.1.1.3 TTCN-3 operations without direct TCI operation equivalent	27
7.1.1.3.0 Mapping of TTCN-3 operations to series of TCI operations.....	27
7.1.1.3.1 Test case stop operation.....	27
7.2 TCI data.....	27
7.2.0 Abstract data types.....	27
7.2.1 General abstract data types	27
7.2.1.0 Use of general abstract data types	27
7.2.1.1 Management.....	27
7.2.1.2 Communication.....	28
7.2.2 Abstract TTCN-3 data types and values	29
7.2.2.0 Definition and scope of use.....	29
7.2.2.1 Abstract TTCN-3 data types	29
7.2.2.2 Abstract TTCN-3 values	31
7.2.2.2.0 Basic rules	31
7.2.2.2.1 The abstract data type Value	32
7.2.2.2.2 The abstract data type IntegerValue	35
7.2.2.2.3 The abstract data type FloatValue	35
7.2.2.2.4 The abstract data type BooleanValue	35
7.2.2.2.5 The abstract data type CharstringValue	35
7.2.2.2.6 The abstract data type UniversalCharstringValue	36

7.2.2.2.7	The abstract data type BitstringValue.....	36
7.2.2.2.8	The abstract data type OctetstringValue.....	37
7.2.2.2.9	The abstract data type HexstringValue.....	38
7.2.2.2.10	The abstract data type RecordValue.....	39
7.2.2.2.11	The abstract data type RecordOfValue.....	39
7.2.2.2.12	The abstract data type UnionValue.....	41
7.2.2.2.13	The abstract data type EnumeratedValue	41
7.2.2.2.14	The abstract data type VerdictValue	41
7.2.2.2.15	The abstract data type AddressValue	42
7.2.2.3	Abstract TTCN-3 matching mechanisms.....	42
7.2.2.3.1	The abstract data type MatchingMechanism	42
7.2.2.3.2	The abstract data type MatchingList	42
7.2.2.3.3	The abstract data type ValueRange	43
7.2.2.3.4	The abstract data type CharacterPattern.....	43
7.2.2.3.5	The abstract data type MatchDecodedContent.....	44
7.2.2.4	Data types for complex TTCN-3 properties.....	44
7.2.2.4.0	Scope of use of TTCN-3 properties.....	44
7.2.2.4.1	The abstract data type LengthRestriction	44
7.2.2.4.2	The abstract data type Permutation.....	44
7.2.2.4.3	The abstract data type RangeBoundary	45
7.2.3	Abstract logging types	45
7.2.3.1	The abstract data type TciValueTemplate	45
7.2.3.2	The abstract data type TciNonValueTemplate	45
7.2.3.3	The Value List and Mismatch Types	46
7.2.3.4	The Status Types	46
7.3	TCI operations.....	47
7.3.0	The TCI interfaces	47
7.3.1	The TCI-TM interface	48
7.3.1.0	Scope of use	48
7.3.1.1	TCI-TM required.....	48
7.3.1.1.0	Scope of use.....	48
7.3.1.1.1	tciRootModule	48
7.3.1.1.2	tciGetImportedModules.....	49
7.3.1.1.3	tciGetModuleParameters	49
7.3.1.1.4	tciGetTestCases	49
7.3.1.1.5	tciGetTestCaseParameters	49
7.3.1.1.6	tciGetTestCaseTSI	49
7.3.1.1.7	tciStartTestCase	50
7.3.1.1.8	tciStopTestCase	50
7.3.1.1.9	tciStartControl	50
7.3.1.1.10	tciStopControl	50
7.3.1.2	TCI-TM provided.....	51
7.3.1.2.0	Scope of use.....	51
7.3.1.2.1	tciTestCaseStarted	51
7.3.1.2.2	tciTestCaseTerminated	51
7.3.1.2.3	tciControlTerminated	51
7.3.1.2.4	tciGetModulePar.....	52
7.3.1.2.5	tciLog	52
7.3.1.2.6	tciError.....	52
7.3.2	The TCI-CD interface	52
7.3.2.0	Scope of use	52
7.3.2.1	TCI-CD required	53
7.3.2.1.0	Scope of use.....	53
7.3.2.1.1	getTypeForName	53
7.3.2.1.2	getInteger.....	54
7.3.2.1.3	getFloat.....	54
7.3.2.1.4	getBoolean.....	54
7.3.2.1.5	Void.....	54
7.3.2.1.6	getCharstring	54
7.3.2.1.7	getUniversalCharstring.....	54

45 Test STANDARD PREVIEW
<https://standards.etsi.org/catalog/standard-item/034000d031404/etsi-es201873-6-4.11.1/2018-05>

7.3.2.1.8	getHexString	54
7.3.2.1.9	getBitstring	54
7.3.2.1.10	getOctetstring	55
7.3.2.1.11	getVerdict	55
7.3.2.1.12	tciErrorReq	55
7.3.2.2	TCI-CD provided	55
7.3.2.2.0	Scope of use.....	55
7.3.2.2.1	decode.....	55
7.3.2.2.2	encode.....	55
7.3.2.2.3	decodeValue	56
7.3.2.2.4	encodeValue	56
7.3.3	The TCI-CH interface	56
7.3.3.0	Scope of use	56
7.3.3.1	TCI-CH required	57
7.3.3.1.0	Scope of use.....	57
7.3.3.1.1	tciEnqueueMsgConnected	58
7.3.3.1.2	tciEnqueueCallConnected	58
7.3.3.1.3	tciEnqueueReplyConnected.....	58
7.3.3.1.4	tciEnqueueRaiseConnected	59
7.3.3.1.5	tciCreateTestComponent	59
7.3.3.1.6	tciStartTestComponent	59
7.3.3.1.7	tciStopTestComponent	60
7.3.3.1.8	tciConnect.....	60
7.3.3.1.9	tciDisconnect	60
7.3.3.1.10	tciMap.....	60
7.3.3.1.11	tciMapParam	60
7.3.3.1.12	tciUnmap	61
7.3.3.1.13	tciUnmapParam	61
7.3.3.1.14	tciTestComponentTerminated	61
7.3.3.1.15	tciTestComponentRunning.....	61
7.3.3.1.16	tciTestComponentDone	61
7.3.3.1.17	tciGetMTC.....	62
7.3.3.1.18	tciExecuteTestCase	62
7.3.3.1.19	tciReset	62
7.3.3.1.20	tciKillTestComponent	62
7.3.3.1.21	tciTestComponentAlive.....	63
7.3.3.1.22	tciTestComponentKilled.....	63
7.3.3.2	TCI-CH provided	63
7.3.3.2.0	Scope of use.....	63
7.3.3.2.1	tciSendConnected	63
7.3.3.2.2	tciSendConnectedBC	63
7.3.3.2.3	tciSendConnectedMC	64
7.3.3.2.4	tciCallConnected	64
7.3.3.2.5	tciCallConnectedBC	64
7.3.3.2.6	tciCallConnectedMC	65
7.3.3.2.7	tciReplyConnected	65
7.3.3.2.8	tciReplyConnectedBC	66
7.3.3.2.9	tciReplyConnectedMC	66
7.3.3.2.10	tciRaiseConnected	67
7.3.3.2.11	tciRaiseConnectedBC	67
7.3.3.2.12	tciRaiseConnectedMC	67
7.3.3.2.13	tciCreateTestComponentReq.....	68
7.3.3.2.14	tciStartTestComponentReq.....	68
7.3.3.2.15	tciStopTestComponentReq.....	68
7.3.3.2.16	tciConnectReq	68
7.3.3.2.17	tciDisconnectReq.....	69
7.3.3.2.18	tciMapReq	69
7.3.3.2.19	tciMapParamReq	69
7.3.3.2.20	tciUnmapReq	69
7.3.3.2.21	tciUnmapParamReq.....	70
7.3.3.2.22	tciTestComponentTerminatedReq.....	70
7.3.3.2.23	tciTestComponentRunningReq	70

7.3.3.2.24	tciTestComponentDoneReq.....	70
7.3.3.2.25	tciGetMTCReq	70
7.3.3.2.26	tciExecuteTestCaseReq	71
7.3.3.2.27	tciResetReq.....	71
7.3.3.2.28	tciKillTestComponentReq	71
7.3.3.2.29	tciTestComponentAliveReq	71
7.3.3.2.30	tciTestComponentKilledReq	71
7.3.4	The TCI-TL interface.....	72
7.3.4.0	Scope of use	72
7.3.4.1	TCI-TL provided.....	72
7.3.4.1.0	Scope of use.....	72
7.3.4.1.1	tliTcExecute.....	72
7.3.4.1.2	tliTcStart.....	73
7.3.4.1.3	tliTcStop	73
7.3.4.1.4	tliTcStarted	73
7.3.4.1.5	tliTcTerminated	74
7.3.4.1.6	tliCtrlStart.....	74
7.3.4.1.7	tliCtrlStop	74
7.3.4.1.8	tliCtrlTerminated	75
7.3.4.1.9	tliMSend_m	75
7.3.4.1.10	tliMSend_m_BC.....	76
7.3.4.1.11	tliMSend_m_MC.....	76
7.3.4.1.12	tliMSend_c	77
7.3.4.1.13	tliMSend_c_BC.....	77
7.3.4.1.14	tliMSend_c_MC.....	77
7.3.4.1.15	tliMDetected_m	78
7.3.4.1.16	tliMDetected_c	78
7.3.4.1.17	tliMMismatch_m	78
7.3.4.1.18	tliMMismatch_c	79
7.3.4.1.19	tliMReceive_m	79
7.3.4.1.20	tliMReceive_c	80
7.3.4.1.21	tliPrCall_m	80
7.3.4.1.22	tliPrCall_m_BC.....	81
7.3.4.1.23	tliPrCall_m_MC.....	81
7.3.4.1.24	tliPrCall_c.....	82
7.3.4.1.25	tliPrCall_c_BC	82
7.3.4.1.26	tliPrCall_c_MC	82
7.3.4.1.27	tliPrGetCallDetected_m.....	83
7.3.4.1.28	tliPrGetCallDetected_c.....	83
7.3.4.1.29	tliPrGetCallMismatch_m	84
7.3.4.1.30	tliPrGetCallMismatch_c	84
7.3.4.1.31	tliPrGetCall_m.....	85
7.3.4.1.32	tliPrGetCall_c	85
7.3.4.1.33	tliPrReply_m	86
7.3.4.1.34	tliPrReply_m_BC	86
7.3.4.1.35	tliPrReply_m_MC	87
7.3.4.1.36	tliPrReply_c.....	87
7.3.4.1.37	tliPrReply_c_BC	88
7.3.4.1.38	tliPrReply_c_MC	88
7.3.4.1.39	tliPrGetReplyDetected_m.....	89
7.3.4.1.40	tliPrGetReplyDetected_c	89
7.3.4.1.41	tliPrGetReplyMismatch_m	90
7.3.4.1.42	tliPrGetReplyMismatch_c	90
7.3.4.1.43	tliPrGetReply_m.....	91
7.3.4.1.44	tliPrGetReply_c	91
7.3.4.1.45	tliPrRaise_m	92
7.3.4.1.46	tliPrRaise_m_BC.....	92
7.3.4.1.47	tliPrRaise_m_MC	93
7.3.4.1.48	tliPrRaise_c	93
7.3.4.1.49	tliPrRaise_c_BC	94
7.3.4.1.50	tliPrRaise_c_MC	94
7.3.4.1.51	tliPrCatchDetected_m.....	95

7.3.4.1.52	tliPrCatchDetected_c	95
7.3.4.1.53	tliPrCatchMismatch_m	96
7.3.4.1.54	tliPrCatchMismatch_c	96
7.3.4.1.55	tliPrCatch_m	97
7.3.4.1.56	tliPrCatch_c	97
7.3.4.1.57	tliPrCatchTimeoutDetected	98
7.3.4.1.58	tliPrCatchTimeout	98
7.3.4.1.59	tliCCreate	98
7.3.4.1.60	tliCStart	99
7.3.4.1.61	tliCRunning	99
7.3.4.1.62	tliCAlive	99
7.3.4.1.63	tliCStop	100
7.3.4.1.64	tliCKill	100
7.3.4.1.65	tliCDoneMismatch	100
7.3.4.1.66	tliCDone	101
7.3.4.1.67	tliCKilledMismatch	101
7.3.4.1.68	tliCKilled	101
7.3.4.1.69	tliCTerminated	102
7.3.4.1.70	tliPConnect	102
7.3.4.1.71	tliPDisconnect	102
7.3.4.1.72	tliPMap	103
7.3.4.1.73	tliPMapParam	103
7.3.4.1.74	tliPUnmap	103
7.3.4.1.75	tliPUnmapParam	104
7.3.4.1.76	tliPClear	104
7.3.4.1.77	tliPStart	104
7.3.4.1.78	tliPStop	105
7.3.4.1.79	tliPHalt	105
7.3.4.1.80	tliEncode	105
7.3.4.1.81	tliDecode	106
7.3.4.1.82	tliTTimeoutDetected	106
7.3.4.1.83	tliTTimeoutMismatch	106
7.3.4.1.84	tliTTimeout	107
7.3.4.1.85	tliTStart	107
7.3.4.1.86	tliTStop	107
7.3.4.1.87	tliTRead	108
7.3.4.1.88	tliTRunning	108
7.3.4.1.89	tliSEnter	108
7.3.4.1.90	tliSLeave	109
7.3.4.1.91	tliVar	109
7.3.4.1.92	tliModulePar	109
7.3.4.1.93	tliGetVerdict	110
7.3.4.1.94	tliSetVerdict	110
7.3.4.1.95	tliLog	110
7.3.4.1.96	tliAEnter	111
7.3.4.1.97	tliALeave	111
7.3.4.1.98	tliANomatch	111
7.3.4.1.99	tliAReset	111
7.3.4.1.100	tliADefaults	112
7.3.4.1.101	tliAActivate	112
7.3.4.1.102	tliADeactivate	112
7.3.4.1.103	tliAWait	113
7.3.4.1.104	tliAction	113
7.3.4.1.105	tliMatch	113
7.3.4.1.106	tliMatchMismatch	113
7.3.4.1.107	tliInfo	114
7.3.4.1.108	tliMChecked_m	114
7.3.4.1.109	tliMChecked_c	114
7.3.4.1.110	tliPrGetCallChecked_m	115
7.3.4.1.111	tliPrGetCallChecked_c	115
7.3.4.1.112	tliPrGetReplyChecked_m	116
7.3.4.1.113	tliPrGetReplyChecked_c	116

7.3.4.1.114	tlPrCatchChecked_m.....	117
7.3.4.1.115	tlPrCatchChecked_c	117
7.3.4.1.116	tlCheckedAny_m.....	118
7.3.4.1.117	tlCheckedAny_c	118
7.3.4.1.118	tlCheckAnyMismatch_m.....	118
7.3.4.1.119	tlCheckAnyMismatch_c	119
7.3.4.1.120	tlRnd.....	119
7.3.4.1.121	tlEvaluate.....	119
8	Java TM language mapping.....	120
8.1	Introduction	120
8.2	Names and scopes	120
8.2.1	Names	120
8.2.2	Scopes	120
8.3	Type mapping.....	120
8.3.1	Basic type mapping.....	120
8.3.2	Structured type mapping	121
8.3.2.0	General principles	121
8.3.2.1	TciParameterType	121
8.3.2.2	TciParameterPassingModeType	122
8.3.2.3	TciParameterListType	122
8.3.2.4	TciTypeClassType	122
8.3.2.5	TciTestComponentKindType	123
8.3.2.6	TciBehaviourIdType	123
8.3.2.7	TciTestCaseIdType	123
8.3.2.8	TciModuleIdType	123
8.3.2.9	TciModuleParameterIdType	123
8.3.2.10	TciModuleParameterListType	124
8.3.2.11	TciModuleParameterType	124
8.3.2.12	TciParameterTypeListType	124
8.3.2.13	TciParameterTypeType	125
8.3.2.14	TciModuleIdListType	125
8.3.2.15	TciTestCaseIdListType	125
8.3.2.16	TciDecodingResult	126
8.3.2.17	TciMatchingTypeType	126
8.3.2.18	LengthRestriction	126
8.3.2.19	Permutation	127
8.3.2.20	RangeBoundary	127
8.3.3	Abstract type mapping	128
8.3.3.0	General principles	128
8.3.3.1	Type	128
8.3.4	Abstract value mapping	129
8.3.4.0	General principles	129
8.3.4.1	Value	129
8.3.4.2	IntegerValue	130
8.3.4.3	FloatValue	131
8.3.4.4	BooleanValue	131
8.3.4.5	CharstringValue	131
8.3.4.6	BitstringValue	132
8.3.4.7	OctetstringValue	133
8.3.4.8	UniversalCharstringValue	134
8.3.4.9	HexstringValue	134
8.3.4.10	RecordValue	135
8.3.4.11	RecordOfValue	135
8.3.4.12	UnionValue	137
8.3.4.13	EnumeratedValue	137
8.3.4.14	VerdictValue	138
8.3.4.15	AddressValue	138
8.3.5	Abstract template mapping	138
8.3.5.0	General principles	138
8.3.5.1	MatchingMechanism	138
8.3.5.2	MatchingList	139

8.3.5.3	ValueRange	139
8.3.5.4	CharacterPattern	139
8.3.5.5	MatchDecodedContent	140
8.3.6	Abstract logging types mapping	140
8.3.6.0	General principles	140
8.3.6.1	TciValueTemplate	140
8.3.6.2	TciNonValueTemplate	140
8.3.6.3	TciValueList	141
8.3.6.4	TciValueDifference	141
8.3.6.5	TciValueDifferenceList	141
8.3.6.6	ComponentStatus	142
8.3.6.7	TimerStatus	142
8.3.6.8	TciStatus	142
8.4	Constants	142
8.5	Mapping of interfaces	144
8.5.0	Calling rules	144
8.5.1	The TCI-TM interface	144
8.5.1.1	TCI-TM provided	144
8.5.1.2	TCI-TM required	145
8.5.2	The TCI-CD interface	145
8.5.2.1	TCI-CD provided	145
8.5.2.2	TCI-CD required	145
8.5.3	The TCI-CH interface	145
8.5.3.1	TCI-CH provided	145
8.5.3.2	TCI-CH required	147
8.5.4	The TCI-TL interface	148
8.5.4.1	TCI-TL provided	148
8.6	Optional parameters	152
8.7	TCI initialization	152
8.8	Error handling	152
9	ANSI C language mapping	153
9.1	Introduction	153
9.2	Value interfaces	153
9.3	Logging interface	158
9.4	Operation interfaces	159
9.4.1	The TCI-TM interface	159
9.4.1.1	TCI-TM provided	159
9.4.1.2	TCI-TM required	159
9.4.2	The TCI-CD interface	159
9.4.2.1	TCI-CD provided	159
9.4.2.2	TCI-CD required	160
9.4.3	The TCI-CH interface	160
9.4.3.1	TCI-CH provided	160
9.4.3.2	TCI-CH required	161
9.4.4	The TCI-TL interface	161
9.4.4.1	TCI-TL provided	161
9.5	Data	166
9.6	Miscellaneous	168
9.7	Optional parameters	168
10	C++ language mapping	169
10.1	Introduction	169
10.2	Names and scopes	169
10.3	Memory management	169
10.4	Error handling	169
10.5	Type mapping	169
10.5.0	Basic concepts	169
10.5.1	Encapsulated C++ types	169
10.5.2	General abstract data types	170
10.5.2.1	TciBehaviourId	170
10.5.2.2	TciModuleId	170

10.5.2.3	TciModuleParameterId	170
10.5.2.4	TciTestCaseId	171
10.5.2.5	TciModuleIdList	171
10.5.2.6	TciModuleParameter	172
10.5.2.7	TciModuleParameterList	172
10.5.2.8	TciParameterPassingMode	173
10.5.2.9	TciParameter	173
10.5.2.10	TciParameterList	173
10.5.2.11	TciParameterType	174
10.5.2.12	TciParameterTypeList	174
10.5.2.13	TciTestComponentKind	175
10.5.2.14	TciTypeClass	175
10.5.2.15	TciTestCaseIdList	176
10.5.2.16	TciMatchingTypeType	176
10.5.2.17	LengthRestriction	176
10.5.2.18	Permutation	177
10.5.2.19	RangeBoundary	178
10.5.3	Abstract TTCN-3 data types and values	178
10.5.3.1	TciType	178
10.5.3.2	TciValue	179
10.5.3.3	IntegerValue	181
10.5.3.4	FloatValue	181
10.5.3.5	BooleanValue	181
10.5.3.6	CharstringValue	182
10.5.3.7	UniversalCharstringValue	182
10.5.3.8	BitstringValue	183
10.5.3.9	OctetstringValue	184
10.5.3.10	HexstringValue	184
10.5.3.11	RecordValue	185
10.5.3.12	RecordOfValue	186
10.5.3.13	UnionValue	187
10.5.3.14	EnumeratedValue	187
10.5.3.15	VerdictValue	188
10.5.3.16	VerdictValueEnum	188
10.5.3.17	AddressValue	188
10.5.3.18	MatchingMechanism	189
10.5.3.19	MatchingList	189
10.5.3.20	ValueRange	190
10.5.3.21	CharacterPattern	190
10.5.3.22	MatchDecodedContent	191
10.5.4	Abstract logging types	191
10.5.4.1	TciValueTemplate	191
10.5.4.2	TciNonValueTemplate	192
10.5.4.3	TciValueList	192
10.5.4.4	TciValueDifference	193
10.5.4.5	TciValueDifferenceList	193
10.5.4.6	ComponentStatus	194
10.5.4.7	TimerStatus	194
10.5.4.8	TciStatus	194
10.6	Operations mapping	194
10.6.1	TCI-TM	194
10.6.1.1	TciTmRequired	194
10.6.1.2	TciTmProvided	195
10.6.2	TCI-CD	195
10.6.2.1	TciCdRequired	195
10.6.2.2	TciCdProvided	196
10.6.3	TCI-CH	196
10.6.3.1	TciChRequired	196
10.6.3.2	TciChProvided	197
10.6.4	TCI-TL	199
10.6.4.1	TciTlProvided	199

11	W3C XML mapping.....	207
11.1	Introduction	207
11.2	Scopes	207
11.3	Type mapping.....	208
11.3.1	Mapping of simple types.....	208
11.3.1.1	TBoolean.....	208
11.3.1.2	TString	208
11.3.1.3	TInteger.....	208
11.3.1.4	TriTimerDurationType.....	208
11.3.1.5	TciParameterPassingModeType.....	208
11.3.1.6	TriStatusType.....	208
11.3.1.7	TciStatusType	208
11.3.1.8	ComponentStatusType	208
11.3.1.9	TimerStatusType	208
11.3.1.10	PortStatusType	209
11.3.2	Complex type mapping	209
11.3.2.1	TriPortIdType.....	209
11.3.2.2	TriComponentIdType.....	209
11.3.2.3	TriComponentIdListType	209
11.3.2.4	Port.....	210
11.3.2.5	Id	210
11.3.2.6	TriMessageType.....	210
11.3.2.7	TriParameterType	211
11.3.2.8	TriParameterListType	211
11.3.2.9	TriAddressType	211
11.3.2.10	TriAddressListType	212
11.3.2.11	TriExceptionType	212
11.3.2.12	TriSignatureIdType	212
11.3.2.13	TriTimerIdType	213
11.3.2.14	TriTimerDurationType.....	213
11.3.2.15	QualifiedName	213
11.3.2.16	TciBehaviourIdType	213
11.3.2.17	TciTestCaseIdType	214
11.3.2.18	TciParameterType	214
11.3.2.19	TciParameterListType	214
11.3.2.20	TriPortIdListType	215
11.3.3	Abstract value mapping	215
11.3.3.1	Value	215
11.3.3.2	IntegerValue	217
11.3.3.3	FloatValue	217
11.3.3.4	BooleanValue	218
11.3.3.5	Void.....	218
11.3.3.6	VerdictValue	218
11.3.3.7	BitstringValue	218
11.3.3.8	HexstringValue	218
11.3.3.9	OctetstringValue	219
11.3.3.10	CharstringValue	219
11.3.3.11	UniversalCharstringValue	219
11.3.3.12	RecordValue	219
11.3.3.13	RecordOfValue	220
11.3.3.14	ArrayValue	222
11.3.3.15	SetValue	222
11.3.3.16	SetOfValue	222
11.3.3.17	EnumeratedValue	223
11.3.3.18	UnionValue	223
11.3.3.19	AnytypeValue	223
11.3.3.20	AddressValue	224
11.3.3.21	ComponentValue	224
11.3.3.22	PortValue	224
11.3.3.23	DefaultValue	225
11.3.3.24	TimerValue	225
11.3.3.25	MatchingMechanism	226

11.3.3.26	MatchingList	226
11.3.3.27	ValueRange	227
11.3.3.28	CharacterPattern	227
11.3.3.29	MatchDecodedContent	227
11.3.4	Abstract logging types mapping	228
11.3.4.1	TciValueTemplate	228
11.3.4.2	TciNonValueTemplate	229
11.3.4.3	TciValueList	230
11.3.4.4	TciValueDifference	230
11.3.4.5	TciValueDifferenceList	230
11.4	Mapping of the operations on the logging interface	231
11.4.0	Mapping rules	231
11.4.1	Event	231
11.4.2	The TCI-TL interface	231
11.4.2.1	TCI-TL provided	231
12	C# mapping	253
12.1	Introduction	253
12.2	Names and scopes	253
12.2.1	Names	253
12.2.2	Scopes	253
12.3	Null value mapping	253
12.4	Type mapping	253
12.4.1	Basic type mapping	253
12.4.1.0	Mapped types	253
12.4.1.1	TciVerdict	254
12.4.2	Structured type mapping	254
12.4.2.0	Mapping rules	254
12.4.2.1	TciParameterPassingModeType	254
12.4.2.2	TciParameterType	255
12.4.2.3	TciParameterListType	255
12.4.2.4	TciTypeClassType	255
12.4.2.5	TciTestComponentKindType	256
12.4.2.6	TciBehaviourIdType	256
12.4.2.7	TciTestCaseIdType	256
12.4.2.8	TciTestCaseIdListType	256
12.4.2.9	TciModuleIdType	257
12.4.2.10	TciModuleIdListType	257
12.4.2.11	TciModuleParameterIdType	257
12.4.2.12	TciModuleParameterType	257
12.4.2.13	TciModuleParameterListType	257
12.4.2.14	TciParameterTypeType	258
12.4.2.15	TciParameterTypeListType	258
12.4.2.16	TciMatchingTypeType	259
12.4.2.17	LengthRestriction	259
12.4.2.18	Permutation	259
12.4.2.19	RangeBoundary	259
12.4.3	Abstract type mapping	260
12.4.3.0	Mapping rules	260
12.4.3.1	Type	260
12.4.4	Abstract value mapping	261
12.4.4.0	Mapping rules	261
12.4.4.1	Value	261
12.4.4.2	IntegerValue	263
12.4.4.3	FloatValue	263
12.4.4.4	BooleanValue	263
12.4.4.5	CharstringValue	263
12.4.4.6	BitstringValue	264
12.4.4.7	OctetstringValue	265
12.4.4.8	UniversalCharstringValue	265
12.4.4.9	HexstringValue	266
12.4.4.10	RecordValue	266

12.4.4.11	RecordOfValue	267
12.4.4.12	UnionValue	268
12.4.4.13	EnumeratedValue	269
12.4.4.14	VerdictValue	269
12.4.4.15	AddressValue	269
12.4.5	Abstract template mapping	269
12.4.5.0	Mapping rules	269
12.4.5.1	MatchingMechanism	269
12.4.5.2	MatchingList	270
12.4.5.3	ValueRange	270
12.4.5.4	CharacterPattern	270
12.4.5.5	MatchDecodedContent	271
12.4.6	Abstract logging types mapping	271
12.4.6.0	Mapping rules	271
12.4.6.1	TciValueTemplate	271
12.4.6.2	TciNonValueTemplate	271
12.4.6.3	TciValueList	272
12.4.6.4	TciValueDifference	272
12.4.6.5	TciValueDifferenceList	272
12.4.6.6	TciStatusType	273
12.4.6.7	ComponentStatusType	273
12.4.6.8	TimerStatusType	273
12.5	Mapping of interfaces	273
12.5.0	Calling rules	273
12.5.1	TCI-TM interface	274
12.5.1.1	TCI-TM provided	274
12.5.1.2	TCI-TM required	274
12.5.2	TCI-CD interface	274
12.5.2.1	TCI-CD provided	274
12.5.2.2	TCI-CD required	275
12.5.3	TCI-CH interface	275
12.5.3.1	TCI-CH provided	275
12.5.3.2	TCI-CH required	276
12.5.4	TCI-TL interface	277
12.5.4.1	TCI-TL provided	277
12.6	Optional parameters	283
12.7	Error Handling	283
Annex A (normative): IDL Specification of TCI		284
Annex B (normative): XML Mapping for TCI TL Provided		302
B.0	Introduction	302
B.1	TCI-TL XML Schema for Simple Types	302
B.2	TCI-TL XML Schema for Types	303
B.3	TCI-TL XML Schema for Values	305
B.4	TCI-TL XML Schema for Templates	309
B.5	TCI-TL XML Schema for Events	312
B.6	TCI-TL XML Schema for a Log	334
Annex C (informative): Use scenarios		338
C.0	Introduction	338
C.1	Initialization, collecting information, logging	338
C.1.1	Use scenario: initialization	338
C.1.1.0	Scenario description	338
C.1.1.1	Sequence diagram	339
C.1.1.2	TTCN-3 fragment	339