

ETSI TS 144 318 V13.1.0 (2017-01)



**Digital cellular telecommunications system (Phase 2+) (GSM);
Generic Access Network (GAN);
Mobile GAN interface layer 3 specification
(3GPP TS 44.318 version 13.1.0 Release 13)**

PREVIEW
it-eu.com
https://standards.iteh.ai/standards/etah/etah-ts-44-318-v13.1.0-9cb6-4f50-a04a-16aee954235e/2017-01-01



ReferenceRTS/TSGR-0644318vd10

KeywordsGSM

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	16
1 Scope	17
2 References	17
3 Definitions, symbols and abbreviations	19
3.1 Definitions	19
3.2 Symbols.....	19
3.3 Abbreviations	19
4 Elementary procedures for handling of secure connection	21
4.1 General	21
4.2 Establishment of the secure connection.....	21
4.2.1 General.....	21
4.2.2 Identities	22
4.2.3 Crypto negotiation	22
4.2.4 NAT traversal	22
4.2.5 Certificate Handling and Authentication.....	23
4.2.6 Abnormal cases.....	23
4.3 EAP-SIM authentication	23
4.3.1 General.....	23
4.3.2 EAP-SIM Identity	23
4.3.3 EAP-SIM Fast Re-authentication	24
4.3.4 Abnormal cases.....	24
4.4 EAP-AKA authentication.....	24
4.4.1 General.....	24
4.4.2 EAP-AKA Identity	24
4.4.3 EAP-AKA Fast Re-authentication.....	24
4.4.4 Abnormal cases.....	25
4.5 Release of the secure connection.....	25
5 GA-RC elementary procedures for GANC Discovery	25
5.1 Purpose of the Discovery Procedure.....	25
5.2 Discovery procedure	25
5.3 Discovery Request initiation by the MS	25
5.4 Discovery Request processing by the network	26
5.4.1 Discovery accepted	26
5.4.2 Discovery rejected.....	27
5.5 Discovery response processing by the MS	27
5.5.1 Discovery accepted	27
5.5.2 Discovery rejected.....	27
5.6 Abnormal cases.....	28
5.6.1 TU3901 expiry	28
5.6.2 Lower layer failure in the MS	28
5.6.3 TU3902 expiry	28
5.6.4 TU3903 expiry	28
6 GA-RC elementary procedures for Registration	28
6.1 Purpose of GAN Registration.....	28
6.2 Registration procedure	29
6.2.1 Registration initiation by the MS	29
6.2.2 Registration processing by the network	31
6.2.2.1 General	31

6.2.2.2	Registration accepted	31
6.2.2.3	Registration redirected	31
6.2.2.4	Registration rejected.....	32
6.2.3	Registration response processing by the MS	32
6.2.3.1	Registration accepted	32
6.2.3.2	Registration redirected	34
6.2.3.3	Registration rejected.....	35
6.2.4	Abnormal cases.....	36
6.2.4.1	TU3904 expiry	36
6.2.4.2	Lower layer failure in the MS	36
6.2.4.3	TU3905 expiry	36
6.2.4.4	TU3907 expiry	36
6.2.4.5	Registration Failure	36
6.2.4.6	GAN mode selection related failures	37
6.3	Registration Update procedure	37
6.3.1	Register Update initiation by the MS	38
6.3.2	Register Update processing by the network.....	39
6.3.2.1	Register Update Accepted.....	39
6.3.2.2	Register Update Rejected.....	39
6.3.2.3	Register Update results in redirection	39
6.3.3	Register Update Response handling in the MS	39
6.3.3.1	Register Update Rejected	39
6.3.3.2	Register Update results in redirection	39
6.3.4	Register Update initiation by the network	39
6.3.5	Register Update handling in the MS	39
6.4	MS deregistration	40
6.4.1	Deregistration initiated by the MS	40
6.4.2	Reception of GA-RC DEREGISTER by GANC	40
6.4.3	Deregistration initiated by the network	40
6.4.4	Reception of GA-RC DEREGISTER by MS	40
6.5	Keep alive mechanism and TU3906 handling	42
6.6	MS Initiated Synchronization after FCP connection reestablishment.....	42
6.6.1	Initiation of the Synchronization Procedure by the MS	42
6.6.2	Processing of the Synchronization Information message by the GANC	43
6.7	Transmission of Cell Broadcast Information.....	43
7	GA-CSR elementary procedures	43
7.1	GA-CSR Connection establishment	43
7.1.1	Initiation of GA-CSR connection establishment by the MS	44
7.1.2	Reception of GA-CSR REQUEST by GANC	44
7.1.2.1	GA-CSR connection establishment request accepted	44
7.1.2.2	GA-CSR connection establishment request request rejected.....	45
7.1.3	GA-CSR connection establishment response handling in the MS	45
7.1.3.1	GA-CSR connection establishment request accepted	45
7.1.3.2	GA-CSR connection establishment request request rejected.....	45
7.1.4	Failure cases.....	45
7.1.4.1	Timer TU3908 expiry	45
7.2	Upper layer message transmission	45
7.2.1	Upper layer message forwarding by the MS.....	46
7.2.2	Reception of GA-CSR UPLINK DIRECT TRANSFER by GANC.....	46
7.2.3	Upper layer message forwarding by the GANC	46
7.2.4	Reception of GA-CSR DOWNLINK DIRECT TRANSFER by the MS	46
7.2.4.1	Invalid GA-CSR DOWNLINK DIRECT TRANSFER	46
7.3	Paging for CS domain	47
7.3.1	Initiation of Paging	47
7.3.2	Reception of GA-CSR PAGING REQUEST by the MS	47
7.3.3	Reception of GA-CSR PAGING RESPONSE by the GANC	47
7.3.4	Abnormal Cases	48
7.4	Traffic Channel assignment.....	48
7.4.1	Initiation of Channel Assignment	48
7.4.2	Reception of GA-CSR ACTIVATE CHANNEL by MS.....	48
7.4.3	Reception of GA-CSR ACTIVATE CHANNEL ACK by GANC.....	49

7.4.4	Reception of GA-CSR ACTIVATE CHANNEL COMPLETE by MS	49
7.4.5	Failure to establish channel by MS	50
7.5	Release of GA-CSR	50
7.5.1	Initiation of GA-CSR connection release by MS	50
7.5.2	Reception of GA-CSR CLEAR REQUEST by GANC	50
7.5.3	Initiation of GA-CSR connection release by GANC	50
7.5.4	Reception of GA-CSR RELEASE by MS	51
7.5.5	Failure cases	51
7.5.5.1	Timer TU3909 expiry	51
7.6	Classmark Indication	52
7.6.1	Initiation of classmark interrogation by GANC	52
7.6.2	Transmission of classmark information by MS	52
7.7	CS handover to GAN A/Gb mode	53
7.7.2	Reception of GA-CSR HANDOVER ACCESS by the GANC	53
7.7.3	Successful completion of the CS handover to GAN A/Gb mode	53
7.7.4	Reception of GA-CSR HANDOVER COMPLETE by the GANC	54
7.7.5	MS fails to complete requested handover	54
7.8	CS handover from GAN A/Gb mode	54
7.8.1	Initiation	54
7.8.2	Reception of GA-CSR HANDOVER INFORMATION by the GANC	55
7.8.3	Reception of GA-CSR HANDOVER COMMAND by the MS	55
7.8.4	Successful completion of the CS handover from GAN A/Gb mode	55
7.8.5	MS fails to complete requested handover	56
7.8.6	Reception of GA-CSR HANDOVER FAILURE by the GANC	56
7.8.7	Abnormal Cases	56
7.9	Ciphering configuration procedure	56
7.9.1	Ciphering configuration initiation	56
7.9.2	Ciphering configuration completion	57
7.10	Channel mode modify procedure	57
7.10.1	Normal channel mode modify procedure	58
7.10.1.1	Initiation of the channel mode modify procedure	58
7.10.1.2	Completion of channel mode modify procedure	58
7.10.1.3	Abnormal cases	58
8	GA-PSR elementary procedures	58
8.1	GA-PSR Transport Channel (GA-PSR TC) Overview	58
8.2	MS Initiated GA-PSR Transport Channel (GA-PSR TC) Activation	58
8.2.1	Initiation of the GA-PSR TC Activation by the MS	59
8.2.2	Processing of the GA-PSR TC Activation Request by the GANC	59
8.2.3	Processing of the GA-PSR TC Activation Acknowledgment by the MS	59
8.2.4	Abnormal Cases	59
8.2.4.1	GA-PSR TC Activation Collision	59
8.2.4.2	Timer TU4002 Expires during GA-PSR TC Activation	60
8.2.4.3	GANC Receives Duplicate GA-PSR TC Activation Request	60
8.2.4.4	GANC Rejects GA-PSR TC Activation	60
8.2.4.5	MS Aborts GA-PSR TC Activation due to Lower Layer Failure	60
8.3	Network Initiated GA-PSR Transport Channel (GA-PSR TC) Activation	60
8.3.1	Initiation of the GA-PSR TC Activation by the GANC	61
8.3.2	Processing of the GA-PSR TC Activation Request by the MS	61
8.3.3	Processing of the GA-PSR TC Activation Acknowledgment by the GANC	61
8.3.4	Abnormal Cases	62
8.3.4.1	GA-PSR TC Activation Collision	62
8.3.4.2	MS Rejects GA-PSR TC Activation when the GPRS Service is suspended	62
8.3.4.3	MS Receives GA-PSR TC Activation Request while GA-PSR TC active	62
8.4	MS Initiated Deactivation of GA-PSR Transport Channel	62
8.4.1	GA-PSR TC Deactivation Initiation by the MS	63
8.4.2	Processing of GA-PSR TC Deactivation Request by the GANC	63
8.4.3	Processing of GA-PSR TC Deactivation Acknowledgment by the MS	63
8.4.4	Abnormal Cases	63
8.4.4.1	Timer TU4002 Expires during GA-PSR TC Deactivation	63
8.4.4.2	GANC Rejects GA-PSR TC Deactivation	63
8.4.4.3	Uplink User Data Transfer is initiated while GA-PSR TC Deactivation is in Progress	63

8.4.4.4	Downlink User Data Transfer is received while the GA-PSR TC Deactivation is in Progress.....	63
8.4.4.5	Unexpected GA-PSR-DEACTIVATE-UTC-ACK response	63
8.4.4.6	Unexpected GA-PSR-ACTIVATE-UTC-REQ	64
8.4.4.7	MS Aborts GA-PSR TC Deactivation due to Lower Layer Failure	64
8.5	GANC Initiated Deactivation of GA-PSR Transport Channel	64
8.5.1	GA-PSR TC Deactivation Initiation by the GANC	64
8.5.2	Processing of GA-PSR TC Deactivation Request by the MS	64
8.5.3	Processing of GA-PSR TC Deactivation Acknowledgment by the GANC	64
8.5.4	Abnormal Cases	64
8.5.4.1	MS Rejects GA-PSR TC Deactivation	64
8.5.4.2	Uplink User Data Transfer is received while GA-PSR TC Deactivation is in Progress	65
8.5.4.3	Downlink User Data Transfer is initiated while the GA-PSR TC Deactivation is in Progress	65
8.6	Implicit Deactivation of GA-PSR Transport Channel	65
8.7	GA-PSR GPRS User Data Transport	65
8.7.1	MS Initiates Uplink GPRS User Data Transfer	65
8.7.2	Processing of the Uplink GPRS User Data Message by the GANC	66
8.7.3	GANC Initiates Downlink GPRS User Data Transfer	66
8.7.4	Processing of the Downlink GPRS User Data Message by the MS	66
8.7.5	Abnormal Cases	66
8.7.5.1	GANC Receives an Uplink User Data Message while the GA-PSR TC Activation Procedure is in progress	66
8.7.5.2	GANC Receives an Uplink User Data Message and the GA-PSR TC is not active	66
8.7.5.3	Handling of out-of-sequence packets	66
8.7.5.4	MS Receives a Downlink User Data Message while the GA-PSR TC Activation Procedure is in progress	66
8.7.5.5	Uplink User Data Transfer Failed due to Lower Layer Failure	67
8.8	GA-PSR GPRS Signalling and SMS Messages Transport	67
8.8.1	MS Initiates Uplink GPRS Signalling/SMS Message Transfer	67
8.8.2	Processing of the Uplink GA-PSR DATA Message by the GANC	67
8.8.3	GANC Initiates Downlink GA-PSR DATA Transfer	67
8.8.4	Processing of the Downlink GA-PSR DATA Message by the MS	67
8.8.5	Abnormal Cases	67
8.8.5.1	Downlink or Uplink User Data Transfer Failed due to Lower Layer Failure	67
8.9	Packet paging for packet service	68
8.9.1	PS Paging Request Processing by the GANC	68
8.9.2	PS Paging Request Processed by the MS	68
8.9.3	Processing of the PS Paging Response by the GANC	68
8.10	GPRS Suspend Procedure	68
8.10.1	GPRS Suspension Initiation by the MS	68
8.10.2	GPRS Suspend Request Processing by the GANC	69
8.11	MS Initiated Downlink Flow Control	69
8.11.1	Initiation of the Downlink Flow Control by the MS	69
8.11.2	Processing of the Downlink Flow Control Request by the GANC	69
8.11.3	Processing of the TU4003 Timer Expiry by the MS	69
8.12	Uplink Flow Control	70
8.12.1	Initiation of the Uplink Flow Control by the GANC	70
8.12.2	Processing of the Uplink Flow Control Request by the MS	70
8.12.3	Resetting of the Uplink Flow Control Condition by the GANC	70
8.12.4	Abnormal Cases	70
8.12.4.1	GA-PSR TC Deactivation is in Progress	70
8.13	PS handover to GAN A/Gb mode	70
8.13.1	Initiation	70
8.13.2	Successful completion of the PS handover to GAN A/Gb mode	71
8.13.3	Abnormal Cases	71
8.14	PS handover from GAN A/Gb mode	71
8.14.1	Initiation	71
8.14.2	Reception of GA-PSR HANDOVER INFORMATION by the GANC	73
8.14.3	Reception of GA-PSR HANDOVER CONTINUE by the MS	73
8.14.4	Reception of GA-PSR HANDOVER COMMAND by the MS	73
8.14.5	Successful completion of the PS Handover from GAN A/Gb mode	73
8.14.6	Abnormal Cases	74
8.14.7	Reception of GA-PSR HANDOVER FAILURE by the GANC	74

8a	GA-RRC elementary procedures.....	74
8a.1	GA-RRC connection establishment	74
8a.1.1	Initiation of GA-RRC connection establishment by the MS.....	75
8a.1.2	Reception of GA-RRC REQUEST by GANC.....	75
8a.1.2.1	GA-RRC connection establishment request accepted	76
8a.1.2.2	GA-RRC connection establishment request rejected	76
8a.1.3	GA-RRC connection establishment response handling in the MS.....	76
8a.1.3.1	GA-RRC connection establishment request accepted	76
8a.1.3.2	GA-RRC connection establishment request rejected	76
8a.1.4	Failure cases.....	76
8a.1.4.1	Timer TU5908 expiry	76
8a.2	Upper layer message transmission	76
8a.2.1	Initial upper layer message forwarding by the MS	77
8a.2.2	Reception of GA-RRC INITIAL DIRECT TRANSFER by GANC	77
8a.2.3	Subsequent upper layer message forwarding by the MS	77
8a.2.4	Reception of GA-RRC UPLINK DIRECT TRANSFER by GANC	77
8a.2.5	Upper layer message forwarding by the GANC	78
8a.2.6	Reception of GA-RRC DOWNLINK DIRECT TRANSFER by the MS	78
8a.2.6.1	Invalid GA-RRC DOWNLINK DIRECT TRANSFER.....	78
8a.3	Paging.....	78
8a.3.1	Initiation of paging.....	79
8a.3.2	Reception of GA-RRC PAGING REQUEST by the MS	79
8a.3.3	Abnormal Cases	79
8a.4	Transport channel activation	79
8a.4.1	Circuit transport channel activation	80
8a.4.1.1	Initiation of circuit transport channel activation	80
8a.4.1.2	Reception of GA-RRC ACTIVATE CHANNEL (CS domain) by the MS	80
8a.4.1.3	Reception of GA-RRC ACTIVATE CHANNEL ACK (CS domain) by GANC	81
8a.4.1.4	Reception of GA-RRC ACTIVATE CHANNEL COMPLETE (CS domain) by MS	81
8a.4.2	Packet transport channel activation	82
8a.4.2.1	Initiation of packet transport channel activation	82
8a.4.2.2	Reception of GA-RRC ACTIVATE CHANNEL (PS domain) by the MS.....	82
8a.4.2.3	Reception of GA-RRC ACTIVATE CHANNEL ACK (PS domain) by GANC.....	82
8a.4.2.4	Reception of GA-RRC ACTIVATE CHANNEL COMPLETE (PS domain) by MS.....	83
8a.5	GA-RRC connection release	83
8a.5.1	GA-RRC connection release request by MS.....	83
8a.5.2	Reception of GA-RRC RELEASE REQUEST by GANC	83
8a.5.3	Initiation of GA-RRC connection release by GANC.....	83
8a.5.4	Reception of GA-RRC RELEASE by MS.....	84
8a.5.5	Failure cases.....	84
8a.5.5.1	Timer TU5909 expiry	84
8a.6	Security mode control	84
8a.6.1	Security mode control initiation.....	85
8a.6.2	Security mode control completion	85
8a.7	Transport channel modification.....	85
8a.7.1	Circuit transport channel modification	86
8a.7.1.1	Initiation of circuit transport channel modification.....	86
8a.7.1.2	Reception of GA-RRC MODIFY CHANNEL (CS domain) by the MS.....	86
8a.7.1.3	Reception of GA-RRC MODIFY CHANNEL ACK (CS domain) by GANC.....	87
8a.7.2	Packet transport channel modification.....	87
8a.7.2.1	Initiation of packet transport channel modification.....	87
8a.7.2.2	Reception of GA-RRC MODIFY CHANNEL (PS domain) by the MS	87
8a.7.2.3	Reception of GA-RRC MODIFY CHANNEL ACK (PS domain) by GANC	88
8a.8	Transport channel deactivation.....	88
8a.8.1	Transport channel deactivation request by MS	88
8a.8.2	Reception of GA-RRC DEACTIVATE CHANNEL REQUEST by GANC.....	88
8a.8.3	Initiation of transport channel deactivation by GANC	88
8a.8.4	Reception of GA-RRC DEACTIVATE CHANNEL by MS	89
8a.8.5	Failure cases.....	89
8a.8.5.1	Timer TU5002 expiry	89
8a.9	PS domain user plane data transfer	89
8a.9.1	MS initiates uplink PS domain user plane data transfer.....	89

8a.9.2	Processing of the received GA-RRC PDU message by the GANC	90
8a.9.3	GANC initiates downlink PS domain user plane data transfer	90
8a.9.4	Processing of the received GA-RRC PDU message by the MS	90
8a.9.5	Abnormal Cases	90
8a.9.5.1	TU4001 timer expiry	90
8a.9.5.2	GANC receives a GA-RRC PDU message while the GA-RRC PTC activation procedure is in progress	90
8a.9.5.3	GANC receives a GA-RRC PDU message and the GA-RRC PTC is not active	90
8a.9.5.4	Handling of out-of-sequence packets	90
8a.9.5.5	MS receives a GA-RRC PDU message while the GA-RRC PTC activation procedure is in progress	90
8a.9.5.6	Uplink PS domain user data transfer failed due to lower layer failure	90
8a.10	Handover to GAN Iu mode	91
8a.10.1	Reception of GA-RRC RELOCATION REQUEST by the MS	91
8a.10.2	Reception of GA-RRC RELOCATION REQUEST ACK by the GANC	93
8a.10.3	Normal execution	93
8a.10.4	Reception of GA-RRC RELOCATION COMPLETE by the GANC	93
8a.10.5	Exception case: No IMSI in CS domain Relocation Request	93
8a.11	Handover from GAN Iu mode	95
8a.11.1	Initiation	95
8a.11.2	Reception of GA-RRC RELOCATION INFORMATION by the GANC	96
8a.11.3	Reception of GA-RRC RELOCATION COMMAND by the MS	96
8a.11.4	Successful completion of the handover from GAN Iu mode	96
8a.11.5	MS fails to complete requested handover	96
8a.11.6	Reception of GA-RRC RELOCATION FAILURE by the GANC	96
8a.11.7	Abnormal Cases	96
9	Error handling procedures	97
9.1	General	97
9.2	Message too short	97
9.3	Invalid Message Header	97
9.4	Invalid Information Elements	98
9.5	Handling of lower layer faults	98
9.6	Out of sequence IEs	98
10	Message functional definitions and contents	98
10.1	GA-RC and GA-CSR Messages	98
10.1.1	(void)	99
10.1.2	GA-RC DISCOVERY REQUEST	99
10.1.2.1	AP Radio Identity	100
10.1.2.2	GERAN Cell Identity	100
10.1.2.3	Location Area Identification	101
10.1.2.4	Routing Area Code	101
10.1.2.5	Register Reject Cause	101
10.1.2.6	Redirection Counter	101
10.1.2.7	Default GANC-SEGW IP address	101
10.1.2.8	Default GANC-SEGW FQDN	101
10.1.2.9	Default GANC IP address	101
10.1.2.10	Default GANC FQDN	102
10.1.2.11	3G Cell Identity	102
10.1.2.12	Tracking Area Identity	102
10.1.2.13	E-UTRAN Camping Indicator	102
10.1.2.14	E-UTRAN Cell Identity	102
10.1.3	GA-RC DISCOVERY ACCEPT	102
10.1.3.1	Default GANC-SEGW IP address	103
10.1.3.2	Default GANC-SEGW FQDN	103
10.1.3.3	Default GANC IP address	103
10.1.3.4	Default GANC FQDN	103
10.1.4	GA-RC DISCOVERY REJECT	103
10.1.4.1	TU3902 Timer	104
10.1.5	GA-RC REGISTER REQUEST	104
10.1.5.1	GERAN Cell Identity	106

10.1.5.2	Location Area Identification	106
10.1.5.3	Routing Area Code.....	106
10.1.5.4	Register Reject Cause	106
10.1.5.5	Redirection Counter	106
10.1.5.6	Last GANC-SEGW IP address	106
10.1.5.7	Last GANC-SEGW FQDN	107
10.1.5.8	Last GANC IP address	107
10.1.5.9	Last GANC FQDN.....	107
10.1.5.10	AP Radio Identity.....	107
10.1.5.11	AP Service Name	107
10.1.5.12	Registration Indicators	107
10.1.5.13	GAN PLMN List.....	107
10.1.5.14	3G Cell Identity.....	107
10.1.5.15	3G UARFCN.....	107
10.1.5.16	3G Security Capability	107
10.1.5.17	Tracking Area Identity	107
10.1.5.18	E-UTRAN Camping Indicator	108
10.1.5.19	E-UTRAN Cell Identity	108
10.1.6	GA-RC REGISTER ACCEPT.....	108
10.1.6.1	TU4001 and TU4003	109
10.1.6.2	GAN Service Zone Information.....	109
10.1.6.3	Serving GANC Table Indicator.....	110
10.1.6.4	GAN Band.....	110
10.1.6.5	TU4004 Timer.....	110
10.1.6.6	GAN Mode Indicator	110
10.1.6.7	GAN Cell Description.....	110
10.1.6.8	GAN Iu Mode Cell Description	110
10.1.7	GA-RC REGISTER REDIRECT	110
10.1.7.1	Serving GANC-SEGW IP address	111
10.1.7.2	Serving GANC-SEGW FQDN.....	111
10.1.7.3	Serving GANC IP address	111
10.1.7.4	Serving GANC FQDN	111
10.1.7.5	Serving GANC TCP port number	111
10.1.7.5a	Serving GANC Table Indicator.....	111
10.1.7.6	GAN PLMN List.....	112
10.1.8	GA-RC REGISTER REJECT.....	112
10.1.8.1	TU3907 Timer.....	112
10.1.8.2	Location Black List indicator	112
10.1.8.3	Location Area Identification	112
10.1.9	GA-RC DEREGISTER.....	112
10.1.9.1	Location Black List indicator	113
10.1.9.2	Location Area Identification	113
10.1.9.3	TU3907 Timer.....	113
10.1.10	GA-RC REGISTER UPDATE UPLINK.....	113
10.1.10.1	GERAN Cell Identity.....	114
10.1.10.2	Location Area Identification	114
10.1.10.3	Routing Area Code.....	115
10.1.10.4	3G Cell Identity.....	115
10.1.10.5	AP Service Name	115
10.1.10.6	3G UARFCN.....	115
10.1.10.7	Tracking Area Identity	115
10.1.10.8	E-UTRAN Camping Indicator	116
10.1.10.9	E-UTRAN Cell Identity	116
10.1.11	GA-RC REGISTER UPDATE DOWNLINK	116
10.1.11.1	GAN Service Zone Information.....	117
10.1.11.2	GAN Cell Description.....	117
10.1.11.3	GAN Iu Mode Cell Description	117
10.1.12	GA-CSR REQUEST.....	117
10.1.13	GA-CSR REQUEST ACCEPT.....	117
10.1.14	GA-RC KEEP ALIVE	117
10.1.14a	GA-RC CELL BROADCAST INFO.....	118
10.1.15	GA-CSR ACTIVATE CHANNEL.....	118

10.1.15.1	Payload Type.....	119
10.1.15.2	Multi-rate Configuration	119
10.1.15.3	RTP Redundancy Configuration	119
10.1.15.4	RTCP UDP Port.....	119
10.1.15.5	Bandwidth-efficient Mode Indicator	119
10.1.16	GA-CSR ACTIVATE CHANNEL ACK	120
10.1.16.1	Payload Type.....	120
10.1.16.2	RTCP UDP Port.....	120
10.1.16.3	Sample Size	120
10.1.17	GA-CSR ACTIVATE CHANNEL FAILURE	120
10.1.18	GA-CSR ACTIVATE CHANNEL COMPLETE	121
10.1.19	GA-CSR RELEASE	121
10.1.20	GA-CSR RELEASE COMPLETE	121
10.1.21	GA-CSR PAGING REQUEST	122
10.1.22	GA-CSR PAGING RESPONSE.....	122
10.1.23	GA-CSR UPLINK DIRECT TRANSFER	123
10.1.24	GA-CSR REQUEST REJECT.....	123
10.1.25	GA-CSR DOWNLINK DIRECT TRANSFER	124
10.1.26	GA-CSR CLASSMARK ENQUIRY	124
10.1.27	GA-CSR CLASSMARK CHANGE.....	124
10.1.27.1	Additional Mobile Station Classmark Information	125
10.1.28	GA-CSR STATUS.....	125
10.1.29	GA-CSR HANDOVER ACCESS	125
10.1.29.1	Handover To GAN Command	126
10.1.30	GA-CSR HANDOVER COMPLETE	126
10.1.31	GA-CSR UPLINK QUALITY INDICATION	126
10.1.32	GA-CSR HANDOVER INFORMATION.....	127
10.1.32.1	GERAN Cell Identifier List	127
10.1.32.2	GERAN Received Signal Level List.....	127
10.1.32.3	UTRAN Cell Identifier List	127
10.1.32.4	UTRAN Received Signal Level List.....	127
10.1.33	GA-CSR HANDOVER COMMAND	127
10.1.33.1	Handover From GAN Command	128
10.1.34	GA-CSR HANDOVER FAILURE.....	128
10.1.34.1	RR Cause	128
10.1.35	GA-CSR CIPHERING MODE COMMAND.....	128
10.1.36	GA-CSR CIPHERING MODE COMPLETE.....	129
10.1.36.1	Mobile Equipment Identity	129
10.1.37	GA-CSR CLEAR REQUEST.....	129
10.1.38	GA-CSR GPRS SUSPENSION REQUEST	130
10.1.39	GA-RC SYNCHRONIZATION INFORMATION	130
10.1.40	GA-CSR CHANNEL MODE MODIFY	131
10.1.40.1	Channel Mode	131
10.1.40.2	Multi-rate Configuration	131
10.1.40.3	RTP Redundancy Configuration	132
10.1.40.4	Sample Size	132
10.1.40.5	IP Address	132
10.1.40.6	RTP UDP Port.....	132
10.1.40.7	RTCP UDP Port.....	132
10.1.41	GA-CSR CHANNEL MODE MODIFY ACKNOWLEDGE	132
10.1.41.1	Channel Mode	132
10.1.41.2	Sample Size	132
10.1.42	GA-CSR UTRAN CLASSMARK CHANGE	133
10.2	GA-PSR Messages	133
10.2.1	GA-PSR-ACTIVATE-UTC-REQ	133
10.2.1.1	IP address for GPRS user data transport	134
10.2.1.2	UDP Port for GPRS user data transport	134
10.2.2	GA-PSR-ACTIVATE-UTC-ACK	134
10.2.2.1	IP address for GPRS user data transport	135
10.2.2.2	UDP Port for GPRS user data transport	135
10.2.3	GA-PSR-DEACTIVATE-UTC-REQ	135
10.2.4	GA-PSR-DEACTIVATE-UTC-ACK.....	135

10.2.5	GA-PSR-DATA.....	136
10.2.5.1	Requested QoS.....	136
10.2.5.2	Packet Flow Identifier.....	136
10.2.6	GA-PSR-UNITDATA.....	136
10.2.6.1	Requested QoS.....	137
10.2.6.2	Packet Flow Identifier.....	137
10.2.7	GA-PSR-PS-PAGE.....	137
10.2.7.1	Mobile Identity.....	137
10.2.8	GA-PSR-UFC-REQ.....	137
10.2.8.1	Packet Flow Identifier.....	138
10.2.8.2	Reset Indicator.....	138
10.2.9	GA-PSR-DFC-REQ.....	138
10.2.9.1	Packet Flow Identifier.....	138
10.2.10	GA-PSR STATUS.....	138
10.2.11	GA-PSR HANDOVER COMPLETE.....	139
10.2.12	GA-PSR UPLINK QUALITY INDICATION.....	139
10.2.13	GA-PSR HANDOVER INFORMATION.....	139
10.2.13.1	GERAN Cell Identifier List.....	140
10.2.13.2	GERAN Received Signal Level List.....	140
10.2.13.3	UTRAN Cell Identifier List.....	140
10.2.13.4	UTRAN Received Signal Level List.....	140
10.2.14	GA-PSR HANDOVER COMMAND.....	140
10.2.14.1	PS Handover to GERAN Command.....	141
10.2.14.2	PS Handover to UTRAN Command.....	141
10.2.14.3	PS Handover to GERAN PSI.....	141
10.2.14.4	PS Handover to GERAN SI.....	141
10.2.15	GA-PSR HANDOVER CONTINUE.....	141
10.2.16	GA-PSR HANDOVER FAILURE.....	142
10.3	GA-RRC control plane messages.....	142
10.3.1	GA-RRC REQUEST.....	143
10.3.2	GA-RRC REQUEST ACCEPT.....	143
10.3.3	GA-RRC REQUEST REJECT.....	145
10.3.4	GA-RRC RELEASE REQUEST.....	145
10.3.5	GA-RRC RELEASE.....	146
10.3.6	GA-RRC RELEASE COMPLETE.....	146
10.3.7	GA-RRC PAGING REQUEST.....	147
10.3.8	GA-RRC ACTIVATE CHANNEL.....	147
10.3.8.1	CTC Activation List.....	147
10.3.8.2	PTC Activation List.....	147
10.3.9	GA-RRC ACTIVATE CHANNEL ACK.....	148
10.3.9.1	CTC Activation Ack List.....	148
10.3.9.2	PTC Activation Ack List.....	148
10.3.10	GA-RRC ACTIVATE CHANNEL COMPLETE.....	148
10.3.11	GA-RRC MODIFY CHANNEL.....	149
10.3.11.1	CTC Modification List.....	149
10.3.11.2	PTC Modification List.....	149
10.3.12	GA-RRC MODIFY CHANNEL ACK.....	149
10.3.12.1	CTC Modification Ack List.....	150
10.3.12.2	PTC Modification Ack List.....	150
10.3.13	GA-RRC DEACTIVATE CHANNEL REQUEST.....	151
10.3.14	GA-RRC DEACTIVATE CHANNEL.....	151
10.3.15	GA-RRC DEACTIVATE CHANNEL COMPLETE.....	151
10.3.16	GA-RRC SECURITY MODE COMMAND.....	152
10.3.17	GA-RRC SECURITY MODE COMPLETE.....	152
10.3.18	GA-RRC INITIAL DIRECT TRANSFER.....	153
10.3.19	GA-RRC UPLINK DIRECT TRANSFER.....	153
10.3.20	GA-RRC DOWNLINK DIRECT TRANSFER.....	155
10.3.21	GA-RRC RELOCATION INFORMATION.....	156
10.3.21.1	GERAN Cell Identifier List.....	156
10.3.21.2	GERAN Received Signal Level List.....	156
10.3.21.3	UTRAN Cell Identifier List.....	156
10.3.21.4	UTRAN Received Signal Level List.....	157

10.3.21.5	Mobile Station Classmark 2	157
10.3.21.6	Mobile Station Classmark 3	157
10.3.21.7	MS Radio Access Capability	157
10.3.21.8	UTRAN Classmark	157
10.3.22	GA-RRC RELOCATION COMMAND	157
10.3.22.1	UTRAN RRC Message	158
10.3.22.2	SRNS Relocation Info	158
10.3.23	GA-RRC RELOCATION ACCESS	158
10.3.23.1	UTRAN RRC Message	159
10.3.24	GA-RRC RELOCATION COMPLETE	159
10.3.25	GA-RRC RELOCATION FAILURE	159
10.3.26	GA-RRC RELOCATION REQUEST	159
10.3.26.1	CTC Activation List	160
10.3.26.2	PTC Activation List	160
10.3.27	GA-RRC RELOCATION REQUEST ACK	160
10.3.27.1	CTC Activation Ack List	161
10.3.27.2	PTC Activation Ack List	161
10.3.28	GA-RRC UPLINK QUALITY INDICATION	162
10.3.29	GA-RRC STATUS	162
10.4	GA-RRC PS user plane messages	162
10.4.1	GA-RRC PDU	162
11	General message format and information elements coding	163
11.1	Message coding principles	163
11.1.1	GA-RC and GA-CSR message header information elements	163
11.1.1.1	Length Indicator (LI)	164
11.1.1.2	Protocol Discriminator (PD)	164
11.1.1.3	Skip Indicator	165
11.1.1.4	Message Type	165
11.1.2	GA-PSR message header information elements over TCP	166
11.1.2.1	GA-PSR Message Type	166
11.1.2.2	Temporary Logical Link Identity (TLLI)	167
11.1.3	GA-PSR message header information elements over UDP	167
11.1.3.1	GA-PSR Message Type	167
11.1.3.2	Temporary Logical Link Identity (TLLI)	168
11.1.3.3	Sequence Number	168
11.1.3a	GA-RRC message header information elements over TCP	168
11.1.3a.1	GA-RRC Message Type	168
11.1.3b	GA-RRC message header over UDP	169
11.1.3b.1	GA-RRC PTC Message Type	171
11.1.3b.2	GA-RRC Sequence Number Handling	171
11.1.4	Information Element Coding principles	171
11.1.5	Network Byte order	172
11.2	IE Type and Identifiers	173
11.2.1	Mobile Identity	175
11.2.2	GAN Release Indicator	175
11.2.3	Access Identity	175
11.2.4	GERAN Cell Identity	176
11.2.5	Location Area Identification	176
11.2.6	GERAN/UTRAN coverage Indicator	176
11.2.7	GAN Classmark	177
11.2.8	Geographical Location	178
11.2.9	IP Address	179
11.2.10	Fully Qualified Domain/Host Name (FQDN)	179
11.2.11	Redirection Counter	180
11.2.12	Discovery Reject Cause	180
11.2.13	GAN Cell Description	180
11.2.14	GAN Control Channel Description	181
11.2.15	Cell Identifier List	183
11.2.16	TU3907 Timer	183
11.2.17	GSM RR/UTRAN RRC State	184
11.2.18	Routing Area Identification	184