

SLOVENSKI STANDARD oSIST prEN 301 489-1 V2.2.1:2019

01-maj-2019

Standard elektromagnetne združljivosti (EMC) za radijsko opremo in storitve - 1. del: Splošne tehnične zahteve - Harmonizirani standard za elektromagnetno združljivost

ElectroMagnetic Compatibility (EMC) standard for radio equipment and services - Part 1: Common technical requirements - Harmonised Standard for ElectroMagnetic Compatibility

(standards.iteh.ai)

SIST EN 301 489-1 V2.2.3:2020

https://standards.iteh.ai/catalog/standards/sist/a3803adb-e258-4e27-82b7-85b4edcaf1b2/sist-en-301-489-1-v2-2-3-2020

Ta slovenski standard je istoveten z: ETSI EN 301 489-1 V2.2.1 (2019-03)

ICS:

33.060.01 Radijske komunikacije na splošno general

33.100.01 Elektromagnetna združljivost na splošno in general

oSIST prEN 301 489-1 V2.2.1:2019 en

oSIST prEN 301 489-1 V2.2.1:2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 489-1 V2.2.3:2020

https://standards.iteh.ai/catalog/standards/sist/a3803adb-e258-4e27-82b7-85b4edcaf1b2/sist-en-301-489-1-v2-2-3-2020

oSIST prEN 301 489-1 V2.2.1:2019

Draft ETSI EN 301 489-1 V2.2.1 (2019-03)



ElectroMagnetic Compatibility (EMC)
standard for radio equipment and services;
Part 1: Common technical requirements;
Harmonised Standard for ElectroMagnetic Compatibility

<u>SIST EN 301 489-1 V2.2.3:2020</u> https://standards.iteh.ai/catalog/standards/sist/a3803adb-e258-4e27-82b7-85b4edcaf1b2/sist-en-301-489-1-v2-2-3-2020 2

Reference

REN/ERM-EMC-368

Keywords

EMC, harmonised standard, radio

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

(standards.iteh.ai)

Important notice

The present document can be downloaded from:
http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019. All rights reserved.

DECT[™], **PLUGTESTS**[™], **UMTS**[™] and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP**[™] and **LTE**[™] are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intell	ectual Property Rights	6
Forev	word	6
Moda	al verbs terminology	8
Intro	duction	8
1	Scope	g
2	References	C
2.1	Normative references	
2.2	Informative references	
3	Definition of towns armhala and althorniations	1 1
	Definition of terms, symbols and abbreviations	
3.1	Terms	
3.2 3.3	Symbols	
4	Test conditions	
4.1	General	
4.2	Arrangements for test signals	
4.2.0	General	
4.2.1	Arrangements for test signals at the input of transmitters	
4.2.2	Arrangements for test signals at the RF output of transmitters	
4.2.3	Arrangements for test signals at the RF input of receivers	15
4.2.4	Arrangements for test signals at the output of receivers	
4.3	RF exclusion band of radio equipment	
4.3.1	General	
4.3.2 4.3.2.	Exclusion band for transmitters or the transmitter part of transceivers	
4.3.2. 4.3.2.	CYCH TIV AAA 400 4 Y YA A A AAA	
4.3.2	1 1	
4.3.2 4.3.3	Exclusion band for receivers or the receiver part of transceivers	
4.3.3.	030 100001102/0100 0113001 100 1 12 2 3 2020	
4.3.3.	11 *	
4.3.3.		
4.4	Void	
_		
5	Ancillary equipment	18
6	Performance criteria	18
6.0	Introduction	
6.1	Performance criteria for continuous phenomena	
6.2	Performance criteria for transient phenomena	
7	•	
7	Applicability tables	
7.0	Introduction	
7.1 7.2	Emissions	
	·	
8	Methods of measurement and limits for EMC emissions	20
8.1	Introduction	
8.1.1	Emissions test overview	
8.1.2	Test configuration	
8.2	Enclosure port	
8.2.1	General	
8.2.2	Test method	
8.2.3	Limits	
8.3	DC power input/output ports	
8.3.1	General	
8.3.2	Test method	21

Draft ETSI EN 301 489-1 V2.2.1 (2019-03)

3.3.3	Limits	
3.4	AC mains power input/output ports	
3.4.1	General	
3.4.2	Test method	22
3.4.3	Limits	
3.4.3.1		
3.4.3.2	AC Power port used for power supply only	22
3.4.3.3	AC power input port also used for PLC Communications	22
3.5	Harmonic current emissions (AC mains input port)	
8.6	Voltage fluctuations and flicker (AC mains input port)	
3.7	Wired network ports	
3.7.1	General	
3.7.2	Test method	
3.7.3	Limits	
_		
9	Test methods and levels for immunity tests	
9.1	Test configuration.	
9.2	Radio frequency electromagnetic field (80 MHz to 6 000 MHz)	
9.2.1	General	
9.2.2	Test method	
9.2.3	Performance criteria	
9.3	Electrostatic discharge	25
9.3.1	General	25
9.3.2	Test method	25
9.3.3	Performance criteria	25
9.4	Fast transients, common mode	25
9.4.1	General	25
9.4.2	Test method	25
9.4.3	Performance criteria	26
9.5	Radio frequency, common mode	
9.5.1	General	26
9.5.2	Test method	
9.5.3	Performance criteria SIST EN 201 480 1 32 2 2000	
9.6	Transients and surges in the vehicular environment	
9.6.1	General General	
9.6.2	Test method	
9.6.3	Performance criteria	
9.7	Voltage dips and interruptions.	
9.7.1	General	
9.7.2	Test method	
9.7.3	Performance criteria.	
9.8	Surges	
9.8.1	e	
9.8.2	General Test method	
	Test method	
9.8.2.0		
9.8.2.1		
9.8.2.2	1	
9.8.2.3	1	
9.8.3	Performance criteria	29
A nno	x A (informative): Relationship between the present document and the essential	
AIIIIC.	requirements of Directive 2014/53/EU	30
	requirements of Directive 2014/33/EU	30
A.1	Relationship between the present document and the essential requirements of Directive	
	2014/53/EU	30
Anne	x B (informative): Application of harmonised EMC standards to multi-radio and multi-	
	standard-radio equipment	32
B.1	Introduction	32
B.2	Multi-radio equipment capable of independent operation	30
۷.∠	mun-radio equipment capable of independent operation	92

5

Draft ETSI EN 301 489-1 V2.2.1 (2019-03)

Histor	ry		36		
Annex E (informative):		Change history			
Annex D (informative):		Bibliography	34		
C.1	1 Information to be supplied				
Anne	x C (informative):	Information required by the test laboratory	33		
B.4	Multi-radio equipment comprising of numerous identical radio transmitters				
B.3	Multi-radio equipment and multi-standard-radio equipment not capable of independent operation32				

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 301 489-1 V2.2.3:2020</u> https://standards.iteh.ai/catalog/standards/sist/a3803adb-e258-4e27-82b7-85b4edcaf1b2/sist-en-301-489-1-v2-2-3-2020

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This draft Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.16] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under the Directives, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of the corresponding Directives and associated EFTA regulations.

The present document is part 1 of a multi-part EMC standard for radio equipment which is structured in the following way:

- All common technical requirements for EMC emission and immunity have been placed in the common part, which is the present document.
- Separate parts have been developed to cover specific product related radio equipment test conditions, test arrangements, performance assessment, performance criteria, etc.
- A clause is included in each of the specific radio parts, entitled "special conditions", which is used as
 appropriate to cover any deviations or additions to the common requirements set out in the present document.

The present document is part 1 of a multi-part deliverable covering ElectroMagnetic Compatibility (EMC) standard for radio equipment and services, as identified below:

Part 1: "Common technical requirements;

- Part 2: "Specific conditions for radio paging equipment";
- Part 3: "Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz";
- Part 4: "Specific conditions for fixed radio links and ancillary equipment";

- Part 5: "Specific conditions for Private land Mobile Radio (PMR) and ancillary equipment (speech and non-speech) and Terrestrial Trunked Radio (TETRA)";
- Part 6: "Specific conditions for Digital Enhanced Cordless Telecommunications (DECT) equipment";
- Part 9: "Specific conditions for wireless microphones, similar Radio Frequency (RF) audio link equipment, cordless audio and in-ear monitoring devices";
- Part 12: "Specific conditions for Very Small Aperture Terminal, Satellite Interactive Earth Stations operated in the frequency ranges between 4 GHz and 30 GHz in the Fixed Satellite Service (FSS)";
- Part 13: "Specific conditions for Citizens' Band (CB) radio and ancillary equipment (speech and non-speech)";
- Part 15: "Specific conditions for commercially available amateur radio equipment";
- Part 17: "Specific conditions for Broadband Data Transmission Systems";
- Part 19: "Specific conditions for Receive Only Mobile Earth Stations (ROMES) operating in the 1,5 GHz band providing data communications and GNSS receivers operating in the RNSS band (ROGNSS) providing positioning, navigation, and timing data";
- Part 20: "Specific conditions for Mobile Earth Stations (MES) used in the Mobile Satellite Services (MSS)";
- Part 22: "Specific conditions for ground based VHF aeronautical mobile and fixed radio equipment";
- Part 27: "Specific conditions for Ultra Low Power Active Medical Implants (ULP-AMI) and related peripheral devices (ULP-AMI-P) operating in the 402 MHz to 405 MHz bands";
- Part 28: "Specific conditions for wireless digital video links";
- Part 29: "Specific conditions for Medical Data Service Devices (MEDS) operating in the 401 MHz to 402 MHz and 405 MHz to 406 MHz bands";
- Part 31: "Specific conditions for equipment in the 9 kHz to 315 kHz band for Ultra Low Power Active Medical Implants (ULP-AMI) and related peripheral devices (ULP-AMI-P)";
- Part 33: "Specific conditions for Ultra Wide Band (UWB) devices"; 803adb-e258-4e27-82b7-
- Part 34: "Specific conditions for External Power Supply (EPS) for mobile phones";
- Part 35: "Specific requirements for Low Power Active Medical Implants (LP-AMI) operating in the 2 483,5 MHz to 2 500 MHz bands";
- Part 50: "Specific conditions for Cellular Communication Base Station (BS), repeater and ancillary equipment";
- Part 51: "Specific conditions for Automotive, Ground based Vehicles and Surveillance Radar Devices using 24,05 GHz to 24,25 GHz, 24,05 GHz to 24,5 GHz, 76 GHz to 77 GHz and 77 GHz to 81 GHz";
- Part 52: "Specific conditions for Cellular Communication Mobile and portable radio and ancillary equipment";
- Part 53: "Specific conditions for terrestrial sound broadcasting and digital TV broadcasting service transmitters and associated ancillary equipment";
- Part 54: "Specific conditions for ground based aeronautical and meteorological radars".
- NOTE: Parts 7, 8, 10, 11, 14, 16, 18, 23, 24, 25, 26 and 32 of this multi-part deliverable have been removed from this listing as they do not cover the new Directive in force, Directive 2014/53/EU [i.1] and Directive 2014/30/EU [i.2].

8

Proposed national transposition	on dates
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Introduction

Product dependent arrangements necessary to perform the EMC tests on dedicated types of radio communications equipment, and the assessment of test results, are detailed in the appropriate relevant radio technology parts of ETSI EN 301 489 series [i.13] details of which can be found in annex C of the present document.

The environment classification used in the present document refers to the environment classification used in:

- CENELEC EN 61000-6-3 [i.4] and CENELEC EN 61000-6-1 [i.5] for the residential, commercial and light industrial environment; or
- CENELEC EN 61000-6-2 [i.15] and CENELEC EN 61000-6-4 [i.14] for the industrial environment; or
- ETSI TR 101 651 [i.6] for the telecommunication centre environment; or
- ISO 7637-2 [8] for the vehicular environment.

The immunity requirements within the present document are derived from the generic immunity standard for the residential, commercial and light industrial environment.

When it is required to evaluate the EMC performance of "combined radio and non-radio equipment", ETSI EG 203 367 [i.3] provides guidance upon the application of the various harmonised standards, including the present document, that could potentially apply to such equipment.

1 Scope

The present document specifies methods of measurements and technical characteristics for radio equipment and associated ancillary equipment, excluding broadcast receivers, in respect of ElectroMagnetic Compatibility (EMC).

Technical specifications related to the antenna port of radio equipment and radiated emissions from the enclosure port of radio equipment and combinations of radio and associated ancillary equipment are not included in the present document. Such technical specifications are normally found in the relevant product standards for the effective use of the radio spectrum.

- NOTE 1: The relationship between the present document and essential requirements of article 3.1(b) of Directive 2014/53/EU [i.1] given in annex A.
- NOTE 2: Other standards may apply in place of the present document, e.g. product specific standards in the ETSI EN 301 489 [i.13] series.

2 References

2.1 Normative references

References are specific, identified by date of publication and/or edition number or version number. Only the cited version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at https://docbox.etsi.org/Reference/.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1] http	CENELEC EN 55032 (2015): "Electromagnetic compatibility of multimedia equipment - Emission Requirements".
[2]	CENELEC EN 61000-4-2 (2009): "Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test".
[3]	CENELEC EN 61000-4-3 (2006), A1 (2008) and A2 (2010): "Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test".
[4]	CENELEC EN 61000-4-4 (2012): "Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test".
[5]	CENELEC EN 61000-4-5 (2014): + A1(2017): "Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test".
[6]	CENELEC EN 61000-4-6 (2014): "Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields".
[7]	CENELEC EN 61000-4-11 (2004): "Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests".
[8]	ISO 7637-2 (2004): "Road vehicles - Electrical disturbances from conduction and coupling -

Part 2: Electrical transient conduction along supply lines only".

- [9] CENELEC EN 61000-3-3 (2013): "Electromagnetic compatibility (EMC) Part 3-3: Limits Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection".
- [10] CISPR 25 (2nd Edition 2002) and COR1 (2004): "Radio disturbance characteristics for the protection of receivers used on board vehicles, boats, and on devices Limits and methods of measurement".
- NOTE: The dated reference of CISPR 25 has not been updated to the latest version in order to maintain alignment with the requirements of UNECE Reg 10.
- [11] CENELEC EN 61000-3-12 (2011): "Electromagnetic compatibility (EMC) Part 3-12: Limits Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and ≤ 75 A per phase".
- [12] CENELEC EN 61000-3-11 (2000): "Electromagnetic compatibility (EMC) Part 3-11: Limits Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems Equipment with rated current ≤ 75 A and subject to conditional connection".
- [13] CENELEC EN 50561-3 (2016): "Power line communication apparatus used in low-voltage installations Radio disturbance characteristics Limits and methods of measurement Part 3: Apparatus operating above 30 MHz".
- [14] CENELEC EN 50561-1 (2013): "Power line communication apparatus used in low-voltage installations Radio disturbance characteristics Limits and methods of measurement Part 1: Apparatus for in-home use".
- [15] CENELEC EN 61000-3-2 (2014): "Electromagnetic compatibility (EMC) Part 3-2: Limits Limits for harmonic current emissions (equipment input current \leq 16 A per phase)".
- [16] CENELEC EN 61000-4-34 (2007), A1 (2009): "Electromagnetic compatibility (EMC) Part 4-34: Testing and measurement techniques Voltage dips, short interruptions and voltage variations immunity tests for equipment with mains current more than 16 A per phase".

https://standards.iteh.ai/catalog/standards/sist/a3803adb-e258-4e27-82b7-

2.2 Informative references en-301-489-1-v2-2-3-2020

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 2014/53/EU of the European Parliament and of the council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.2] Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility (recast).
- [i.3] ETSI EG 203 367: "Guide to the application of harmonised standards covering articles 3.1b and 3.2 of the Directive 2014/53/EU (RED) to multi-radio and combined radio and non-radio equipment".
- [i.4] CENELEC EN 61000-6-3 (2007) + A1(2011): "Electromagnetic compatibility (EMC) Part 6-3: Generic standards Emission standard for residential, commercial and light-industrial environments".
- [i.5] CENELEC EN 61000-6-1 (2007): "Electromagnetic compatibility (EMC) Part 6-1: Generic standards Immunity for residential, commercial and light-industrial environments".