



SLOVENSKI STANDARD
oSIST prEN 301 489-17 V3.2.2:2020
01-februar-2020

Standard elektromagnetne združljivosti (EMC) za radijsko opremo in storitve - 17. del: Posebni pogoji za širokopasovne sisteme za prenos podatkov - Harmonizirani standard, ki zajema bistvene zahteve člena 3.1(b) direktive 2014/53/EU

ElectroMagnetic Compatibility (EMC) standard for radio equipment and services - Part 17: Specific conditions for Broadband Data Transmission Systems - Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU

(standards.iteh.ai)

[SIST EN 301 489-17 V3.2.4:2020](https://standards.iteh.ai/catalog/standards/sist/b25aa5fe-d2dd-4764-b5f5-9f0b0a0047cd/sist-en-301-489-17-v3-2-4-2020)

<https://standards.iteh.ai/catalog/standards/sist/b25aa5fe-d2dd-4764-b5f5-9f0b0a0047cd/sist-en-301-489-17-v3-2-4-2020>

Ta slovenski standard je istoveten z: ETSI EN 301 489-17 V3.2.2 (2019-12)

ICS:

| | | |
|-----------|---|--|
| 33.060.01 | Radijske komunikacije na splošno | Radiocommunications in general |
| 33.100.01 | Elektromagnetna združljivost na splošno | Electromagnetic compatibility in general |

oSIST prEN 301 489-17 V3.2.2:2020 **en**

Draft **ETSI EN 301 489-17** V3.2.2 (2019-12)



**ElectroMagnetic Compatibility (EMC)
standard for radio equipment and services;
Part 17: Specific conditions for
Broadband Data Transmission Systems;
Harmonised Standard for ElectroMagnetic Compatibility**

<https://standards.iteh.ai/catalog/standards/sist/b25aa5fe-d2dd-4764-b515-9f0b0a0047cd/sist-en-301-489-17-v3-2-4-2020>

Reference

REN/ERM-EMC-370

Keywords

EMC, harmonised standard, radio

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARDS PREVIEW
(standards.iteh.ai)

Important notice

SIST EN 301 489-17 V3 2 4:2020
The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

| | |
|--|-----------|
| Intellectual Property Rights | 5 |
| Foreword..... | 5 |
| Modal verbs terminology..... | 5 |
| 1 Scope | 6 |
| 2 References | 6 |
| 2.1 Normative references | 6 |
| 2.2 Informative references..... | 6 |
| 3 Definitions of terms, symbols and abbreviations | 7 |
| 3.1 Terms..... | 7 |
| 3.2 Symbols..... | 8 |
| 3.3 Abbreviations | 8 |
| 4 Test conditions | 8 |
| 4.1 General | 8 |
| 4.2 Arrangements for test signals | 8 |
| 4.2.1 Arrangements for test signals at the input of transmitters..... | 8 |
| 4.2.2 Arrangements for test signals at the output of transmitters..... | 9 |
| 4.2.3 Arrangements for test signals at the input of receivers | 9 |
| 4.2.4 Arrangements for test signals at the output of receivers | 9 |
| 4.2.5 Arrangements for testing transmitter and receiver together (as a system) | 9 |
| 4.2.6 Equipment with an external antenna connector | 9 |
| 4.2.7 Equipment without an external antenna connector (integral antenna) | 9 |
| 4.2.8 Equipment with more than one antenna..... | 10 |
| 4.3 Exclusion bands..... | 10 |
| 4.4 Void..... | 10 |
| 4.5 Normal test modulation | 10 |
| 5 Performance assessment..... | 10 |
| 5.1 General | 10 |
| 5.2 Arrangements for the assessment of host dependent equipment and plug-in cards..... | 11 |
| 5.2.0 Introduction..... | 11 |
| 5.2.1 Alternative A: composite equipment | 11 |
| 5.2.2 Alternative B: use of a test jig or host..... | 11 |
| 5.3 Assessment procedures..... | 11 |
| 6 Performance criteria | 12 |
| 6.1 General performance criteria | 12 |
| 6.2 Performance table..... | 12 |
| 6.2.1 Performance criteria overview..... | 12 |
| 6.2.2 Minimum performance level..... | 12 |
| 6.3 Performance criteria for Continuous phenomena applied to Transmitters (CT) | 12 |
| 6.4 Performance criteria for Transient phenomena applied to Transmitters (TT) | 13 |
| 6.5 Performance criteria for Continuous phenomena applied to Receivers (CR)..... | 13 |
| 6.6 Performance criteria for Transient phenomena applied to Receivers (TR) | 13 |
| 7 Requirements..... | 13 |
| 7.1 Emission | 13 |
| 7.1.1 General..... | 13 |
| 7.1.2 Special conditions | 14 |
| 7.2 Immunity | 14 |
| 7.2.1 General..... | 14 |
| 7.2.2 Special conditions | 15 |
| Annex A (informative): Relationship between the present document and the essential requirements of Directive 2014/53/EU | 16 |
| Annex B (informative): Examples of radio equipment in the scope of the present document | 18 |

| | | |
|-------------------------------|--|-----------|
| B.1 | Introduction | 18 |
| B.2 | Data transmission systems operating in the 2,4 GHz ISM band and using wide band modulation techniques..... | 18 |
| B.3 | 5 GHz high performance RLAN systems..... | 18 |
| B.4 | Broadband data transmitting systems operating in the band 5 725 MHz to 5 875 MHz..... | 18 |
| B.5 | Broadband data transmitting/BWA Terminal Stations..... | 18 |
| B.6 | Multi-Gigabit Wireless Systems (MGWS) | 18 |
| Annex C (informative): | Change History | 19 |
| History | | 20 |

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 489-17 V3.2.4:2020](https://standards.iteh.ai/catalog/standards/sist/b25aa5fe-d2dd-4764-b5f5-9f0b0a0047cd/sist-en-301-489-17-v3-2-4-2020)

<https://standards.iteh.ai/catalog/standards/sist/b25aa5fe-d2dd-4764-b5f5-9f0b0a0047cd/sist-en-301-489-17-v3-2-4-2020>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This draft Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.12] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

The present document is part 17 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

| Proposed national transposition dates | |
|--|---------------------------------|
| Date of latest announcement of this EN (doa): | 3 months after ETSI publication |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 6 months after doa |
| Date of withdrawal of any conflicting National Standard (dow): | 18 months after doa |

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document, together with ETSI EN 301 489-1 [1], specifies technical characteristics and methods of measurements for Broadband Data Transmission System equipment, as detailed in annex B.

Technical specifications related to the antenna port and emissions from the enclosure port of the radio equipment are not included in the present document. Such technical specifications are found in the relevant product standards for the effective use of the radio spectrum.

The present document specifies the applicable test conditions, performance assessment and performance criteria for wideband data communication systems.

The environmental classification and the emission and immunity requirements used in the present document are as stated in ETSI EN 301 489-1 [1], except for any special conditions included in the present document.

The present document covers the essential requirements of article 3.1(b) of Directive 2014/53/EU [i.1] under the conditions identified in annex A.

2 References

2.1 Normative references

References are specific, identified by date of publication and/or edition number or version number. Only the cited version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 301 489-1 (V2.2.3) (11-2019): "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 2014/53/EU of the European Parliament and of the council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.2] Void.
- [i.3] ETSI EN 301 893: "5 GHz RLAN; Harmonised Standard for access to radio spectrum".
- [i.4] ETSI EN 302 502: "Wireless Access Systems (WAS); 5,8 GHz fixed broadband data transmitting systems; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU".

- [i.5] ETSI EN 302 544-2: "Broadband Data Transmission Systems operating in the 2 500 MHz to 2 690 MHz frequency band; Part 2: TDD User Equipment Stations; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".
- [i.6] ETSI EN 302 567: "Broadband Radio Access Networks (BRAN); 60 GHz Multiple-Gigabit WAS/RLAN Systems; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".
- [i.7] ETSI EN 302 623: "Broadband Wireless Access Systems (BWA) in the 3 400 MHz to 3 800 MHz frequency band; Mobile Terminal Stations; Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".
- [i.8] ETSI EN 300 328: "Wideband transmission systems; Data transmission equipment operating in the 2,4 GHz band; Harmonised Standard for access to radio spectrum".
- [i.9] Void.
- [i.10] ETSI EN 301 908-19: "IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 19: OFDMA TDD WMAN (Mobile WiMAX™) TDD User Equipment (UE)".
- [i.11] ETSI EN 301 908-21: "IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 21: OFDMA TDD WMAN (Mobile WiMAX™) FDD User Equipment (UE)".
- [i.12] Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ETSI EN 301 489-1 [1] and the following apply:

Equipment Under Test (EUT): equipment subject to the performance requirements of the present document

fixed station: equipment intended for use in a fixed location and fitted with one or more antennas

NOTE: The equipment may be fitted with either antenna socket(s) or integral antenna(s) or both.

hand-portable station: equipment normally used on a stand-alone basis and to be carried by a person

NOTE: The equipment may be fitted with one or more antennas. The equipment may be fitted with either antenna socket(s) or integral antenna(s) or both.

host: any equipment which has complete user functionality when not connected to the radio equipment part and to which the radio equipment part provides additional functionality and to which connection is necessary for the radio equipment part to offer functionality

plug-in radio device: equipment, including slide-in radio cards, intended to be used with or within a variety of host systems, using their control functions and power supply

stand-alone radio equipment: equipment that is intended primarily as communications equipment and that is normally used on a stand-alone basis

3.2 Symbols

For the purposes of the present document, the following symbols apply:

P_{min} minimum power required to establish a communication link

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

| | |
|------|---|
| AC | Alternating Current |
| ACK | ACKnowledgement |
| ARQ | Automatic Retransmission reQuest |
| BRAN | Broadband Radio Access Networks |
| BWA | Broadband Wireless Access |
| CR | Continuous phenomena applied to Receivers |
| CT | Continuous phenomena applied to Transmitters |
| DC | Direct Current |
| EMC | ElectroMagnetic Compatibility |
| ERM | Electromagnetic compatibility and Radio Matters |
| EUT | Equipment Under Test |
| ISM | Industrial, Scientific and Medical |
| MGWS | Multi-Gigabit Wireless Systems |
| MUS | Maximum Usable Sensitivity |
| NACK | Not ACKnowledgement |
| RF | Radio Frequency |
| RLAN | Radio Local Area Network |
| TR | Transient phenomena applied to Receivers |
| TT | Transient phenomena applied to Transmitters |

4 Test conditions

4.1 General

For the purposes of the present document, the test conditions of ETSI EN 301 489-1 [1], clause 4, shall apply as appropriate. Further product related test conditions for wideband data communications systems are specified in clauses 4.2 to 4.5.

The radio equipment may take forms which may require special software and/or test fixtures. Equipment which requires connection to a host equipment to function shall use a test configuration representative of the EUT's intended use and shall be recorded in the test report.

4.2 Arrangements for test signals

4.2.1 Arrangements for test signals at the input of transmitters

The provisions of ETSI EN 301 489-1 [1], clause 4.2.1 shall apply with the following modifications.

The wanted signals and/or controls required to establish a communication link and shall be representative of the EUTs intended use.

The transmitter shall be operated at maximum rated power.

4.2.2 Arrangements for test signals at the output of transmitters

The provisions of ETSI EN 301 489-1 [1], clause 4.2.2 shall apply with the following modifications.

A suitable companion receiver shall be used to receive messages or to set up a communication link.

4.2.3 Arrangements for test signals at the input of receivers

The provisions of ETSI EN 301 489-1 [1], clause 4.2.3 shall apply with the following modifications.

The wanted signals required to establish a communication link shall be representative of the EUTs intended use.

The level of the wanted signal at the input of the receiver shall be not greater than 30 dB above the Pmin for the EUTs.

NOTE: Simple method to establish the required communication link is establish link, reduce power to point of link failure then increase by no more than 30 dB.

4.2.4 Arrangements for test signals at the output of receivers

The measuring equipment for the output signal from the receiver under test shall be located outside the test environment.

It shall be possible to assess the performance of the equipment by appropriately monitoring the receiver output.

If the receiver has an output connector or port providing the wanted output signal, then this port shall be used via a cable, consistent with the standard cable used in normal operation, connected to the external measuring equipment outside the test environment.

Precautions shall be taken to ensure that any effect on the test due to the coupling means is minimized.

A suitable companion transmitter shall be used to transmit messages or to set up a communication link.

4.2.5 Arrangements for testing transmitter and receiver together (as a system)

The provisions of ETSI EN 301 489-1 [1], clause 4.2.0 shall apply.

A suitable companion transceiver or transmitter and receiver shall be used to send and receive messages or to set up a communication link.

Both the EUT and the companion equipment shall transmit the normal test modulation. Further, the output of the radio equipment under test shall be monitored by the test system.

4.2.6 Equipment with an external antenna connector

If access to the antenna connector involves modification or dismantling of the EUT then this clause does not apply.

The EUT may be tested with its antenna removed.

In the case of testing with the antenna removed, the wanted RF input and output signals shall be delivered between the EUT antenna connector and the measuring and/or test equipment by a shielded transmission line, such as a coaxial cable. Adequate measures shall be taken to minimize the effect of common mode currents on the transmission line at the point of entry to the EUT and at the measuring/test equipment.

4.2.7 Equipment without an external antenna connector (integral antenna)

This clause applies to EUT to which clause 4.2.6 does not apply. Such EUT are generally known as integral antenna or dedicated antenna equipment.

The EUT shall be tested with its antenna fitted in a manner typical of intended use.