INTERNATIONAL STANDARD

ISO 26262-7

First edition 2011-11-15

Road vehicles — Functional safety — Part 7: Production and operation

Véhicules routiers — Sécurité fonctionnelle — Partie 7: Production et utilisation

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 26262-7:2011 https://standards.iteh.ai/catalog/standards/sist/bce819a7-78f8-4d1a-a354-df20d513d470/iso-26262-7-2011



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 26262-7:2011 https://standards.iteh.ai/catalog/standards/sist/bce819a7-78f8-4d1a-a354-df20d513d470/iso-26262-7-2011



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Page

Contents

Foreword		iv
Intro	ductionduction	ν
1	Scope	1
2	Normative references	1
3	Terms, definitions and abbreviated terms	2
4	Requirements for compliance	
4.1	General requirements	
4.2	Interpretations of tables	
4.3	ASIL-dependent requirements and recommendations	
5	Production	3
5.1	Objectives	
5.2	General	
5.3	Inputs to this clause	
5.4	Requirements and recommendations	
5.5		
6	Work products	6
6.1	Objectives	٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠
6.2	Objectives (standards.itch.ai) General	
6.2 6.3	Input to this clause	
6.4	Paguiroments and recommendations 6262-7:2011	
6.4 6.5	Input to this clause	
-	df20d513d470/iso-26262-7-2011 ex A (informative) Overview on and document flow of production and operation	
Anne	ex A (informative) Overview on and document flow of production and operation	10
Diblia	a graphy	4.4

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 26262-7 was prepared by Technical Committee ISO/TC 22, Road vehicles, Subcommittee SC 3, Electrical and electronic equipment.

ISO 26262 consists of the following parts, under the general title *Road vehicles* — Functional safety:

(standards.iteh.ai)

- Part 1: Vocabulary
- ISO 26262-7:2011

Part 2: Management of functional safety https://standards.itch.ai/catalog/standards/sist/bce819a7-78f8-4d1a-a354-

df20d513d470/jso-26262-7-2011

- Part 3: Concept phase
- Part 4: Product development at the system level
- Part 5: Product development at the hardware level
- Part 6: Product development at the software level
- Part 7: Production and operation
- Part 8: Supporting processes
- Part 9: Automotive Safety Integrity Level (ASIL)-oriented and safety-oriented analyses
- Part 10: Guideline on ISO 26262

Introduction

ISO 26262 is the adaptation of IEC 61508 to comply with needs specific to the application sector of electrical and/or electronic (E/E) systems within road vehicles.

This adaptation applies to all activities during the safety lifecycle of safety-related systems comprised of electrical, electronic and software components.

Safety is one of the key issues of future automobile development. New functionalities not only in areas such as driver assistance, propulsion, in vehicle dynamics control and active and passive safety systems increasingly touch the domain of system safety engineering. Development and integration of these functionalities will strengthen the need for safe system development processes and the need to provide evidence that all reasonable system safety objectives are satisfied.

With the trend of increasing technological complexity, software content and mechatronic implementation, there are increasing risks from systematic failures and random hardware failures. ISO 26262 includes guidance to avoid these risks by providing appropriate requirements and processes.

System safety is achieved through a number of safety measures, which are implemented in a variety of technologies (e.g. mechanical, hydraulic, pneumatic, electrical, electronic, programmable electronic) and applied at the various levels of the development process. Although ISO 26262 is concerned with functional safety of E/E systems, it provides a framework within which safety-related systems based on other technologies can be considered. ISO 26262: ards.iteh.ai)

- a) provides an automotive safety lifecycle (management, development, production, operation, service, decommissioning) and supports tailoring the necessary activities during these lifecycle phases;
- b) provides an automotive-specific risk-based approach to determine integrity levels [Automotive Safety Integrity Levels (ASIL)];
- uses ASILs to specify applicable requirements of ISO 26262 so as to avoid unreasonable residual risk;
- d) provides requirements for validation and confirmation measures to ensure a sufficient and acceptable level of safety being achieved;
- e) provides requirements for relations with suppliers.

Functional safety is influenced by the development process (including such activities as requirements specification, design, implementation, integration, verification, validation and configuration), the production and service processes and by the management processes.

Safety issues are intertwined with common function-oriented and quality-oriented development activities and work products. ISO 26262 addresses the safety-related aspects of development activities and work products.

Figure 1 shows the overall structure of this edition of ISO 26262. ISO 26262 is based upon a V-model as a reference process model for the different phases of product development. Within the figure:

- the shaded "V"s represent the interconnection between ISO 26262-3, ISO 26262-4, ISO 26262-5, ISO 26262-6 and ISO 26262-7;
- the specific clauses are indicated in the following manner: "m-n", where "m" represents the number of the particular part and "n" indicates the number of the clause within that part.

EXAMPLE "2-6" represents Clause 6 of ISO 26262-2.




Figure 1 — Overview of ISO 26262

Road vehicles — Functional safety —

Part 7:

Production and operation

1 Scope

ISO 26262 is intended to be applied to safety-related systems that include one or more electrical and/or electronic (E/E) systems and that are installed in series production passenger cars with a maximum gross vehicle mass up to 3 500 kg. ISO 26262 does not address unique E/E systems in special purpose vehicles such as vehicles designed for drivers with disabilities.

Systems and their components released for production, or systems and their components already under development prior to the publication date of ISO 26262, are exempted from the scope. For further development or alterations based on systems and their components released for production prior to the publication of ISO 26262, only the modifications will be developed in accordance with ISO 26262.

ISO 26262 addresses possible hazards caused by malfunctioning behaviour of E/E safety-related systems, including interaction of these systems. It does not address hazards related to electric shock, fire, smoke, heat, radiation, toxicity, flammability, reactivity, corrosion, release of energy and similar hazards, unless directly caused by malfunctioning behaviour of E/E safety-related systems.

https://standards.iteh.ai/catalog/standards/sist/bce819a7-78f8-4d1a-a354-

ISO 26262 does not address the mominal uperformance of E/E systems, even if dedicated functional performance standards exist for these systems (e.g. active and passive safety systems, brake systems, Adaptive Cruise Control).

This part of ISO 26262 specifies the requirements for production, operation, service and decommissioning.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 26262-2:2011, Road vehicles — Functional safety — Part 2: Management of functional safety
ISO 26262-3:2011, Road vehicles — Functional safety — Part 3: Concept phase

ISO 26262-4:2011, Road vehicles — Functional safety — Part 4: Product development at the system level

ISO 26262-5:2011, Road vehicles — Functional safety — Part 5: Product development at the hardware level

ISO 26262-6:2011, Road vehicles — Functional safety — Part 6: Product development at the software level

ISO 26262-8:2011, Road vehicles — Functional safety — Part 8: Supporting processes

ISO 26262-1:2011, Road vehicles — Functional safety — Part 1: Vocabulary

ISO 26262-9:2011, Road vehicles — Functional safety — Part 9: Automotive Safety Integrity Level (ASIL)-oriented and safety-oriented analyses

3 Terms, definitions and abbreviated terms

For the purposes of this document, the terms, definitions and abbreviated terms given in ISO 26262-1:2011 apply.

4 Requirements for compliance

4.1 General requirements

When claiming compliance with ISO 26262, each requirement shall be complied with, unless one of the following applies:

- a) tailoring of the safety activities in accordance with ISO 26262-2 has been planned and shows that the requirement does not apply, or
- b) a rationale is available that the non-compliance is acceptable and the rationale has been assessed in accordance with ISO 26262-2.

Information marked as a "NOTE" or "EXAMPLE" is only for guidance in understanding, or for clarification of the associated requirement, and shall not be interpreted as a requirement itself or as complete or exhaustive.

The results of safety activities are given as work products. Prerequisites" are information which shall be available as work products of a previous phase. Given that certain requirements of a clause are ASIL-dependent or may be tailored, certain work products may not be needed as prerequisites.

"Further supporting information" is information, that can be considered, but which in some cases is not required by ISO 26262 as a work product of a previous phase and which may be made available by external sources that are different from the persons or organizations responsible for the functional safety activities.

4.2 Interpretations of tables

Tables are normative or informative depending on their context. The different methods listed in a table contribute to the level of confidence in achieving compliance with the corresponding requirement. Each method in a table is either

- a) a consecutive entry (marked by a sequence number in the leftmost column, e.g. 1, 2, 3), or
- b) an alternative entry (marked by a number followed by a letter in the leftmost column, e.g. 2a, 2b, 2c).

For consecutive entries, all methods shall be applied as recommended in accordance with the ASIL. If methods other than those listed are to be applied, a rationale shall be given that these fulfil the corresponding requirement.

For alternative entries, an appropriate combination of methods shall be applied in accordance with the ASIL indicated, independent of whether they are listed in the table or not. If methods are listed with different degrees of recommendation for an ASIL, the methods with the higher recommendation should be preferred. A rationale shall be given that the selected combination of methods complies with the corresponding requirement.

NOTE A rationale based on the methods listed in the table is sufficient. However, this does not imply a bias for or against methods not listed in the table.

For each method, the degree of recommendation to use the corresponding method depends on the ASIL and is categorized as follows:

- "++" indicates that the method is highly recommended for the identified ASIL;
- "+" indicates that the method is recommended for the identified ASIL;
- "o" indicates that the method has no recommendation for or against its usage for the identified ASIL.

4.3 ASIL-dependent requirements and recommendations

The requirements or recommendations of each subclause shall be complied with for ASIL A, B, C and D, if not stated otherwise. These requirements and recommendations refer to the ASIL of the safety goal. If ASIL decomposition has been performed at an earlier stage of development, in accordance with ISO 26262-9:2011, Clause 5, the ASIL resulting from the decomposition shall be complied with.

If an ASIL is given in parentheses in ISO 26262, the corresponding subclause shall be considered as a recommendation rather than a requirement for this ASIL. This has no link with the parenthesis notation related to ASIL decomposition.

5 Production

5.1 Objectives iTeh STANDARD PREVIEW

The first objective of this clause is to develop and maintain a production process for safety-related elements or items that are intended to be installed in road vehicles.

The second objective is to achieve functional safety during the production process by the relevant manufacturer or the person or organisation responsible for the process (vehicle manufacturer, supplier, subsupplier, etc.).

df20d513d470/iso-26262-7-2011

5.2 General

The compliance with safety-related special characteristics of items or elements during their production, determined during the development phases, is necessary to achieve functional safety. Examples of such safety-related special characteristics are specific process parameters (e.g. temperature range or fastening torque), material characteristics, production tolerance, or configuration.

This phase defines requirements ensuring that functional safety is achieved during the production process by including these safety-related special characteristics in production planning and control.

The requirements and recommendations of this clause apply to the production and installation in the vehicle of items, systems or elements

5.3 Inputs to this clause

5.3.1 Prerequisites

The following information shall be available:

- specification of requirements related to production, operation, service and decommissioning in accordance with ISO 26262-4:2011, 7.5.4, and ISO 26262-5:2011, 7.5.4;
- specification of dedicated measures for hardware in accordance with ISO 26262-5:2011, 9.5.2; and
- release for production report in accordance with ISO 26262-4:2011, 11.5.1.