

# ETSI TS 123 179 V13.5.0 (2017-03)



TECHNICAL SPECIFICATION

**LTE;**  
**Functional architecture and information flows to support**  
**mission critical communication services;**  
**Stage 2**  
**(3GPP TS 23.179 version 13.5.0 Release 13)**

STANDARD PREVIEW  
(standards.itc.ai)  
<https://standards.itc.ai/standards/sist/4b231088-5ccf-498e-93f1-6dad1917-03>



## Reference

---

RTS/TSGS-0623179vd50

## Keywords

---

LTE**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

**Important notice**

---

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at  
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

---

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	12
1 Scope .....	13
2 References .....	13
3 Definitions, symbols and abbreviations .....	14
3.1 Definitions .....	14
3.2 Symbols.....	15
3.3 Abbreviations .....	15
4 Introduction .....	16
5 Assumptions and architectural requirements.....	17
5.1 Assumptions .....	17
5.1.1 Service continuity .....	17
5.1.2 Trust domain.....	17
5.2 Architectural requirements .....	17
5.2.1 General architectural requirements .....	17
5.2.2 Roaming requirements.....	17
5.2.3 Media routing requirements.....	18
5.2.4 Requirements for user identity management .....	18
5.2.5 Group affiliation and de-affiliation.....	18
5.2.6 MCPTT call requirements .....	18
5.2.6.1 General.....	18
5.2.6.2 Group call requirements.....	18
5.2.7 GCS AS requirements for the MCPTT service .....	19
5.2.8 UE-to-network relay MCPTT service requirements .....	19
5.2.9 Bearer management .....	19
5.2.9.1 General .....	19
5.2.9.2 EPS bearer considerations.....	20
5.2.9.2.1 Considerations for the EPS bearer to the MCPTT service PDN.....	20
5.2.9.2.2 Considerations for the EPS bearer to the MC common core services PDN and MC identity management service PDN .....	20
5.2.9.3 EPS unicast bearer considerations for MCPTT.....	20
5.2.9.4 MBMS bearer management .....	21
5.2.10 MCPTT system interconnect requirements.....	21
5.2.11 MCPTT user profile requirements .....	21
6 Involved business relationships.....	22
7 Functional model .....	24
7.1 General .....	24
7.2 Description of the planes .....	24
7.3 Functional model description .....	24
7.3.1 On-network functional model.....	24
7.3.2 Off-network functional model .....	27
7.4 Functional entities description.....	28
7.4.1 General.....	28
7.4.2 Application plane.....	28
7.4.2.1 General .....	28
7.4.2.2 Common services core .....	28
7.4.2.2.1 Configuration management client.....	28
7.4.2.2.2 Configuration management server.....	28
7.4.2.2.3 Group management client.....	29
7.4.2.2.4 Group management server.....	29

7.4.2.2.5	Identity management client .....	29
7.4.2.2.6	Identity management server.....	29
7.4.2.2.7	Key management client .....	29
7.4.2.2.8	Key management server .....	29
7.4.2.3	MCPTT application service .....	29
7.4.2.3.1	MCPTT client.....	29
7.4.2.3.2	MCPTT server.....	30
7.4.2.3.3	Floor participant .....	31
7.4.2.3.4	Floor control server .....	31
7.4.2.3.5	Media distribution function .....	31
7.4.2.3.6	Media mixer .....	31
7.4.2.3.7	MCPTT user database .....	31
7.4.3	Signalling control plane .....	31
7.4.3.1	SIP entities .....	31
7.4.3.1.1	Signalling user agent .....	31
7.4.3.1.2	SIP AS .....	32
7.4.3.1.3	SIP core .....	32
7.4.3.1.3.1	General.....	32
7.4.3.1.3.2	Local inbound / outbound proxy.....	32
7.4.3.1.3.3	Registrar finder .....	32
7.4.3.1.3.4	Registrar / application service selection.....	33
7.4.3.2	SIP database .....	33
7.4.3.2.1	General .....	33
7.4.3.2.2	SIP database logical functions .....	34
7.4.3.3	HTTP entities .....	34
7.4.3.3.1	HTTP client .....	34
7.4.3.3.2	HTTP proxy.....	35
7.4.3.3.3	HTTP server .....	35
7.5	Reference points .....	35
7.5.1	General reference point principle.....	35
7.5.2	Application plane.....	35
7.5.2.1	General .....	35
7.5.2.2	Reference point MCPTT-1 (between the MCPTT client and the MCPTT server).....	35
7.5.2.3	Reference point MCPTT-2 (between the MCPTT server and the MCPTT user database).....	36
7.5.2.4	Reference point MCPTT-3 (between the MCPTT server and the MCPTT server).....	36
7.5.2.5	Reference point MCPTT-4 (unicast between the floor control server and the floor participant).....	36
7.5.2.6	Reference point MCPTT-5 (between the media distribution function and the EPS) .....	36
7.5.2.7	Reference point MCPTT-6 (between the MCPTT server and the EPS).....	36
7.5.2.8	Reference point MCPTT-7 (unicast between the media distribution function and the media mixer).....	36
7.5.2.9	Reference point MCPTT-8 (multicast between the media distribution function and the media mixer).....	37
7.5.2.10	Reference point MCPTT-9 (multicast between the floor control server and the floor participant).....	37
7.5.2.11	Reference point CSC-1 (between the identity management client and the identity management server) .....	37
7.5.2.12	Reference point CSC-2 (between the group management client and the group management server for configuration while UE is on-network) .....	37
7.5.2.13	Reference point CSC-3 (between the MCPTT server and the group management server).....	37
7.5.2.14	Reference point CSC-4 (between the configuration management client and the configuration management server for configuration while UE is on-network) .....	37
7.5.2.15	Reference point CSC-5 (between the MCPTT server and the configuration management server).....	38
7.5.2.16	Void.....	38
7.5.2.17	Reference point CSC-7 (between the group management servers).....	38
7.5.2.18	Reference point CSC-8 (between the key management server and the key management client).....	38
7.5.2.19	Reference point CSC-9 (between the key management server and the MCPTT server).....	38
7.5.2.20	Reference point CSC-10 (between the key management server and the group management server) .....	38
7.5.2.21	Reference point CSC-11 (between the configuration management client and the configuration management server for configuration while UE is off-network).....	39
7.5.2.22	Reference point CSC-12 (between the group management client and the group management server for configuration while UE is off-network).....	39

7.5.2.23	Reference point CSC-13 (between the configuration management server and the MCPTT user database) .....	39
7.5.2.24	Reference point IWF-1 (between the MCPTT server and the interworking function to legacy systems).....	39
7.5.3	Signalling control plane .....	39
7.5.3.1	General .....	39
7.5.3.2	Reference point SIP-1(between the signalling user agent and the SIP core).....	39
7.5.3.3	Reference point SIP-2 (between the SIP core and the SIP AS).....	40
7.5.3.4	Reference point SIP-3 (between the SIP core and SIP core).....	40
7.5.3.5	Reference point HTTP-1 (between the HTTP client and the HTTP proxy).....	40
7.5.3.6	Reference point HTTP-2 (between the HTTP proxy and the HTTP server).....	40
7.5.3.7	Reference point HTTP-3 (between the HTTP proxy and HTTP proxy) .....	40
7.5.3.8	Reference point AAA-1 (between the SIP database and the SIP core) .....	40
8	Identities .....	41
8.1	Application plane .....	41
8.1.1	Mission Critical user identity (MC ID).....	41
8.1.2	MCPTT user identity (MCPTT ID) .....	41
8.1.3	MCPTT group identity (MCPTT group ID) .....	41
8.1.3.1	General .....	41
8.1.3.2	MCPTT group ID management (off-network operation) .....	42
8.2	SIP signalling control plane.....	42
8.3	Relationship between identities in different planes .....	43
8.3.1	Relationship between MCPTT ID and public user identity .....	43
8.3.2	Relationship between MCPTT group ID and public service identity .....	43
9	Application of functional model to deployments .....	44
9.1	General .....	44
9.2	Architecture model and deployment scenarios for on-network operations .....	44
9.2.1	On-network architectural model .....	44
9.2.1.1	On-network architectural model diagram .....	44
9.2.1.2	Application services layer .....	45
9.2.1.2.1	Overview .....	45
9.2.1.2.2	Common services core .....	45
9.2.1.2.3	MCPTT application service.....	45
9.2.1.3	SIP core .....	45
9.2.1.4	EPS.....	45
9.2.1.5	UE 1 .....	45
9.2.1.6	UE 2 .....	45
9.2.2	Deployment scenarios .....	46
9.2.2.1	Administration of MCPTT application service, SIP core and EPS .....	46
9.2.2.1.1	General .....	46
9.2.2.1.2	Common administration of all planes .....	46
9.2.2.1.3	MCPTT service provider separate from SIP core and EPS .....	47
9.2.2.1.4	MCPTT service provider administers SIP core, separate from EPS.....	47
9.2.2.1.5	SIP core partially administered by both PLMN operator and MCPTT service provider.....	48
9.2.2.1.6	PLMN operator administers SIP core with SIP identities administered by MCPTT service provider .....	49
9.2.2.2	MCPTT user database, SIP database and HSS.....	49
9.2.2.3	Control of bearers by SIP core and MCPTT server .....	52
9.2.2.3.1	General .....	52
9.2.2.3.2	Control of bearers by SIP core .....	52
9.2.2.3.3	Control of bearers by MCPTT server .....	53
9.3	Architecture model for off-network operations.....	53
9.3.1	Off-network architectural model diagram.....	53
9.3.2	UE 3.....	54
9.3.3	UE 4.....	54
9.3.4	Off-line common services server .....	54
9.4	Architecture model for roaming .....	55
10	Procedures and information flows.....	55
10.1	MCPTT configuration .....	55
10.1.1	General.....	55



10.1.2	Information flows for MCPTT configuration .....	56
10.1.2.1	Store group configuration request .....	56
10.1.2.2	Store group configuration response.....	56
10.1.2.3	Get group configuration request.....	56
10.1.2.4	Get group configuration response .....	56
10.1.2.5	Subscribe group configuration request.....	57
10.1.2.6	Subscribe group configuration response .....	57
10.1.2.7	Notify group configuration request.....	57
10.1.2.8	Notify group configuration response.....	57
10.1.3	MCPTT UE configuration data.....	57
10.1.3.1	General .....	57
10.1.3.2	Procedures.....	57
10.1.3.3	Structure of UE configuration data .....	58
10.1.4	MCPTT user profile.....	58
10.1.4.1	General .....	58
10.1.4.1a	Information flows for MCPTT user profile.....	59
10.1.4.1a.1	Get MCPTT user profile request .....	59
10.1.4.1a.2	Get MCPTT user profile response .....	59
10.1.4.1a.3	Notification for MCPTT user profile data update .....	59
10.1.4.1a.4	Get updated MCPTT user profile data request .....	59
10.1.4.1a.5	Get updated MCPTT user profile data response.....	60
10.1.4.1a.6	Update MCPTT user profile data request .....	60
10.1.4.1a.7	Update MCPTT user profile data response .....	60
10.1.4.2	MCPTT user obtains the MCPTT user profile(s) from the network .....	60
10.1.4.3	MCPTT user receives updated MCPTT user profile data from the network.....	61
10.1.4.4	MCPTT user updates the MCPTT user profile data to the network.....	62
10.1.5	MCPTT group configuration management.....	62
10.1.5.1	Store group configurations at the group management server .....	62
10.1.5.2	Retrieve group configurations at the group management client .....	63
10.1.5.3	Subscription and notification for group configuration data.....	64
10.1.5.4	Structure of group configuration data .....	65
10.1.5.5	Dynamic data associated with a group .....	65
10.2	User authentication and authorization for MCPTT service .....	65
10.3	Affiliation to MCPTT group(s) .....	66
10.3.1	General.....	66
10.3.2	Information flows for affiliation.....	66
10.3.2.1	MCPTT group affiliation request.....	66
10.3.2.1a	MCPTT group affiliation request (MCPTT server – MCPTT server) .....	67
10.3.2.2	MCPTT group affiliation response .....	67
10.3.2.2a	MCPTT group affiliation response (MCPTT server – MCPTT server) .....	67
10.3.2.3	Group affiliation status update .....	67
10.3.2.4	MCPTT group de-affiliation request.....	68
10.3.2.4a	MCPTT group de-affiliation request (MCPTT server – MCPTT server) .....	68
10.3.2.5	MCPTT group de-affiliation response .....	68
10.3.2.5a	MCPTT group de-affiliation response (MCPTT server – MCPTT server).....	68
10.3.2.6	Group de-affiliation status update .....	69
10.3.2.7	MCPTT group affiliation change request.....	69
10.3.2.8	MCPTT group affiliation change response .....	69
10.3.3	Affiliation .....	69
10.3.3.1	MCPTT group affiliation procedure.....	69
10.3.3.2	Affiliation to MCPTT group(s) defined in partner MCPTT system.....	71
10.3.3.2.1	Functional description .....	71
10.3.3.2.2	Procedure.....	71
10.3.4	De-affiliation from MCPTT group(s) .....	72
10.3.4.1	General .....	72
10.3.4.2	MCPTT group de-affiliation procedure .....	72
10.3.4.3	De-affiliation from MCPTT group(s) defined in partner MCPTT system.....	73
10.3.5	Remote change of affiliation.....	75
10.3.5.1	Remote change of affiliation for groups defined in primary MCPTT system.....	75
10.3.5.1.1	Authorized user remotely changes another MCPTT user's affiliated MCPTT group(s) – mandatory mode .....	75

10.3.5.1.2	Authorized user remotely changes another MCPTT user's affiliated MCPTT group(s) – negotiated mode.....	76
10.3.5.2	Remote change of affiliation for groups defined in partner MCPTT system .....	78
10.3.5.2.1	Authorized user remotely changes another MCPTT user's affiliated MCPTT group(s) defined in partner MCPTT system – mandatory mode.....	78
10.4	Group management (on-network) .....	79
10.4.1	General.....	79
10.4.2	Information flows for group management .....	80
10.4.2.1	Group creation request .....	80
10.4.2.2	Group creation confirmation response .....	80
10.4.2.3	Group regroup request.....	80
10.4.2.4	Group regroup confirmation response.....	80
10.4.2.5	Group regroup teardown request.....	81
10.4.2.6	Group regroup teardown response .....	81
10.4.2.7	Group creation notify .....	81
10.4.2.8	Group regroup notify.....	81
10.4.2.9	Group regroup teardown notify.....	81
10.4.2.9a	Group regroup teardown notification .....	82
10.4.2.9b	Group regroup teardown notification response .....	82
10.4.2.10	Group regroup request.....	82
10.4.2.11	Group regroup response .....	82
10.4.2.12	Group regroup notification.....	82
10.4.2.13	Group regroup notification response .....	83
10.4.3	Group creation .....	83
10.4.4	Group regrouping.....	84
10.4.4.1	Temporary group formation - group regrouping within an MCPTT system .....	84
10.4.4.2	Temporary group formation involving multiple MCPTT systems.....	85
10.4.4.3	Temporary group tear down involving multiple group host servers .....	87
10.5	Pre-established session (on-network).....	89
10.5.1	General.....	89
10.5.2	Information flows for pre-established session .....	89
10.5.2.1	Pre-established session establishment .....	89
10.5.2.2	Pre-established session modification .....	90
10.5.2.3	Pre-established session release - client initiated.....	90
10.5.2.4	Pre-established session release - server initiated.....	91
10.5.2.5	Pre-established session call connect request .....	91
10.5.2.6	Pre-established session call disconnect request.....	91
10.5.3	Procedures.....	92
10.5.3.1	General .....	92
10.5.3.2	Pre-established session establishment .....	92
10.5.3.3	Pre-established session modification .....	94
10.5.3.4	Pre-established session release .....	95
10.5.3.5	Call connect and disconnect procedures using pre-established session .....	96
10.5.3.5.1	Call connect and disconnect over unicast .....	96
10.6	Group call.....	97
10.6.1	General.....	97
10.6.2	On-network group call .....	97
10.6.2.1	General .....	97
10.6.2.2	Information flows for group call in on-network.....	97
10.6.2.2.1	MCPTT emergency group call request.....	97
10.6.2.2.1a	MCPTT emergency group call response .....	97
10.6.2.2.2	MCPTT emergency group call cancel request.....	97
10.6.2.2.2a	MCPTT emergency group call cancel response .....	98
10.6.2.2.3	MCPTT emergency alert request.....	98
10.6.2.2.3a	MCPTT emergency alert response .....	99
10.6.2.2.4	MCPTT emergency state cancel request .....	99
10.6.2.2.4a	MCPTT emergency state cancel response .....	99
10.6.2.2.5	MCPTT imminent peril group call request.....	99
10.6.2.2.5a	MCPTT imminent peril group call response .....	100
10.6.2.2.6	MCPTT imminent peril group call cancel request.....	100
10.6.2.2.6a	MCPTT imminent peril group call cancel response .....	100
10.6.2.2.7	Group call request (MCPTT client – MCPTT server).....	100



10.6.2.2.8	Group call request (MCPTT server – MCPTT server) .....	101
10.6.2.2.9	Group call request (MCPTT server – MCPTT client) .....	101
10.6.2.2.10	Group call response (MCPTT server – MCPTT client).....	101
10.6.2.2.11	Group call response (MCPTT server – MCPTT server).....	101
10.6.2.2.12	Group call response (MCPTT client – MCPTT server).....	102
10.6.2.2.13	Group call notify (MCPTT server – MCPTT client) .....	102
10.6.2.2.14	Group call release request (MCPTT server – MCPTT client) .....	102
10.6.2.2.15	Group call release request (MCPTT server – MCPTT server) .....	102
10.6.2.2.16	Group call release response (MCPTT client – MCPTT server).....	103
10.6.2.2.17	Group call release response (MCPTT server – MCPTT server).....	103
10.6.2.2.18	Group call rejoin request (MCPTT client – MCPTT server).....	103
10.6.2.2.19	Group call rejoin response (MCPTT server – MCPTT client) .....	103
10.6.2.2.20	Group join request (MCPTT client – MCPTT server).....	104
10.6.2.2.21	Group join response (MCPTT server – MCPTT client) .....	104
10.6.2.2.22	Group call leave request (MCPTT server – MCPTT client).....	104
10.6.2.2.23	Group call leave response (MCPTT client – MCPTT server) .....	105
10.6.2.2.24	Group interrogate request (MCPTT server – MCPTT server).....	105
10.6.2.2.25	Group interrogate response (MCPTT server – MCPTT server) .....	105
10.6.2.3	Group call within one MCPTT system.....	105
10.6.2.3.1	Group call models.....	105
10.6.2.3.1.1	Pre-arranged group call.....	105
10.6.2.3.1.2	Chat group call.....	110
10.6.2.3.2	Exiting group call due to de-affiliation.....	115
10.6.2.4	Group call involving groups from multiple MCPTT systems .....	116
10.6.2.4.1	Group call for temporary groups across multiple MCPTT systems .....	116
10.6.2.4.1.1	Group call setup .....	116
10.6.2.4.1.2	Group call release .....	118
10.6.2.4.2	Group call for temporary group formed by group regroup procedure involving multiple MCPTT systems via trusted mode.....	120
10.6.2.4.3	Group call for an MCPTT group defined in the partner MCPTT system .....	121
10.6.2.4.3.1	Group call setup procedure – initiating side .....	121
10.6.2.4.3.2	Group call setup – terminating side .....	122
10.6.2.4.4	Merging of groups involving multiple MCPTT systems .....	123
10.6.2.5	Broadcast group call.....	124
10.6.2.5.1	General .....	124
10.6.2.5.2	Common broadcast group call procedure .....	124
10.6.2.5.3	Temporary group – broadcast group call procedure .....	125
10.6.2.6	Emergency and imminent peril procedures.....	126
10.6.2.6.1	MCPTT emergency group call .....	126
10.6.2.6.1.1	MCPTT emergency group call commencement.....	126
10.6.2.6.1.2	MCPTT group call upgraded to an MCPTT emergency group call.....	128
10.6.2.6.1.3	MCPTT emergency group call cancel .....	130
10.6.2.6.2	MCPTT imminent peril group call .....	132
10.6.2.6.2.1	MCPTT imminent peril group call commencement .....	132
10.6.2.6.2.2	Imminent peril group call upgrade.....	134
10.6.2.6.2.3	MCPTT imminent peril group call cancel .....	136
10.6.2.6.3	MCPTT emergency alert .....	137
10.6.2.6.3.1	MCPTT emergency alert initiation .....	137
10.6.2.6.3.2	MCPTT emergency state cancel .....	139
10.6.3	Off-network group call .....	140
10.6.3.1	General .....	140
10.6.3.2	Information flows for group call in off-network .....	140
10.6.3.2.1	Group call announcement.....	140
10.6.3.2.2	MCPTT upgrade to emergency call.....	141
10.6.3.2.3	MCPTT emergency group cancel.....	141
10.6.3.2.4	Response.....	141
10.6.3.2.5	MCPTT emergency alert request.....	142
10.6.3.2.6	MCPTT emergency alert cancel.....	142
10.6.3.2.7	MCPTT upgrade to imminent peril call.....	142
10.6.3.2.8	MCPTT imminent peril group call cancel .....	142
10.6.3.3	Group call setup .....	143
10.6.3.4	Passive join to group call .....	144

10.6.3.5	Join to ongoing group call when new entry member initiates the call with on-going group call id ....	145
10.6.3.6	Immediate group call announcement to join an ongoing group call .....	146
10.6.3.7	Group call release due to inactivity .....	147
10.6.3.8	Broadcast group call.....	147
10.6.3.9	Emergency and imminent peril procedures.....	148
10.6.3.9.1	Emergency group call.....	148
10.6.3.9.2	MCPTT imminent peril .....	149
10.6.3.9.3	MCPTT emergency alert .....	149
10.6.3.9.3.1	MCPTT emergency alert initiation .....	149
10.6.3.9.3.2	MCPTT emergency state cancel .....	151
10.7	Private call.....	152
10.7.1	General.....	152
10.7.2	Private call in on-network.....	152
10.7.2.1	Information flows for private call in on-network .....	152
10.7.2.1.1	MCPTT private call request (MCPTT client – MCPTT server).....	152
10.7.2.1.2	MCPTT private call request (MCPTT server – MCPTT server) .....	152
10.7.2.1.2a	MCPTT private call request (MCPTT server – MCPTT client).....	153
10.7.2.1.3	MCPTT private call response (MCPTT client – MCPTT server) .....	153
10.7.2.1.4	MCPTT private call response .....	153
10.7.2.1.4a	MCPTT call end request.....	154
10.7.2.1.5	MCPTT emergency private call request (MCPTT client to MCPTT server) .....	154
10.7.2.1.5a	MCPTT emergency private call request (MCPTT server to MCPTT client) .....	154
10.7.2.1.6	MCPTT progress indication .....	155
10.7.2.1.7	MCPTT ringing .....	155
10.7.2.2	Private call within one MCPTT system .....	155
10.7.2.2.1	Private call setup in automatic commencement mode .....	155
10.7.2.2.2	Private call setup in manual commencement mode .....	157
10.7.2.2.2.1	Description.....	157
10.7.2.2.2.2	Procedure .....	157
10.7.2.2.3	Private call release .....	159
10.7.2.2.3.1	Client initiated.....	159
10.7.2.2.3.2	Server initiated.....	160
10.7.2.3	Private call within several MCPTT systems .....	161
10.7.2.3.1	Private call setup in automatic commencement mode – MCPTT users in multiple MCPTT systems .....	161
10.7.2.3.2	Private call setup in manual commencement mode – MCPTT users in multiple MCPTT systems .....	163
10.7.2.3.3	Private call release – MCPTT users in multiple MCPTT systems .....	165
10.7.2.4	MCPTT emergency private call .....	165
10.7.2.4.1	MCPTT emergency private call commencement .....	165
10.7.2.4.2	MCPTT private call emergency upgrade.....	167
10.7.3	Private call in off-network.....	168
10.7.3.1	Information flows for private call in off-network .....	168
10.7.3.1.1	Call setup request .....	168
10.7.3.1.2	Call setup response .....	168
10.7.3.1.3	Call release request.....	168
10.7.3.1.4	Call release response .....	168
10.7.3.2	Use of ProSe capability for private call.....	169
10.7.3.3	Private call setup in automatic commencement mode.....	169
10.7.3.4	Private call setup in manual commencement mode .....	170
10.7.3.5	Private call release.....	171
10.7.3.6	MCPTT emergency private call .....	172
10.8	Simultaneous session for MCPTT call .....	172
10.8.1	General.....	172
10.9	Floor control.....	172
10.9.1	Floor control for on-network MCPTT service.....	172
10.9.1.1	General .....	172
10.9.1.2	Information flows for floor control for on-network .....	173
10.9.1.2.1	General .....	173
10.9.1.2.2	Floor request.....	173
10.9.1.2.3	Floor granted .....	173
10.9.1.2.4	Floor rejected.....	173

10.9.1.2.5	Floor request cancel.....	174
10.9.1.2.6	Floor request cancel response.....	174
10.9.1.2.7	Floor request cancel notify.....	174
10.9.1.2.8	Floor idle.....	175
10.9.1.2.9	Floor release.....	175
10.9.1.2.10	Floor taken.....	175
10.9.1.2.11	Floor revoked.....	175
10.9.1.2.12	Floor acknowledgement.....	176
10.9.1.2.13	Queue position request.....	176
10.9.1.2.14	Queue position info.....	176
10.9.1.3	Floor control within one MCPTT system.....	176
10.9.1.3.1	Floor request, floor granted and floor taken during an MCPTT session.....	176
10.9.1.3.2	Floor override.....	178
10.9.1.3.2.1	Floor override using floor revoked (also floor rejected) during an MCPTT session.....	178
10.9.1.3.2.2	Floor override without using floor revoked during an MCPTT session.....	179
10.9.1.3.3	Queue position during an MCPTT session.....	180
10.9.1.3.4	Floor request cancellation from the floor request queue.....	181
10.9.1.3.4.1	Floor request cancellation from the queue – MCPTT user initiated.....	181
10.9.1.3.4.2	Floor request cancellation from the queue - floor control server initiated.....	182
10.9.1.4	Floor control involving groups from multiple MCPTT systems.....	183
10.9.1.4.1	Partner MCPTT system routes all floor control messages to primary MCPTT system's floor control server.....	183
10.9.1.4.2	Partner MCPTT system performs filtering of floor control messages entering and leaving the partner MCPTT system.....	185
10.9.2	Floor control for off-network MCPTT service.....	188
10.9.2.1	General.....	188
10.9.2.2	Information flows for floor control for off-network.....	189
10.9.2.2.1	General.....	189
10.9.2.2.2	Floor granted.....	189
10.9.2.3	Floor control during silence.....	189
10.9.2.3.1	Successful floor taken (No floor contention).....	189
10.9.2.4	Simultaneous floor requests.....	190
10.9.2.5	Floor request during speaking with queue.....	190
10.9.2.6	Floor request during speaking without queue.....	191
10.9.2.7	Override.....	192
10.9.2.8	Floor queue status.....	193
10.10	Use of MBMS transmission (on-network).....	194
10.10.1	Information flows for MBMS Transmission.....	194
10.10.1.1	MBMS bearer announcement.....	194
10.10.1.2	MapGroupToBearer.....	195
10.10.1.3	UnmapGroupFromBearer.....	195
10.10.1.4	MBMS listening status report.....	195
10.10.2	Use of pre-established MBMS bearers.....	195
10.10.2.1	General.....	195
10.10.2.2	Procedure.....	196
10.10.3	Use of dynamic MBMS bearer establishment.....	197
10.10.4	Call connect and disconnect over MBMS.....	198
10.10.4.1	General.....	198
10.10.4.2	Procedure.....	198
10.10.4.2.1	Call connect over MBMS.....	198
10.10.4.2.2	Call disconnect over MBMS.....	199
10.10.5	Switching from MBMS bearer to unicast bearer.....	200
10.11	MCPTT resource management (on-network).....	201
10.11.1	General.....	201
10.11.2	Request for unicast resources at session establishment.....	201
10.11.3	Request for modification of unicast resources.....	202
10.11.4	Management of multicast media bearers.....	203
10.11.5	Request for resources with shared priority.....	204
10.11.5.1	General.....	204
10.11.5.2	Procedure.....	204
10.12	MCPTT media plane transmissions with partner MCPTT systems (on-network).....	205
10.13	Use of UE-to-network relay.....	207

10.13.1	UE-to-network relay service authorization .....	207
10.13.2	UE-to-network relay MCPTT service .....	207
10.14	Location information (on-network) .....	207
10.14.1	General .....	207
10.14.2	Information flows for location information .....	207
10.14.2.1	Location reporting configuration .....	207
10.14.2.2	Location information report .....	208
10.14.2.3	Location information request .....	208
10.14.2.4	Event-triggered location reporting procedure .....	208
10.14.2.5	On-demand location reporting procedure .....	209
<b>Annex A (informative): Service continuity for MCPTT .....</b>		<b>211</b>
A.1	Service continuity between on-network MCPTT service and UE-to-network relay MCPTT service .....	211
<b>Annex B (normative): MCPTT related data .....</b>		<b>214</b>
B.1	General .....	214
B.2	UE configuration data .....	214
B.3	MCPTT user profile data .....	215
B.4	Group configuration data .....	220
B.5	Service configuration data .....	223
B.6	Initial UE configuration data .....	225
<b>Annex C (informative): Local UE settings for MCPTT .....</b>		<b>226</b>
C.1	Local UE settings for MCPTT .....	226
<b>Annex D (informative): Change history .....</b>		<b>227</b>
History .....		232

---

# Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/4b231188-5cef-498e-93f1-6da8dd975b52/etsi-ts-123-179-v13.5.0>  
2017-03