



LTE;
Functional architecture and information flows to support
Mission Critical Video (MCVideo);
Stage 2
(3GPP TS 23.281 version 14.1.0 Release 14)

Revised Standard
Full Standard
<https://standards.iteh.arabia.org/tarjil/b303de-ab9b-4596-9017-d30aa1e82fae112232414224d> - 2017-05



Reference

DTS/TSGS-0623281ve10

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD REVIEW
*Full standard:
http://www.etsi.org/standards-search*

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2017.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
oneM2M logo is protected for the benefit of its Members
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are NOT allowed in ETSI deliverables except when used in direct citation.

IT IS A DRAFT PREVIEW
<https://standards.iteh.ai/collaborationlog/statistics/4596-007-d30aa1e82bce-i-ts-123>
V14.1.0-2017-05

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	10
1 Scope	11
2 References	11
3 Definitions, symbols and abbreviations	12
3.1 Definitions	12
3.2 Symbols	13
3.3 Abbreviations	13
4 Introduction	13
5 Architectural requirements	13
5.1 Media routing requirements	13
5.2 MCVideo group affiliation and MCVideo group de-affiliation	14
5.3 Device inventory requirements.....	14
5.4 Device discovery requirements (off-network).....	14
5.5 Bearer management.....	14
5.5.1 General.....	14
5.5.2 EPS bearer considerations	14
5.5.3 EPS unicast bearer considerations for MCVideo.....	14
5.5.4 MBMS bearer management	15
5A Involved business relationships	15
6 MCVideo Functional model.....	15
6.1 Functional model description	15
6.1.1 On-network functional model	15
6.1.2 Off-network functional model	15
6.2 Functional entities description.....	16
6.2.1 General.....	16
6.2.2 MCVideo service application plane.....	16
6.2.2.1 General	16
6.2.2.2 Common services core	16
6.2.2.3 MCVideo application service.....	16
6.2.2.3.1 MCVideo client	16
6.2.2.3.2 MCVideo server	16
6.2.2.3.3 Media distribution function	17
6.2.2.3.4 Media mixer	17
6.2.2.3.5 MCVideo user database.....	17
6.2.2.3.6 Transmission control server.....	17
6.2.2.3.7 Transmission control participant	18
6.3 Reference points	18
6.3.1 Reference point MCVideo-1 (between the MCVideo client and the MCVideo server)	18
6.3.2 Reference point MCVideo-2 (between the MCVideo server and the MCVideo user database).....	18
6.3.3 Reference point MCVideo-3 (between the MCVideo server and the MCVideo server)	18
6.3.4 Reference point MCVideo-4 (between the transmission control participant and the transmission control server).....	18
6.3.4A Reference point MCVideo-5 (unicast between the media distribution function and the EPS)	18
6.3.4B Reference point MCVideo-6 (between the MCVideo server and the EPS)	19
6.3.5 Reference point MCVideo-7 (between the media distribution function and the media mixer)	19
6.3.6 Reference point MCVideo-8 (between the media distribution function and the media mixer)	19
6.3.7 Reference point MCVideo-9 (between the transmission control participant and the transmission control server).....	19

6A	Identities	19
6B	Application of functional model to deployments	19
7	Procedures and information flows	19
7.1	Group call	19
7.1.1	General	19
7.1.2	On-network group call	20
7.1.2.1	General	20
7.1.2.2	Information flows for group call in on-network	20
7.1.2.2.1	Group call request (MCVideo client – MCVideo server)	20
7.1.2.2.2	Group call request (MCVideo server – MCVideo client)	20
7.1.2.2.3	Group call response (MCVideo server – MCVideo client)	20
7.1.2.2.4	Group call response (MCVideo client – MCVideo server)	21
7.1.2.2.5	Group call release request (MCVideo server – MCVideo client)	21
7.1.2.2.6	Group call release request (MCVideo client – MCVideo server)	21
7.1.2.2.7	Group call release response (MCVideo client – MCVideo server)	21
7.1.2.2.8	Group call rejoin request (MCVideo client – MCVideo server)	22
7.1.2.2.9	Group call rejoin response (MCVideo server – MCVideo client)	22
7.1.2.2.10	Group call join request (MCVideo client – MCVideo server)	22
7.1.2.2.11	Group call join response (MCVideo server – MCVideo client)	23
7.1.2.2.12	Group call leave request (MCVideo server – MCVideo client)	23
7.1.2.2.13	Group call leave response (MCVideo client – MCVideo server)	23
7.1.2.2.14	MCVideo emergency alert request	23
7.1.2.2.15	MCVideo emergency alert response	24
7.1.2.2.16	MCVideo emergency state cancel request	24
7.1.2.2.17	MCVideo emergency state cancel response	25
7.1.2.2.18	MCVideo emergency group call request	25
7.1.2.2.19	MCVideo emergency group call response	25
7.1.2.2.20	MCVideo emergency group call cancel request	25
7.1.2.2.21	MCVideo emergency group call cancel response	26
7.1.2.2.22	MCVideo imminent peril group call request	26
7.1.2.2.23	MCVideo imminent peril group call response	26
7.1.2.2.24	MCVideo imminent peril group call cancel request	26
7.1.2.2.25	MCVideo imminent peril group call cancel response	27
7.1.2.3	Group call within one MC system	27
7.1.2.3.1	Group call models	27
7.1.2.3.1.1	Pre-arranged group call	27
7.1.2.3.1.2	Chat group call	32
7.1.2.3.2	Exiting group call due to de-affiliation	36
7.1.2.4	Broadcast group call	37
7.1.2.4.1	General	37
7.1.2.4.2	Common broadcast group call procedure	37
7.1.2.5	Emergency and imminent peril procedures	38
7.1.2.5.1	MCVideo emergency group call	38
7.1.2.5.1.1	MCVideo emergency group call commencement	38
7.1.2.5.1.2	MCVideo group call upgraded to an MCVideo emergency group call	40
7.1.2.5.1.3	MCVideo emergency group call cancel	42
7.1.2.5.2	MCVideo imminent peril group call	44
7.1.2.5.2.1	MCVideo imminent peril group call commencement	44
7.1.2.5.2.2	Imminent peril group call upgrade	46
7.1.2.5.2.3	MCVideo imminent peril group call cancel	48
7.1.2.6	MCVideo emergency alert	49
7.1.2.6.1	General	49
7.1.3	Off-network group communications	49
7.1.3.1	General	49
7.1.3.2	Information flows for off-network group communications	49
7.1.3.2.1	Group communication announcement	49
7.1.3.2.2	Group communication answer response	50
7.1.3.2.3	MCVideo upgrade to emergency group communication	50
7.1.3.2.4	MCVideo emergency group communication cancel	51
7.1.3.2.5	MCVideo upgrade to imminent peril group communication	51

7.1.3.2.6	MCVideo imminent peril group communication cancel	51
7.1.3.2.7	MCVideo emergency alert announcement	51
7.1.3.2.8	MCVideo emergency alert cancel announcement	52
7.1.3.3	Group communication setup	52
7.1.3.3.1	General	52
7.1.3.3.2	Procedure.....	52
7.1.3.4	Passive join to group communication	53
7.1.3.4.1	General	53
7.1.3.4.2	Procedure.....	54
7.1.3.5	Active join to group communication.....	55
7.1.3.5.1	General	55
7.1.3.5.2	Procedure.....	55
7.1.3.6	Broadcast group communication.....	56
7.1.3.7	Group communication release due to inactivity	56
7.1.3.8	Emergency and imminent peril procedures.....	57
7.1.3.8.1	Emergency group communication.....	57
7.1.3.8.2	MCVideo imminent peril.....	57
7.1.3.9	MCVideo emergency alert	58
7.1.3.9.1	General	58
7.2	Private call.....	58
7.2.1	General.....	58
7.2.2	Private call on-network	58
7.2.2.1	General	58
7.2.2.2	Information flows for private call in on-network.....	58
7.2.2.2.1	MCVideo private call request (MCVideo client – MCVideo server).....	58
7.2.2.2.2	MCVideo private call request (MCVideo server – MCVideo client).....	59
7.2.2.2.3	MCVideo private call response (MCVideo client – MCVideo server).....	59
7.2.2.2.4	MCVideo private call response (MCVideo server – MCVideo client).....	60
7.2.2.2.5	MCVideo call end request	60
7.2.2.3	Private call within one MC system	60
7.2.2.3.1	Private call setup in automatic commencement mode	60
7.2.2.3.2	Private call setup in manual commencement mode	62
7.2.2.3.2.1	Description.....	62
7.2.2.3.2.2	Procedure	62
7.2.2.3.3	Private call release	63
7.2.2.3.3.1	Client initiated.....	63
7.2.2.3.3.2	Server initiated.....	64
7.2.3	Off-network private communications	65
7.2.3.1	General.....	65
7.2.3.2	Information flows for off-network private communications	65
7.2.3.2.1	Private communication request	65
7.2.3.2.2	Private communication answer response	66
7.2.3.2.3	Private communication release request.....	66
7.2.3.2.4	Private communication release response	67
7.2.3.3	Use of ProSe for off-network private communications	67
7.2.3.4	Automatic commencement private communication	67
7.2.3.4.1	General	67
7.2.3.4.2	Procedure	67
7.2.3.5	Manual commencement private communication.....	69
7.2.3.5.1	General	69
7.2.3.5.2	Procedure – Communication accepted	69
7.2.3.5.3	Procedure – Communication rejected/ignored	71
7.2.3.6	Private communication release	72
7.2.3.6.1	General	72
7.2.3.6.2	Procedure.....	72
7.3	Video pull.....	73
7.3.1	General.....	73
7.3.2	On-network video pull	73
7.3.2.1	General	73
7.3.2.2	Information flows for on-network video pull	73
7.3.2.2.1	MCVideo pull from server request	74
7.3.2.2.2	MCVideo pull from server response.....	74

7.3.2.2.3	MCVideo pull from server complete request	74
7.3.2.2.4	MCVideo pull from server complete response	74
7.3.2.3	One-to-one video pull	75
7.3.2.3.1	General	75
7.3.2.3.2	One-to-one video pull – call setup.....	75
7.3.2.3.3	One-to-one video pull – call release	76
7.3.2.4	One-from-server video pull.....	76
7.3.2.4.1	General	76
7.3.2.4.2	Procedure.....	76
7.3.3	Off-network video pull	77
7.3.3.1	General	77
7.3.3.2	Information flows for off-network video pull	78
7.3.3.3	Video pull to self.....	78
7.3.3.3.1	General	78
7.3.3.3.2	Procedure.....	78
7.4	Video push.....	80
7.4.1	General.....	80
7.4.2	On-network video push.....	80
7.4.2.1	General	80
7.4.2.2	Information flows for on-network video push.....	80
7.4.2.2.1	Remote video push request.....	80
7.4.2.2.2	Remote video push response	81
7.4.2.2.3	Remote video push release request.....	81
7.4.2.2.4	MCVideo push to server request	82
7.4.2.2.5	MCVideo push to server response	82
7.4.2.2.6	MCVideo push to server complete request.....	82
7.4.2.2.7	MCVideo push to server complete response	83
7.4.2.3	One-to-one video push	83
7.4.2.3.1	General	83
7.4.2.3.2	One-to-one video push – call setup	83
7.4.2.3.3	One-to-one video push – call release	84
7.4.2.4	One-to-server video push	84
7.4.2.4.1	General	84
7.4.2.4.2	Procedure.....	84
7.4.2.5	Remotely initiated video push.....	86
7.4.2.5.1	General	86
7.4.2.5.2	Remotely initiated video push – call setup	86
7.4.2.5.3	Remotely initiated video push – call release by authorized user	87
7.4.2.6	Remotely initiated video push to group	88
7.4.2.6.1	General	88
7.4.2.6.2	Remotely initiated video push to group – call setup.....	88
7.4.2.6.3	Remotely initiated video push to group – call release by authorized user	89
7.4.3	Off-network video push	90
7.4.3.1	General	90
7.4.3.2	Information flows for off-network video push.....	90
7.4.3.2.1	Remote video push request.....	90
7.4.3.2.2	Video push trying response	90
7.4.3.2.3	Notification of video push	90
7.4.3.3	Video push to another MCVideo user	91
7.4.3.3.1	General	91
7.4.3.3.2	Procedure.....	91
7.4.3.4	Remotely initiated video push.....	92
7.4.3.4.1	General	92
7.4.3.4.2	Procedure.....	92
7.4.3.5	Remotely initiated video push to a group	94
7.4.3.5.1	General	94
7.4.3.5.2	Procedure.....	94
7.5	Capability information sharing.....	95
7.5.1	General.....	95
7.5.2	On-network capability information sharing	95
7.5.2.1	General	95
7.5.2.2	Information flows for on-network capability information sharing.....	95

7.5.2.2.1	Update MCVideo capabilities info request.....	95
7.5.2.2.2	Update MCVideo capabilities info response	96
7.5.2.2.3	Get MCVideo capabilities info request	96
7.5.2.2.4	Get MCVideo capabilities info response	96
7.5.2.2.5	Subscribe MCVideo capabilities info request	96
7.5.2.2.6	Subscribe MCVideo capabilities info response	96
7.5.2.2.7	Notify MCVideo capabilities info request.....	97
7.5.2.2.8	Notify MCVideo capabilities info response	97
7.5.2.3	Update MCVideo capabilities information at the MCVideo server	97
7.5.2.4	Retrieve MCVideo capabilities information at the MCVideo client	97
7.5.2.5	Subscription and notification for MCVideo capabilities information	98
7.5.3	Off-network capability information sharing	99
7.5.3.1	General	99
7.5.3.2	Information flows for Off-network capability information sharing	99
7.5.3.2.1	Capability request.....	99
7.5.3.2.2	Capability announcement	99
7.5.3.2.3	Activity status request	100
7.5.3.2.4	Activity status announcement.....	100
7.5.3.3	Periodic capability announcements	101
7.5.3.3.1	General	101
7.5.3.3.2	Procedure	101
7.5.3.4	Request capabilities from client(s)	102
7.5.3.4.1	General	102
7.5.3.4.2	Request clients with particular capabilities	102
7.5.3.4.3	Request capabilities from a particular client.....	103
7.5.3.5	Request activity status from client(s)	103
7.5.3.5.1	General	103
7.5.3.5.2	Request activity status of group members	104
7.5.3.5.3	Request activity status from a particular client.....	104
7.6	Ambient viewing call	105
7.6.1	General.....	105
7.6.2	Information flows for ambient viewing call	105
7.6.2.1	Ambient viewing call request.....	105
7.6.2.2	Ambient viewing call response	106
7.6.2.3	Ambient viewing call release request.....	106
7.6.2.4	Ambient viewing call release response	106
7.6.2.5	Ambient viewing call release notification.....	107
7.6.3	Procedures.....	107
7.6.3.1	Remotely initiated ambient viewing call setup procedure.....	107
7.6.3.2	Locally initiated ambient viewing call setup procedure.....	108
7.6.3.3	Ambient viewing call release – server initiated	109
7.6.3.4	Ambient viewing call release – "viewing" user initiated	110
7.6.3.5	Ambient viewing call release – "viewed to" user initiated.....	111
7.7	Transmission control	112
7.7.1	Transmission control for on-network MCVideo service.....	112
7.7.1.1	General	112
7.7.1.2	Information flows for transmission control for on-network	112
7.7.1.2.1	General	112
7.7.1.2.2	Transmit media request	112
7.7.1.2.3	Transmit media granted.....	113
7.7.1.2.4	Transmit media rejected	113
7.7.1.2.5	Media transmission notification	113
7.7.1.2.6	Receive media request	113
7.7.1.2.7	Receive media response.....	114
7.7.1.2.8	Media reception notification.....	114
7.7.1.2.9	Queue position info	114
7.7.1.2.10	Transmission revoked.....	114
7.7.1.2.11	Queue position request	115
7.7.1.2.12	Transmit media cancel request	115
7.7.1.2.13	Transmit media cancel response.....	115
7.7.1.2.14	Transmit media cancel request notify.....	115
7.7.1.2.15	Transmit media end request.....	116

7.7.1.2.16	Transmit media end response	116
7.7.1.2.17	Remote transmit media request	116
7.7.1.2.18	Remote transmit media response	116
7.7.1.2.19	Remote transmit media cancel request	117
7.7.1.2.20	Remote transmit media cancel response	117
7.7.1.2.21	Media reception end request	117
7.7.1.2.22	Media reception end response	117
7.7.1.2.23	Media reception override notification	118
7.7.1.2.24	Transmit media end notify	118
7.7.1.3	Transmission control within one MC system for MCVideo service	118
7.7.1.3.1	Transmission control during an MCVideo session	118
7.7.1.3.2	Reception control during an MCVideo session	119
7.7.1.3.2A	End media reception – receiving user initiated	121
7.7.1.3.2B	End media reception – transmission control server initiated	121
7.7.1.3.2C	Reception control on overridden – mandatory mode	122
7.7.1.3.2D	Reception control on overridden – negotiated mode	123
7.7.1.3.3	Transmission revoke during an MCVideo session	124
7.7.1.3.4	Queue position during an MCVideo session	125
7.7.1.3.5	Transmit media request cancellation from the video transmission queue	126
7.7.1.3.5.1	Transmit media request cancellation from the queue – MCVideo user initiated	126
7.7.1.3.5.2	Transmit media request cancellation from the queue - transmission control server initiated ..	127
7.7.1.3.6	End a media transmission during an MCVideo session	128
7.7.1.3.6.1	End a media transmission – MCVideo user initiated	128
7.7.1.3.6.2	End a media transmission – transmission control server initiated	129
7.7.1.3.6.3	End a media transmission – remote MCVideo user initiated	130
7.7.1.3.7	Remotely initiated media transmission during an MCVideo session	131
7.7.2	Off-network transmission control	132
7.7.2.1	General	132
7.7.2.2	Information flows for off-network transmission control	132
7.7.2.2.1	Transmission request	132
7.7.2.2.2	Transmission granted	133
7.7.2.2.3	Transmission release	133
7.7.2.2.4	Transmission rejected	133
7.7.2.2.5	Transmission revoked	133
7.7.2.2.6	Transmission arbitration taken	134
7.7.2.2.7	Transmission arbitration release	134
7.7.2.3	Initializing transmission control – single arbitrator approach	134
7.7.2.3A	Initializing transmission control – self arbitration approach	135
7.7.2.4	Transmission permission granted	136
7.7.2.5	Transmission permission rejected	137
7.7.2.6	Releasing transmission permission	138
7.7.2.7	Transmission override	139
7.7.2.8	Transmission override (revoke self)	140
7.7.2.9	Transmission arbitration release	142
7.7.2.9.1	Transmission arbitration release	142
7.7.2.9.2	Transmission arbitration release with delegation	142
7.7.2.10	Simultaneous transmission requests	143
7.8	MCVideo service configuration	144
7.9	Affiliation and de-affiliation to/from MCVideo group(s)	144
7.10	Use of MBMS transmission (on-network)	145
7.10.1	Information flows for MBMS Transmission	145
7.10.1.1	General	145
7.10.1.2	MapGroupToBearer	145
7.10.1.3	UnmapGroupFromBearer	145
7.10.2	Use of pre-established MBMS bearers	145
7.10.3	Use of dynamic MBMS bearer establishment	146
7.10.4	Video call connect and disconnect over MBMS	146
7.10.4.1	General	146
7.10.4.2	Procedure	147
7.10.4.2.1	Call connect over MBMS	147
7.10.4.2.2	Call disconnect over MBMS	148
7.10.5	Switching from MBMS bearer to unicast bearer	149

7.11	Simultaneous session for MCVideo calls (on-network)	149
7.12	User authentication and authorization for MCVideo service	149
7.13	Support for multiple devices	150
7.14	Location information (on-network)	150
Annex A (normative):	MCVideo related configuration data	151
A.1	General	151
A.2	MCVideo UE configuration data	152
A.3	MCVideo user profile configuration data.....	152
A.4	MCVideo related Group configuration data.....	158
A.5	MCVideo service configuration data.....	160
Annex B (informative):	Change history	162
History		163

iTeh STANDARD PREVIEW
(Standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/db3f03de-ab9b-4596-90f7-d3f0aa1e82b/etsi-ts-123-281-v14.1.0-2017-05>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/db3f03de-ab9b-4596-90f7-d3f0aa1e82b/etsi-ts-123-281-v14.1.0-2017-05>

1 Scope

This document specifies the functional model, procedures and information flows needed for the mission critical video (MCVideo) service. Support for both MCVideo group streaming and MCVideo private streaming operating in on-network and off-network modes of operation is specified.

The corresponding service requirements are defined in 3GPP TS 22.280 [2], and 3GPP TS 22.281 [3].

The present document is applicable primarily to mission critical video service using E-UTRAN access based on the common functional architecture for mission critical services defined in 3GPP TS 23.280 [6] and the EPC architecture defined in 3GPP TS 23.401 [8].

The MCVideo service can be used for public safety applications and also for general commercial applications e.g. utility companies and railways.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 22.280: "Mission Critical Common Requirements (MCCoRe); Stage 1".
- [3] 3GPP TS 22.281: "Mission Critical Video services over LTE".
- [4] 3GPP TS 23.002: "Network Architecture".
- [5] 3GPP TS 23.228: "IP Multimedia Subsystem (IMS); Stage 2".
- [6] 3GPP TS 23.280: "Common functional architecture to support mission critical services; Stage 2".
- [7] 3GPP TS 23.303: "Proximity-based services (ProSe); Stage 2".
- [8] 3GPP TS 23.401: "General Packet Radio Service (GPRS) enhancements for Evolved Universal Terrestrial Radio Access Network (E-UTRAN) access".
- [9] 3GPP TS 23.468: "Group Communication System Enablers for LTE (GCSE_LTE); Stage 2".
- [10] 3GPP TS 33.179: "Security of Mission Critical Push-To-Talk (MCPTT)"
- [11] 3GPP TS 23.203: "Policy and charging control architecture".
- [12] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification".
- [13] 3GPP TS 29.468: "Group Communication System Enablers for LTE (GCSE_LTE); MB2 reference point; Stage 3".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

MCVideo client: An instance of an MC service client that provides the client application function for the MCVideo service.

MCVideo group: An MC service group configured for MCVideo service.

MCVideo group affiliation: An MC service group affiliation for MCVideo.

MCVideo group de-affiliation: An MC service group de-affiliation for MCVideo.

MCVideo group home system: The mission critical system where the MCVideo group is defined.

MCVideo group host server: The MCVideo server within a mission critical system which provides centralised support for MCVideo services of an MCVideo group defined in a MCVideo group home system.

MCVideo ID: An instance of an MC service ID within the MCVideo service.

MCVideo server: An instance of an MC service server that provides the server application function for the MCVideo service.

MCVideo service: A video communication service supporting applications for mission critical organizations and mission critical applications for other businesses and organizations (e.g., utilities, railways) with strong security, high availability, reliability and priority handling.

MCVideo system: The collection of applications, services, and enabling capabilities required to provide Mission Critical video for a Mission Critical Organization.

MCVideo UE: An MC service UE that can be used to participate in MCVideo services.

MCVideo user: An MC service user who is authorized for MCVideo services via an MCVideo UE.

Transmission control: Video transmitting control mechanism in an MCVideo service that determines which participants have the authority to transmit video, and determines the onward downlink video transmission during an video call.

For the purposes of the present document, the following terms and definitions given in 3GPP TS 22.280 [2] apply:

Mission Critical

Mission Critical Applications

Mission Critical Service

Mission Critical Organization

Mission Critical System

For the purposes of the present document, the following terms and definitions given in 3GPP TS 22.281 [3] apply:

Real Time

Real Time Video

For the purposes of the present document, the following terms and definitions given in 3GPP TS 23.280 [6] apply:

MC service client

MC service group

MC service group affiliation

MC service group de-affiliation

MC service group home system