

---

---

**Information technology — Open Systems  
Interconnection — Procedures for the  
operation of OSI Registration Authorities:  
Registration of object identifier arcs for  
applications and services using tag-  
based identification**

iTeh STANDARD PREVIEW

(standards.iteh.ai)

*Technologies de l'information — Interconnexion de systèmes ouverts  
(OSI) — Procédures opérationnelles pour les organismes  
d'enregistrement de l'OSI: Enregistrement des arcs d'identificateur  
d'objet pour applications et services utilisant l'identification basée sur  
des tags*

<https://standards.iteh.ai/catalog/standards/sist/8051cf86-bc9-4719-af6f-588814de7948/iso-iec-9834-9-2008>

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC 9834-9:2008](https://standards.iteh.ai/catalog/standards/sist/8051cf86-bc9-4719-af6f-588814de7948/iso-iec-9834-9-2008)

<https://standards.iteh.ai/catalog/standards/sist/8051cf86-bc9-4719-af6f-588814de7948/iso-iec-9834-9-2008>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published by ISO in 2009

Published in Switzerland

## CONTENTS

	<i>Page</i>
1 Scope .....	1
2 Normative references .....	1
2.1 Identical Recommendations   International Standards .....	1
3 Definitions .....	1
3.1 Imported definitions .....	1
3.2 Additional definitions .....	2
4 Abbreviations and acronyms .....	2
5 General.....	2
6 Responsibilities of the RA .....	2
7 Criteria for acceptance.....	3
8 Detailed procedures for the operation of the RA .....	3
8.1 Registration application.....	3
8.2 Registration announcement .....	3
8.3 Time-scale for processing applications and publication.....	3
8.4 Notice of rejection.....	4
8.5 Change of registration information .....	4
8.6 Fees.....	4
9 Appeals process .....	4
10 Re-appointment of the RA.....	4
Bibliography .....	6

<https://standards.iteh.ai/catalog/standards/sist/8051cf86-bcf9-4719-af6f-588814de7948/iso-iec-9834-9-2008>  
 (standards.iteh.ai)

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 9834-9 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems* in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.668.

ISO/IEC 9834 consists of the following parts, under the general title *Information technology — Open Systems Interconnection — Procedures for the operation of OSI Registration Authorities*:

- *Part 1: General procedures and top arcs of the ASN.1 Object Identifier tree*
- *Part 2: Registration procedures for OSI document types*
- *Part 3: Registration of Object Identifier arcs beneath the top-level arc jointly administered by ISO and ITU-T*
- *Part 4: Register of VTE Profiles*
- *Part 5: Register of VT Control Object Definitions*
- *Part 6: Registration of application processes and application entities*
- *Part 7: Joint ISO and ITU-T Registration of International Organizations*
- *Part 8: Generation and registration of Universally Unique Identifiers (UUIDs) and their use as ASN.1 Object Identifier components*
- *Part 9: Registration of object identifier arcs for applications and services using tag-based identification*

## Introduction

This Recommendation | International Standard enables the registration of object identifiers (OIDs) for applications and services using tag-based identification (see 3.2.) under the OID arc {**joint-iso-itu-t(2) tag-based(27)**}.

NOTE – For historical reasons, the secondary identifier **nid** is a synonym for **tag-based** on arc 27.

Tag-based applications and services may (if necessary) request from the Registration Authority an OID for their identification scheme that encodes in only two octets. This Recommendation | International Standard specifies the operation of the Registration Authority for the allocation of such OIDs.

For tag-based applications and services, the OID is stored in a transponder which has limited memory size and the length of the OID encoding needs to be minimized.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 9834-9:2008](https://standards.iteh.ai/catalog/standards/sist/8051cf86-bcf9-4719-afff-588814de7948/iso-iec-9834-9-2008)

<https://standards.iteh.ai/catalog/standards/sist/8051cf86-bcf9-4719-afff-588814de7948/iso-iec-9834-9-2008>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC 9834-9:2008](https://standards.iteh.ai/catalog/standards/sist/8051cf86-bcf9-4719-aff6-588814de7948/iso-iec-9834-9-2008)

<https://standards.iteh.ai/catalog/standards/sist/8051cf86-bcf9-4719-aff6-588814de7948/iso-iec-9834-9-2008>

**INTERNATIONAL STANDARD  
RECOMMENDATION ITU-T**

**Information technology – Open Systems Interconnection –  
Procedures for the operation of OSI Registration Authorities:  
Registration of object identifier arcs for  
applications and services using tag-based identification**

## 1 Scope

This Recommendation | International Standard specifies the procedures for operating the Registration Authority for object identifiers under the arc {`joint-iso-itu-t(2) tag-based(27)`}, that supports tag-based applications and services.

## 2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

### 2.1 Identical Recommendations | International Standards

- Recommendation ITU-T X.660 (2004) | ISO/IEC 9834-1:2005, *Information technology – Open Systems Interconnection – Procedures for the operation of OSI Registration Authorities: General procedures and top arcs of the ASN.1 Object Identifier tree.*
- Recommendation ITU-T X.680 (2002) | ISO/IEC 8824-1:2002, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.*

## 3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

### 3.1 Imported definitions

**3.1.1** This Recommendation | International Standard uses the following term defined in Rec. ITU-T X.680 | ISO/IEC 8824-1:

- a) object identifier.

**3.1.2** This Recommendation | International Standard uses the following terms defined in Rec. ITU-T X.660 | ISO/IEC 9834-1:

- a) administrative role;
- b) primary integer value;
- c) registration;
- d) registration authority;
- e) registration procedures;
- f) secondary value;
- g) technical role.

## 3.2 Additional definitions

**3.2.1 relevant Rapporteur:** The ITU-T Rapporteur and/or the ISO/IEC Convenor responsible for the maintenance of this Recommendation | International Standard.

**3.2.2 tag-based applications and services:** Applications or services which use tag-based identification.

**3.2.3 tag-based identification:** An identification mechanism in which the identifier is stored in a memory-limited area of a tag.

NOTE – The tag-based identifier is stored in the tag, and a reader/writer reads/writes the identifier from/to the tag via an optical scanner (read-only), camera (read-only), IrDA (read/write), RF technique (read/write) or other similar methods.

## 4 Abbreviations and acronyms

For the purposes of this Recommendation | International Standard, the following abbreviations apply.

IrDA	Infrared Data Association
OID	Object Identifier
RA	Registration Authority
RF	Radio Frequency
RFID	Radio Frequency Identification

## 5 General

**5.1** This Recommendation | International Standard defines procedures for an RA that allocates OIDs under the arc `{joint-iso-itu-t(2) tag-based(27)}` as the identifier for tag-based applications and services.

**5.2** The Registration Authority whose operation is specified by this Recommendation | International Standard performs both an administrative and a technical role (see Rec. ITU-T X.660 | ISO/IEC 9834-1).

**5.3** It is within the mandate of ITU-T | ISO/IEC to organize registration as specified in this Recommendation | International Standard. In order to do this, ITU-T | ISO/IEC appoints, according to their internal requirements and rules, an organization to act as the RA for this Recommendation | International Standard.

NOTE 1 – The technical role is performed by the relevant Rapporteur.

NOTE 2 – The administrative role is performed by the National Internet Development Agency of Korea (NIDA).

NOTE 3 – NIDA can be contacted at: Phone Number (+82-2-2186-4668), E-mail Address ([RA-nid@nida.or.kr](mailto:RA-nid@nida.or.kr)), Postal Address (3F, 398, Seocho-ro, Seocho-gu, Seoul, Korea, 137-857), Web page (<http://www.nida.or.kr/english/>).

**5.4** The RA is responsible for the assignment of primary values and secondary values to identification schemes for tag-based applications and services under the OID arc `{joint-iso-itu-t(2) tag-based(27)}`.

**5.5** It is not expected that subsequent arcs will be added to arcs assigned by this Registration Authority, as this would be evidence that there is no requirement for the short OID that is provided by this Recommendation | International Standard.

NOTE – There may be tag-based identification schemes where the scheme itself is based on a registration-hierarchical-name-tree, and can therefore be logically described as further nodes beneath the OID identifying the scheme, although this information is likely to be in a separate location in the transponder.

## 6 Responsibilities of the RA

**6.1** The Registration Authority shall maintain a Register of the primary integer value and secondary identifiers assigned to the arc identifying the tag-based application or service.

**6.2** With regard to the initial assignment of primary values, the responsibilities of the Registration Authority shall be as follows:

- to receive applications for the allocation of an arc (the required content of the application is specified in 8.1);
- for each assigned arc, to keep a record of the assigned primary value, any secondary values and the specification of the identification scheme for tag-based applications and services that is being registered.

**6.3** If the application is accepted according to the criteria of clause 7, the arc shall be allocated and a registration announcement shall be sent to the applicant as specified in 8.2.

**6.4** If the application does not contain the information specified in 8.1, the application shall be rejected by sending a notice of rejection as specified in 8.4.

**6.5** The permitted fee structure is specified in 8.6.

## 7 Criteria for acceptance

**7.1** An application shall be accepted if, in the technical judgment of the relevant Rapporteur, the allocation requested is to be used for an identification scheme supporting one or more tag-based applications or services.

**7.2** It is a requirement that the identification scheme be identified in a publicly available specification produced by a standardization body recognized by ITU-T, ISO or IEC, or by an internationally recognized consortium.

NOTE – This excludes specifications produced by a single company or organization.

**7.3** The applications shall identify the time-scale within which the relevant identification scheme is to be applied within applications or services. The application shall be rejected if the time-scale exceeds 12 months, and can be voided if it is not in use within that time-scale.

NOTE – The primary integer value of a voided application shall not be reused within the next five years.

**7.4** The applications or services for which the allocation is requested shall be applications or services which require interchange between multiple vendors in an open environment.

**7.5** An application for registration, containing the information specified in 8.1 shall be sent to the organization providing the administrative role for the RA (see 5.3 Note 2). The application shall be submitted by the standardization body (recognized by ITU-T, ISO or IEC), or by the internationally recognized consortium (see 7.2).

## 8 Detailed procedures for the operation of the RA

iTech STANDARD PREVIEW

### 8.1 Registration application

(standards.iteh.ai)

The application shall include at least the following information:

- a) name of the organization submitting the application;
- b) name, postal address, e-mail address, and optionally telephone and fax numbers for the contact point within the requesting organization;
- c) full identification of the person submitting the application (including their role in the organization);
- d) a reference to an openly accessible specification (see 7.2) of the identification scheme for the tag-based application or service for which an arc is being requested; and
- e) (optionally) desired secondary identifier(s).

NOTE – The registration application can be made through the OID repository at <http://www.oid-info.com/get/2.27> (or by contacting NIDA – see 5.3). The use of the OID repository is recommended as the interface ensures that all required information is provided.

### 8.2 Registration announcement

The Registration Authority shall send a registration announcement to an applicant when the assignment of a new arc has been agreed. The registration announcement shall include at least the following information:

- a) the name of the organization submitting the application and the reference number of the application;
- b) the name, postal/electronic mail address and telephone/facsimile number for the contact point within the requesting organization;
- c) full identification of the person submitting the application (including their role in the organization);
- d) the primary value assigned; and
- e) any confirmed secondary identifier(s).

### 8.3 Time-scale for processing applications and publication

**8.3.1** The technical evaluation by the relevant Rapporteur is expected to be completed within 8 weeks of receipt of the application by the RA and the allocation and the results of the application shall then be sent to the applicant and added to as an entry in the Register.