DRAFT INTERNATIONAL STANDARD ISO/DIS 6747

ISO/TC **127**/SC **4** Secretariat: **UNI**

Voting begins on **2012-02-01** Voting terminates on **2012-07-01**

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Earth-moving machinery — Tractor-dozers — Terminology and commercial specifications

Engins de terrassement — Bouteurs — Terminologie et spécifications commerciales

[Revision of third edition (ISO 6747:1998) and of ISO 6747:1998/Amd.1:2003]

ICS 01.040.53; 53.100

In accordance with the provisions of Council Resolution 15/1993 this document is circulated in the English language only.

Conformément aux dispositions de la Résolution du Conseil 15/1993, ce document est distribué en version anglaise seulement.

To expedite distribution, this document is circulated as received from the committee secretariat. ISO Central Secretariat work of editing and text composition will be undertaken at publication stage.

Pour accélérer la distribution, le présent document est distribué tel qu'il est parvenu du secrétariat du comité. Le travail de rédaction et de composition de texte sera effectué au Secrétariat central de l'ISO au stade de publication.

Contents

Page

Foreword ...v
Introduction ...vi
1 Scope ...1
2 Normative references ...1
3 Terms and definitions ...1
3.1 General ...1
3.2 Masses ...7
3.2.2 Axle distribution of masses of wheeled machines ...7
3.3 Performance ...7
3.3.5 Winch performance ...8
4 Base machine ...9
4.1 Type of dozer ...9
4.1.1 Undercarriage ...9
4.1.2 Steering system ...9
4.1.3 Engine location ...11
4.2 Dimensions ...11
4.2.1 Base machine ...11
4.2.3 Overall dimensions ...16
4.3 Nomenclature (see diagram numbers) ...18
4.3.1 Definitions ...18
4.3.2 Dozing equipment ...18
4.3.3 Ripper ...19
4.3.4 Winch ...20
4.3.5 Swinging drawbar ...21
5 Commercial literature specifications ...21
5.1 Engine ...22
5.2 Transmission ...22
5.3 Hydraulic system ...23
5.3.1 Working pumps ...23
5.3.2 Motor(s) ...23
5.3.3 Hydraulic pressure ...23
5.4 System fluid capacities ...23
5.5 Blade specification ...23
5.6 Masses ...23
5.7 Overall dimensions ...24
5.8 Crawler machines ...24
5.8.1 Steering and braking ...24
5.8.2 Final drives ...24
5.8.3 Track and roller ...24
5.8.4 Average ground contact pressure ...24
5.9 Wheeled machines ...24
5.9.1 Driving axle (specified type) ...24
5.9.2 Steering (specified type) ...25
5.9.3 Brakes ...25
5.9.4 Tyres ...25
Annex A (normative) Dimensions ...26
Bibliography ...31

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6747 was prepared by Technical Committee ISO/TC 127, *Earth-moving machinery*, Subcommittee SC 4, *Terminology, commercial nomenclature, classification and ratings*.

This fourth edition cancels and replaces the third edition (ISO 6747:1998) which has been technically revised.

Earth-moving machinery — Dozers — Terminology and commercial specifications

1 Scope

This International Standard establishes terminology and the content of commercial literature specifications for self-propelled crawler and wheeled dozers and their equipment.

It applies to dozers as defined in 3.1.1 (also in ISO 6165).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5010, *Earth-moving machinery -- Rubber-tyred machines -- Steering requirements*

ISO 6014, *Earth-moving machinery -- Determination of ground speed*

ISO 6165:2006, *Earth-moving machinery -- Basic types -- Identification and terms and definitions*

ISO 6746-1, *Earth-moving machinery -- Definitions of dimensions and codes -- Part 1: Base machine*

ISO 6746-2, *Earth-moving machinery -- Definitions of dimensions and codes -- Part 2: Equipment and attachments*

ISO 7457, *Earth-moving machinery -- Determination of turning dimensions of wheeled machines*

ISO 9249:2007, *Earth-moving machinery -- Engine test code -- Net power*

ISO 15550:2002, *Internal combustion engines -- Determination and method for the measurement of engine power -- General requirements*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 General

3.1.1
dozer
self-propelled crawler or wheeled machine with equipment having either a dozing attachment which cuts, moves and grades material through forward motion of the machine or a mounted attachment used to exert a push or a pull force

[Source: ISO 6165:2006, 4.1]

NOTE See figures 10 and 11.

3.1.2
base machine
machine with a cab or canopy and operator-protective structures if required, without equipment or attachments but possessing the necessary mounting for such equipment and attachments

[Source: ISO 6746-1:2003, 3.3]

3.1.3
equipment
set of components mounted onto the base machine that allows an attachment to perform the primary design function of the machine

[Source: ISO 6746-2:2003, 3.4]

3.1.4
attachment
assembly of components that can be mounted onto the base machine or equipment for specific use

[Source: ISO 6746-2:2003, 3.5]

3.1.5
component
part, or assembly of parts, of a base machine, equipment or attachment

[Source: ISO 6746-2:2003, 3.6]

3.1.6
dozing equipment
front blade and its frame and relevant positioning devices

3.1.6.1
straight dozer
dozer where the blade is maintained in a position where the cutting edge is parallel to an X plane

NOTE See figure 1.



Figure 1 — Crawler type straight dozer

3.1.6.2
angle dozer
dozer where the blade position may be changed so that the cutting edge is at an angle to an X plane

NOTE See figure 2.



Figure 2 — Crawler type angle dozer

3.1.6.3
tilt and pitch
type of movement of the blade of a straight dozer or angle dozer

NOTE Blade operation is by hydraulic control where the operation is performed by means of a hydraulic system.

3.1.6.3.1
tilt movement
blade movement in which the position of the blade may be changed so that the cutting edge is at an angle to a Z plane

NOTE See figure 3.



Figure 3 — Tilt movement

3.1.6.3.2
pitch movement
blade movement in which the upper portion of the blade may be changed in angle by pivoting it around a line parallel to the cutting edge

NOTE See figure 4.



Figure 4 — Pitch movement

3.1.7
ripper
frame which is connected to the rear part of the base machine by means of a mounting bracket, and which is equipped with one or more teeth

NOTE 1 See figures 5, 6 and 7. For dimensions, see figure 19.

NOTE 2 There are four types of ripper, as defined in 3.1.7.1 to 3.1.7.4.

3.1.7.1
radial type
type of ripper in which the ripping angle of the tooth tip to the ground varies according to change of the working depth

NOTE See figure 5.

3.1.7.2
parallelogram type
type of ripper in which the ripping angle of the tooth tip to the ground remains constant regardless of variations in working depth

NOTE See figure 6.

3.1.7.3
variable type
type of ripper in which the ripping angle of the tooth tip to the ground is variable and can be changed by the operator

NOTE See figure 7.





Figure 5 — Ripper — Radial type

Figure 6 — Ripper — Parallelogram type



Figure 7 — Ripper — Variable type

3.1.7.4
impact ripper
ripper which exerts an additional impact force by a hydraulic pulsing system

3.1.8
winch
frame equipped with a drum and connected to the rear of the base machine

NOTE 1 See figure 8. For dimensions, see figure 20.

NOTE 2 There are two types of winch operation, as defined in 3.1.8.1 and 3.1.8.2.

3.1.8.1
manually-controlled winch
type of winch which is operated by a manually controlled clutch and brake

3.1.8.2
power-controlled winch
type of winch which is operated hydraulically or by a power clutch and brake