
**Information technology — Coding of
audio-visual objects —**

**Part 22:
Open Font Format**

Technologies de l'information — Codage des objets audiovisuels —

Partie 22: Format de police de caractères ouvert

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[ISO/IEC 14496-22:2009](https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd699383/iso-iec-14496-22-2009)

<https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd699383/iso-iec-14496-22-2009>

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 14496-22:2009](https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd699383/iso-iec-14496-22-2009)

<https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd699383/iso-iec-14496-22-2009>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	vi
Introduction.....	viii
1 Scope	1
2 Normative references	2
3 Abbreviated terms	2
4 The Open font file format	3
4.1 Description	3
4.2 Filenames	3
4.3 Data types	4
4.4 Table version numbers	5
4.5 Open font structure	5
4.5.1 Table directory	6
4.5.2 Calculating checksums	7
4.6 TrueType collections	7
4.6.1 The TTC file structure	7
4.6.2 TTC header	8
5 Open font tables	9
5.1 General	9
5.2 Required common tables	9
5.2.1 cmap – Character to glyph index mapping table	10
5.2.2 head – Font header	21
5.2.3 hhea – Horizontal header	23
5.2.4 hmtx – Horizontal metrics	24
5.2.5 maxp – Maximum profile	24
5.2.6 name – Naming table	25
5.2.7 OS/2 – Global font information table	45
5.2.8 Font class parameters - see informative Annex B for details	67
5.2.9 post – PostScript	67
5.3 TrueType outline tables	69
5.3.1 cvt – Control value table	69
5.3.2 fpgm – Font program	69
5.3.3 glyf – Glyph data	70
5.3.4 loca – Index to location	73
5.3.5 prep – Control value program	74
5.4 PostScript outline tables	74
5.4.1 CFF – PostScript font program (Compact Font Format) table	74
5.4.2 VORG – Vertical origin table	74
5.5 Bitmap glyph tables	76
5.5.1 EBDT – Embedded bitmap data table	76
5.5.2 EBLC – Embedded bitmap location table	80
5.6 Optional tables	88
5.6.1 DSIG – Digital signature table	88
5.6.2 gasp – Grid-fitting and scan conversion procedure	91
5.6.3 hdmx – Horizontal device metrics	92
5.6.4 kern – Kerning	93
5.6.5 LTSH – Linear threshold	96
5.6.6 PCLT – PCL 5 table	97
5.6.7 VDMX – Vertical device metrics	106
5.6.8 vhea – Vertical header table	108

5.6.9	vmtx – Vertical metric table	112
6	Advanced Open Font layout tables.....	113
6.1	Advanced Open Font layout extensions	113
6.1.1	Overview of advanced typographic layout extensions.....	113
6.1.2	TrueType versus OFF layout	115
6.1.3	OFF layout terminology	115
6.1.4	Text processing with OFF layout	118
6.2	OFF layout common table formats	119
6.2.1	Overview	119
6.2.2	Table organization	120
6.2.3	Scripts and languages	122
6.2.4	Features and lookups.....	124
6.2.5	Common table examples	132
6.3	Advanced typographic tables.....	142
6.3.1	BASE Baseline table.....	142
6.3.2	GDEF – The glyph definition table	162
6.3.3	GPOS – The glyph positioning table.....	175
6.3.4	GSUB – The glyph substitution table	233
6.3.5	JSTF – The justification table	272
6.4	Layout tag registry.....	283
6.4.1	Scripts tags	283
6.4.2	Language tags.....	288
6.4.3	Feature tags.....	301
6.4.4	Baseline tags.....	360
7	Recommendations for OFF fonts.....	364
	Byte ordering.....	364
	'sfnt' version.....	364
	Mixing outline formats.....	364
	Filenames	364
	Table alignment and length	365
	First four glyphs in fonts	365
	Shape of .notdef glyph	365
	'BASE' table.....	366
	'cmap' table.....	366
	'cvt' table.....	366
	'fpgm' table	366
	'glyf' table.....	367
	'hdmx' table	367
	'head' table.....	367
	'hhea' table.....	367
	'hmtx' table	367
	'kern' table	367
	'loca' table.....	368
	'LTSH' table.....	368
	'maxp' table.....	368
	'name' table.....	368
	'OS/2' table.....	368
	'post' table	369
	'prep' table	369
	'VDMX' table.....	369
8	General recommendations	369
8.1	Optimized table ordering	369
8.2	Non-standard (Symbol) fonts	370
8.3	Device resolutions	370
8.4	Baseline to baseline distances.....	370
8.5	Style bits	371
8.6	Drop-out control.....	372
8.7	Embedded bitmaps.....	372

ITeX STANDARD PREVIEW
(standards.itech.ai)

<https://standards.itech.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd1699383/iso-iec-14496-22-2009>

8.8 OFF CJK font guidelines.....	372
Annex A (informative) Patent Statements	373
Annex B (informative) Font Class and Font Subclass parameters.....	374
Annex C (informative) Earlier versions of OS/2 – OS/2 and Windows metrics.....	385
Annex D (informative) OFF Mirroring Pairs List.....	460
Bibliography.....	467

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 14496-22:2009](https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd699383/iso-iec-14496-22-2009)

<https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd699383/iso-iec-14496-22-2009>

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

ISO/IEC 14496-22 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology, Subcommittee SC 29, Coding of audio, picture, multimedia and hypermedia Information*.

This second edition cancels and replaces the first edition (ISO/IEC 14496-22:2007) which has been technically revised.

ISO/IEC 14496 consists of the following parts, under the general title *Information technology — Coding of audio-visual objects*:

- *Part 1: Systems*
- *Part 2: Visual*
- *Part 3: Audio*
- *Part 4: Conformance testing*
- *Part 5: Reference software*
- *Part 6: Delivery Multimedia Integration Framework (DMIF)*
- *Part 7: Optimized reference software for coding of audio-visual objects*
- *Part 8: Carriage of ISO/IEC 14496 contents over IP networks*
- *Part 9: Reference hardware description*
- *Part 10: Advanced Video Coding*
- *Part 11: Scene description and application engine*
- *Part 12: ISO base media file format*
- *Part 13: Intellectual Property Management and Protection (IPMP) extensions*
- *Part 14: MP4 file format*

<https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd699383/iso-iec-14496-22-2009>

- *Part 15: Advanced Video Coding (AVC) file format*
- *Part 16: Animation Framework eXtension (AFX)*
- *Part 17: Streaming text format*
- *Part 18: Font compression and streaming*
- *Part 19: Synthesized texture stream*
- *Part 20: Lightweight Application Scene Representation (LAsER) and Simple Aggregation Format (SAF)*
- *Part 21: MPEG-J Graphics Framework eXtensions (GFX)*
- *Part 22: Open Font Format*
- *Part 23: Symbolic Music Representation*
- *Part 24: Audio and systems interaction*
- *Part 25: 3D Graphics Compression Model*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 14496-22:2009](https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd699383/iso-iec-14496-22-2009)

<https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd699383/iso-iec-14496-22-2009>

Introduction

The International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of a patent.

The ISO and IEC take no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured ISO and IEC that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO and IEC. Information may be obtained from the companies listed in Annex A.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified in Annex A. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 14496-22:2009](https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd699383/iso-iec-14496-22-2009)

<https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd699383/iso-iec-14496-22-2009>

Information technology — Coding of audio-visual objects —

Part 22: Open Font Format

1 Scope

This part of ISO/IEC 14496 specifies the Open Font Format (OFF) specification, the TrueType™ⁱ and Compact Font Format (CFF) outline formats, and the TrueType hinting language. Many references to both TrueType and PostScript exist throughout this document, as Open Font Format fonts combine the two technologies.

NOTE This specification is based on the OpenType®ⁱⁱ font format specification, and is technically equivalent to that specification.

Multimedia applications require a broad range of media-related standards. In addition to the typical audio and video applications, multimedia presentations include scalable 2D graphics and text supporting all languages of the world. Faithful reproduction of scalable multimedia content requires additional components including scalable font technology. The Open Font Format is an extension of the TrueType font format, adding support for PostScript font data. OFF fonts and the operating system services which support OFF fonts provide users with a simple way to install and use fonts, whether the fonts contain TrueType outlines or CFF (PostScript) outlines.

The Open Font Format addresses the following goals:

- broader multi-platform support;
- excellent support for international character sets;
- excellent protection for font data;
- smaller file sizes to make font distribution more efficient;
- excellent support for advanced typographic control.

PostScript®ⁱⁱⁱ data included in OFF fonts may be directly rasterized or converted to the TrueType outline format for rendering, depending on which rasterizers have been installed in the host operating system. But the user model is the same: OFF fonts just work. Users will not need to be aware of the type of outline data in OFF fonts. And font creators can use whichever outline format they feel provides the best set of features for their work, without worrying about limiting a font's usability.

OFF fonts can include the OFF Layout tables, which allow font creators to design broader international and high-end typographic fonts. The OFF Layout tables contain information on glyph substitution, glyph positioning, justification, and baseline positioning, enabling text-processing applications to improve text layout.

ⁱ TrueType is a trademark of Apple Computer Incorporated.

ⁱⁱ OPENTYPE is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.

ⁱⁱⁱ PostScript is a registered trademark of Adobe Systems Incorporated.

As with TrueType fonts, OFF fonts allow the handling of large glyph sets using Unicode encoding. Such encoding allows broad international support, as well as support for typographic glyph variants.

Additionally, OFF fonts may contain digital signatures, which enable operating systems and browsing applications to identify the source and integrity of font files, including embedded font files obtained in web documents, before using them. Also, font developers can encode embedding restrictions in OFF fonts which cannot be altered in a font signed by the developer.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 10646, *Information technology — Universal Multiple-Octet Coded Character Set (UCS)*

ISO/IEC 14496-18, *Information technology — Coding of audio-visual objects — Part 18: Font compression and streaming*

TrueType Instruction Set, <<http://www.microsoft.com/typography/otspec/ttinst.htm>>

Unicode 5.1, <<http://www.unicode.org/versions/Unicode5.1.0/>>

3 Abbreviated terms

iTeh STANDARD PREVIEW
(standards.iteh.ai)

List of abbreviated terms.

ACF	Average Character Face	https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-cc0d00000000/iso-iec-14496-22-2009
ANSI	American National Standards Institute	
ASCII	American Standard Code for Information Interchange	
ATM	Adobe Type Manager	
BMP	[Unicode] Basic Multilingual Plane (also known as UCS-2)	
BTBD	Baseline To Baseline Distance	
CFF	Compact Font Format	
CID	Character Identifier	
CJK	Chinese Japanese Korean [characters, ideographs, fonts, etc.]	
CJKV	Chinese Japanese Korean and Vietnamese	
CV	Control Value	
CVT	Control Value Table	
DLL	Dynamically Linked Library	
FDEF	Function Definition	
GID	Glyph ID	
ICF	Ideographic Character Face	
IDEF	Instruction Definition	
IETF	Internet Engineering Task Force	
JIS	Japanese Industrial Standard	
LTR	Left To Right	

NLC	National Language Council of Japan
OFF	Open Font Format
OMPL	OFF Mirroring Pairs List
OTF	OpenType Font
PCL	Printer Control Language
PPM, PPEM	Pixels Per EM
PRC	People's Republic of China
RTL	Right To Left
TTC	TrueType Collection
TTF	TrueType Font
UCS	Universal Character Set
UTF	Unicode Transformation Format
UVS	Unicode Variation Sequence
VM	Virtual Memory
W3C	World Wide Web Consortium

4 The Open font file format

iTech STANDARD PREVIEW
(standards.iteh.ai)

4.1 Description

An Open font file contains data in table format, that comprises either a TrueType or a PostScript outline font. Rasterizers use combinations of data from the tables contained in the font to render the TrueType or PostScript glyph outlines. Some of this supporting data is used no matter which outline format is used; some of the supporting data is specific to either TrueType or PostScript.

4.2 Filenames

OFF fonts may have the extension .OTF or .TTF, depending on the kind of outlines in the font and the creator's desire for compatibility on systems without native OFF support.

- In all cases, fonts with only CFF data (no TrueType outlines) always have an .OTF extension.
- Fonts containing TrueType outlines may have either .OTF or .TTF, depending on the desire for backward compatibility on older systems or with previous versions of the font. TrueType Collection fonts should have a .TTC extension whether or not the fonts have OFF layout tables present.

4.3 Data types

The following data types are used in the OFF font file. All OFF fonts use big-endian (network byte order):

Data Type	Description
BYTE	8-bit unsigned integer.
CHAR	8-bit signed integer.
USHORT	16-bit unsigned integer.
SHORT	16-bit signed integer.
UINT24	24-bit unsigned integer.
ULONG	32-bit unsigned integer.
LONG	32-bit signed integer.
Fixed	32-bit signed fixed-point number (16.16)
FUNIT	Smallest measurable distance in the em space.
FWORD	16-bit signed integer (SHORT) that describes a quantity in FUnits.
UWORD	16-bit unsigned integer (USHORT) that describes a quantity in FUnits.
F2DOT14	16-bit signed fixed number with the low 14 bits of fraction (2.14).
LONGDATETIME	Date represented in number of seconds since 12:00 midnight, January 1, 1904. The value is represented as a signed 64-bit integer.
Tag	Array of four uint8s (length = 32 bits) used to identify a script, language system, feature, or baseline
GlyphID	Glyph index number, same as uint16 (length = 16 bits)
Offset	Offset to a table, same as uint16 (length = 16 bits), NULL Offset = 0x0000

iTeh STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c60dfd699383/iso-iec-14496-22-2009>

The F2DOT14 format consists of a signed, 2's complement mantissa and an unsigned fraction. To compute the actual value, take the mantissa and add the fraction. Examples of 2.14 values are:

Decimal Value	Hex Value	Mantissa	Fraction
1.999939	0x7fff	1	16383/16384
1.75	0x7000	1	12288/16384
0.000061	0x0001	0	1/16384
0.0	0x0000	0	0/16384
-0.000061	0xffff	-1	16383/16384
-2.0	0x8000	-2	0/16384

4.4 Table version numbers

Most tables have version numbers, and the version number for the entire font is contained in the Table Directory. It should be noted that there are two different table version number types, each with its own numbering scheme. USHORT version numbers always start at zero (0). Fixed version numbers start at one (1.0 or 0x00010000), except where noted (EBDT, EBLC and EBSC tables).

Implementations reading tables must include code to check version numbers so that if and when the format and therefore the version number changes, older implementations will reject newer versions gracefully, if the changes are incompatible.

ISO/IEC 14496-22:2009

When a Fixed number is used as a version, the upper 16 bits comprise a major version number and the lower 16 bits a minor. Tables with non-zero minor version numbers always specify the literal value of the version number since the normal representation of Fixed numbers is not necessarily followed. For example, the version number of 'maxp' table version 0.5 is 0x00005000, and that of 'vhea' table version 1.1 is 0x00011000. If an implementation understands a major version number, then it can safely proceed reading the table. The minor version number indicates extensions to the format that are undetectable by implementations that do not support them.

The only exception to this is the Offset Table's sfnt version. This serves solely to identify whether the OFF font contains TrueType outlines (a value of 1.0) or CFF data (the tag 'OTTO'), as described in subclause 3.5, 'Open Font Structure.'

When a USHORT number is used to indicate version, it should be treated as though it were a minor version number; i.e., all format changes are compatible extensions.

4.5 Open font structure

A key characteristic of the OFF format is the TrueType sfnt "wrapper", which provides organization for a collection of tables in a general and extensible manner.

The OFF font with the Offset Table. If the font file contains only one font, the Offset Table will begin at byte 0 of the file. If the font file is a TrueType collection, the beginning point of the Offset Table for each font is indicated in the TTCHheader.

Offset Table		
Type	Name	Description
Fixed	sfnt version	0x00010000 for version 1.0 or 'OTTO'.
USHORT	numTables	Number of tables.
USHORT	searchRange	(Maximum power of 2 <= numTables) x 16.
USHORT	entrySelector	Log2(maximum power of 2 <= numTables).
USHORT	rangeShift	NumTables x 16-searchRange.

OFF fonts that contain TrueType outlines should use the value of 1.0 for the sfnt version. OFF fonts containing CFF data should use the tag 'OTTO' as the sfnt version number.

4.5.1 Table directory

The Offset Table is followed immediately by the Table Record entries. Entries in the Table Record must be sorted in ascending order by tag. Offset values in the Table Record are measured from the start of the font file.

Table Record		
Type	Name	Description
ULONG	tag	4 -byte identifier.
ULONG	checksum	Checksum for this table.
ULONG	Offset	Offset from beginning of TrueType font file.
ULONG	length	Length of this table.

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC 14496-22:2009](https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c0dd699383/iso-iec-14496-22-2009)

<https://standards.iteh.ai/catalog/standards/sist/01426543-b6fa-4f6f-ab49-c0dd699383/iso-iec-14496-22-2009>

The Table Record makes it possible for a given font to contain only those tables it actually needs. As a result there is no standard value for numTables.

Tags are the names given to tables in the OFF font file. All tag names consist of four characters. Names with less than four letters are allowed if followed by the necessary trailing spaces. All tag names defined within a font (e.g., table names, feature tags, language tags) must be built from printing characters represented by ASCII values 32-126.

NOTE Tag names are case sensitive.

4.5.2 Calculating checksums

Table checksums are the unsigned sum of the longs of a given table. In C, the following function can be used to determine a checksum:

```

ULONG
CalcTableChecksum(ULONG *Table, ULONG Length)
{
    ULONG Sum = 0L;
    ULONG *EndPtr = Table+((Length+3) & ~3) / sizeof(ULONG);

    while (Table < EndPtr)
        Sum += *Table++;
    return Sum;
}

```

NOTE This function implies that the length of a table must be a multiple of four bytes. In fact, a font is not considered structurally proper without the correct padding. All tables must begin on four byte boundaries, and any remaining space between tables is padded with zeros. The length of all tables should be recorded in the table record with their actual length (not their padded length).

To calculate the checksum for the 'head' table which itself includes the checksumAdjustment entry for the entire font, do the following:

1. Set the checksumAdjustment to 0.
2. Calculate the checksum for all the tables including the 'head' table and enter that value into the table directory.
3. Calculate the checksum for the entire font.
4. Subtract that value from the hex value B1B0AFBA.
5. Store the result in checksumAdjustment.

The checksum for the head table which includes the checksumAdjustment entry for the entire font is now incorrect. That is not a problem. Do not change it. An application attempting to verify that the 'head' table has not changed should calculate the checksum for that table by not including the checksumAdjustment value, and compare the result with the entry in the table directory.

4.6 TrueType collections

A TrueType Collection (TTC) is a means of delivering multiple OFF fonts in a single file structure. TrueType Collections are most useful when the fonts to be delivered together share many glyphs in common. By allowing multiple fonts to share glyph sets, TTCs can result in a significant saving of file space.

For example, a group of Japanese fonts may each have their own designs for the kana glyphs, but share identical designs for the kanji. With ordinary OFF font files, the only way to include the common kanji glyphs is to copy their glyph data into each font. Since the kanji represent much more data than the kana, this results in a great deal of wasteful duplication of glyph data. TTCs were defined to solve this problem.

The CFF rasterizer does not currently support TTC files.

4.6.1 The TTC file structure

The TTC File Structure

A TrueType Collection file consists of a single TTC Header table, one or more Offset Tables with Table Directories, and a number of OFF tables. The TTC Header must be located at the beginning of the TTC file.